

ETSI EN 301 025-3 V1.4.1 (2010-09)

Harmonized European Standard (Telecommunications series)

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
VHF radiotelephone equipment for general communications
and associated equipment for Class "D"
Digital Selective Calling (DSC);
Part 3: Harmonized EN covering the essential requirements
of article 3.3(e) of the R&TTE Directive**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 301 025-3 V1.4.1 \(2010-09\)](https://standards.iteh.ai/catalog/standards/etsi/0687be5c-6ae4-48cd-83c1-c494868eb22e/etsi-en-301-025-3-v1-4-1-2010-09)

<https://standards.iteh.ai/catalog/standards/etsi/0687be5c-6ae4-48cd-83c1-c494868eb22e/etsi-en-301-025-3-v1-4-1-2010-09>



Reference

REN/ERM-TG26-080-3

Keywords

maritime, radio, traffic, VHF

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Document Preview
(<https://standards.iteh.ai>)

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™, TIPHON™, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	6
Foreword.....	6
Introduction	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references	7
3 Definitions and abbreviations.....	8
3.1 Definitions	8
3.2 Abbreviations	8
4 Technical requirements specifications	8
4.1 Environmental profile.....	8
4.2 General, operational and technical requirements.....	9
4.2.1 General and operational requirements	9
4.2.1.1 Requirements	9
4.2.1.2 Conformance.....	9
4.2.2 Technical requirements	9
4.2.2.1 Requirements	9
4.2.2.2 Conformance.....	9
4.3 Environmental requirements	9
4.3.1 Vibration test	9
4.3.1.1 Definition	9
4.3.1.2 Requirement	9
4.3.1.3 Conformance.....	9
4.3.2 Temperature tests	9
4.3.2.1 Definition	9
4.3.2.2 Dry heat.....	9
4.3.2.2.1 Definition.....	9
4.3.2.2.2 Requirement	10
4.3.2.2.3 Conformance	10
4.3.2.3 Damp heat	10
4.3.2.3.1 Definition.....	10
4.3.2.3.2 Requirement	10
4.3.2.3.3 Conformance	10
4.3.2.4 Low temperature	10
4.3.2.4.1 Definition.....	10
4.3.2.4.2 Requirement	10
4.3.2.4.3 Conformance	10
4.4 Conformance requirements	10
4.4.1 Sensitivity of the modulator, including microphone.....	10
4.4.1.1 Definition	10
4.4.1.2 Limit.....	10
4.4.1.3 Conformance	10
4.4.2 Audio frequency response	11
4.4.2.1 Definition	11
4.4.2.2 Limit.....	11
4.4.2.3 Conformance.....	11
4.4.3 Audio frequency harmonic distortion of the emission.....	11
4.4.3.1 Definition	11
4.4.3.2 Limit.....	11
4.4.3.3 Conformance.....	11
4.4.4 Residual modulation of the transmitter	11
4.4.4.1 Definition	11

4.4.4.2	Limit.....	11
4.4.4.3	Conformance.....	11
4.4.5	Frequency error (demodulated DSC signal)	11
4.4.5.1	Definition	11
4.4.5.2	Limit.....	11
4.4.5.3	Conformance.....	11
4.4.6	Modulation index for DSC	12
4.4.6.1	Definition	12
4.4.6.2	Limit.....	12
4.4.6.3	Conformance.....	12
4.4.7	Modulation rate for DSC	12
4.4.7.1	Definition	12
4.4.7.2	Limit.....	12
4.4.7.3	Conformance.....	12
4.4.8	Void	12
4.4.9	Harmonic distortion and rated audio-frequency output power	12
4.4.9.1	Definition	12
4.4.9.2	Limit.....	12
4.4.9.3	Conformance.....	12
4.4.10	Receiver audio frequency response	12
4.4.10.1	Definition	12
4.4.10.2	Limit.....	12
4.4.10.3	Conformance.....	13
4.4.11	Receiver residual noise level	13
4.4.11.1	Definition	13
4.4.11.2	Limit.....	13
4.4.11.3	Conformance.....	13
4.4.12	Squelch operation	13
4.4.12.1	Definition	13
4.4.12.2	Limit.....	13
4.4.12.3	Conformance.....	13
4.4.13	Squelch hysteresis.....	13
4.4.13.1	Definition	13
4.4.13.2	Limit.....	13
4.4.13.3	Conformance.....	13
4.4.14	Dynamic range.....	13
4.4.14.1	Definition	13
4.4.14.2	Limit.....	13
4.4.14.3	Conformance.....	14
5	Testing for compliance with technical requirements.....	14
5.1	Test conditions, power supply and ambient temperatures.....	14
5.2	Interpretation of the measurement results	14
5.3	Essential radio test suites.....	14
5.3.1	Environmental tests.....	14
5.3.1.1	Introduction	14
5.3.1.2	Procedure	14
5.3.1.3	Performance check.....	15
5.3.1.4	Vibration test.....	15
5.3.1.4.1	Definition.....	15
5.3.1.4.2	Limit	15
5.3.1.4.3	Conformance	15
5.3.1.5	Temperature tests	15
5.3.1.5.1	Dry heat	15
5.3.1.5.1.1	Definition.....	15
5.3.1.5.1.2	Limit	15
5.3.1.5.1.3	Conformance.....	15
5.3.1.5.2	Damp heat.....	15
5.3.1.5.2.1	Definition.....	15
5.3.1.5.2.2	Limit	15
5.3.1.5.2.3	Conformance.....	15
5.3.1.5.3	Low temperature.....	15