



Harmonized European Standard

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
VHF radiotelephone equipment for general communications
and associated equipment for Class "D"
Digital Selective Calling (DSC);
Part 3: Harmonized EN covering the essential requirements
of article 3.3(e) of the R&TTE Directive**

Reference

REN/ERM-TG26-101-3

Keywords

DSC, maritime, radio, traffic, VHF

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chairecor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2013.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	7
Foreword.....	7
Introduction	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references	8
3 Definitions and abbreviations.....	9
3.1 Definitions	9
3.2 Abbreviations	9
4 Technical requirements specifications	9
4.1 Environmental profile.....	9
4.2 General, operational and technical requirements.....	10
4.2.1 General and operational requirements	10
4.2.1.1 Requirements	10
4.2.1.2 Conformance.....	10
4.2.2 Technical requirements	10
4.2.2.1 Requirements	10
4.2.2.2 Conformance.....	10
4.3 Environmental requirements	10
4.3.1 Vibration test	10
4.3.1.1 Definition	10
4.3.1.2 Requirement	10
4.3.1.3 Conformance.....	10
4.3.2 Temperature tests	10
4.3.2.1 Definition	10
4.3.2.2 Dry heat.....	11
4.3.2.2.1 Definition.....	11
4.3.2.2.2 Requirement	11
4.3.2.2.3 Conformance	11
4.3.2.3 Damp heat	11
4.3.2.3.1 Definition.....	11
4.3.2.3.2 Requirement	11
4.3.2.3.3 Conformance	11
4.3.2.4 Low temperature	11
4.3.2.4.1 Definition.....	11
4.3.2.4.2 Requirement	11
4.3.2.4.3 Conformance	11
4.4 Conformance requirements	11
4.4.1 Sensitivity of the modulator, including microphone.....	11
4.4.1.1 Definition	11
4.4.1.2 Limit.....	11
4.4.1.3 Conformance	12
4.4.2 Audio frequency response	12
4.4.2.1 Definition	12
4.4.2.2 Limit.....	12
4.4.2.3 Conformance.....	12
4.4.3 Audio frequency harmonic distortion of the emission	12
4.4.3.1 Definition	12
4.4.3.2 Limit.....	12
4.4.3.3 Conformance.....	12
4.4.4 Residual modulation of the transmitter	12
4.4.4.1 Definition	12

4.4.4.2	Limit.....	12
4.4.4.3	Conformance.....	12
4.4.5	Frequency error (demodulated DSC signal)	12
4.4.5.1	Definition	12
4.4.5.2	Limit.....	12
4.4.5.3	Conformance.....	13
4.4.6	Modulation index for DSC	13
4.4.6.1	Definition	13
4.4.6.2	Limit.....	13
4.4.6.3	Conformance.....	13
4.4.7	Modulation rate for DSC	13
4.4.7.1	Definition	13
4.4.7.2	Limit.....	13
4.4.7.3	Conformance.....	13
4.4.8	Void	13
4.4.9	Harmonic distortion and rated audio-frequency output power	13
4.4.9.1	Definition	13
4.4.9.2	Limit.....	13
4.4.9.3	Conformance.....	13
4.4.10	Receiver audio frequency response	13
4.4.10.1	Definition	13
4.4.10.2	Limit.....	14
4.4.10.3	Conformance.....	14
4.4.11	Receiver residual noise level	14
4.4.11.1	Definition	14
4.4.11.2	Limit.....	14
4.4.11.3	Conformance.....	14
4.4.12	Squelch operation	14
4.4.12.1	Definition	14
4.4.12.2	Limit.....	14
4.4.12.3	Conformance.....	14
4.4.13	Squelch hysteresis.....	14
4.4.13.1	Definition	14
4.4.13.2	Limit.....	14
4.4.13.3	Conformance.....	14
4.4.14	Dynamic range.....	14
4.4.14.1	Definition	14
4.4.14.2	Limit.....	15
4.4.14.3	Conformance.....	15
4.5	DSC Signalling.....	15
4.5.1	Display	15
4.5.2	Watchkeeping receiver	15
4.5.3	Individual DSC calls.....	15
4.5.4	All ships calls.....	15
4.5.5	DSC call functionality	15
4.5.6	DSC message composition	15
4.5.7	Prioritized wait.....	15
4.5.8	Alarms	15
4.5.9	Standby	15
4.5.10	Sending distress automated requirements	15
4.5.11	Display	15
4.5.12	Distress button sub procedure	16
4.5.13	Transmission of the alert attempt.....	16
4.5.14	Updating position.....	16
4.5.15	Handling received DSC messages	16
4.5.16	Alarms	16
4.5.17	Determining subsequent communications	16
4.5.18	Automated tuning	16
4.5.19	Cancelling the distress alert	16
4.5.20	Acknowledgements.....	16
4.5.21	Termination.....	16
4.5.22	Warnings.....	16