



**Satellite Earth Stations and Systems (SES);
Harmonized EN for Land Mobile Earth Stations (LMES)
operating in the 1,5 GHz and 1,6 GHz bands
providing voice and/or data communications
covering essential requirements of Article 3.2
of the R&TTE directive**

[ETSI EN 301 444 V1.2.1 \(2012-01\)](https://standards.iteh.ai/catalog/standards/etsi/fe38c5bc-dd5d-42ac-9652-0910d25052c3/etsi-en-301-444-v1-2-1-2012-01)

<https://standards.iteh.ai/catalog/standards/etsi/fe38c5bc-dd5d-42ac-9652-0910d25052c3/etsi-en-301-444-v1-2-1-2012-01>

Reference

REN/SES-00319

Keywords

earth station, LMES, regulation, satellite

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
Introduction	5
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	8
3 Definitions and abbreviations.....	8
3.1 Definitions.....	8
3.2 Abbreviations	9
4 Technical requirement specifications.....	9
4.1 Environmental profile.....	9
4.2 Conformance requirements	9
4.2.0 Maximum EIRP	9
4.2.0.1 Justification	9
4.2.0.2 Specification.....	10
4.2.0.3 Conformance test	10
4.2.1 Unwanted emissions outside the band 1 625,8 MHz to 1 661,2 MHz and outside the band 1 667,3 MHz to 1 675,7 MHz	10
4.2.1.1 Justification	10
4.2.1.2 Specification.....	10
4.2.1.3 Conformance test	12
4.2.2 Maximum unwanted emissions within the 1 625,8 MHz to 1 661,2 MHz band and within the 1 667,3 MHz to 1 675,7 MHz band	12
4.2.2.1 Justification	12
4.2.2.2 Specifications	12
4.2.2.3 Conformance test	13
4.2.3 Control and Monitoring Functions (CMF).....	13
4.2.3.1 General	13
4.2.3.2 Processor monitoring	14
4.2.3.2.1 Justification	14
4.2.3.2.2 Specification.....	14
4.2.3.2.3 Conformance test.....	14
4.2.3.3 Transmit subsystem monitoring.....	14
4.2.3.3.1 Justification	14
4.2.3.3.2 Specification.....	14
4.2.3.3.3 Conformance test.....	14
4.2.3.4 Power-on/reset	14
4.2.3.4.1 Justification	14
4.2.3.4.2 Specification.....	14
4.2.3.4.3 Conformance test.....	14
4.2.3.5 Control Channel (CC) reception	15
4.2.3.5.1 Justification	15
4.2.3.5.2 Specification.....	15
4.2.3.5.3 Conformance test.....	15
4.2.3.6 Network control commands	15
4.2.3.6.1 Justification	15
4.2.3.6.2 Specification.....	15
4.2.3.6.3 Conformance test.....	15
4.2.3.7 Initial burst transmission	15
4.2.3.7.1 Justification	15
4.2.3.7.2 Specification.....	16
4.2.3.7.3 Conformance test.....	16

4.2.4	Protection of the radio astronomy service operation in the band 1 660,0 MHz to 1 660,5 MHz and in the band 1 668,0 MHz to 1 670,0 MHz	16
4.2.4.1	Purpose.....	16
4.2.4.2	Technical requirements	16
4.2.4.3	Conformance test	16
5	Testing for compliance with technical requirements.....	16
5.1	Environmental conditions for testing	16
5.2	Essential radio test suites.....	16
5.2.1	General.....	16
5.2.2	Measurement of unwanted emissions	17
5.2.2.1	General	17
5.2.2.2	Test site	17
5.2.2.3	Test method.....	18
5.2.2.3.1	Installation	18
5.2.2.3.2	Receive test equipment.....	18
5.2.2.4	Procedure	19
5.2.2.4.1	Test arrangements.....	19
5.2.2.4.2	Unwanted emissions up to 1 000 MHz.....	19
5.2.2.4.3	Unwanted emissions above 1 000 MHz	20
5.2.3	LMES Control and Monitoring Functions (CMF)	21
5.2.3.1	General	21
5.2.3.2	Test arrangement.....	21
5.2.3.3	Processor monitoring	22
5.2.3.3.1	Test method	22
5.2.3.4	Transmit subsystem monitoring.....	22
5.2.3.4.1	Test method	22
5.2.3.5	Power-on/Reset	23
5.2.3.5.1	Test method	23
5.2.3.6	Control Channel (CC) reception	23
5.2.3.6.1	Test method	23
5.2.3.7	Network control commands	24
5.2.3.7.1	Test method	24
5.2.3.8	Initial burst transmission	25
5.2.3.8.1	Test method	25
Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT).....	26
Annex B (informative):	The EN title in the official languages	29
Annex C (informative):	Bibliography.....	30
History		31

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This final draft Harmonized European Standard (EN) has been produced by ETSI Technical Committee Satellite Earth Stations and Systems (SES), and is now submitted for the Vote phase of the ETSI standards Two-step Approval Procedure.

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Directive 98/34/EC [i.1] as amended by Directive 98/48/EC [i.2].

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [1].

See article 5.1 of Directive 1999/5/EC [1] for information on presumption of conformity and Harmonised Standards or parts thereof the references of which have been published in the Official Journal of the European Union.

The requirements relevant to Directive 1999/5/EC [1] are summarised in annex A.

Proposed national transposition dates

Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	36 months after doa

Introduction

The requirements defined in the present document have been selected to ensure an adequate level of compatibility with other radio services. The levels, however, do not cover extreme cases, which may occur in any location but with a low probability of occurrence.

The present document may not cover those cases where a potential source of interference which is producing individually repeated transient phenomena or a continuous phenomenon is present, e.g. a radar or broadcast site in the near vicinity. In such a case it may be necessary to use special protection applied to either the source of interference, or the interfered part or both.

The present document does not contain any requirement, recommendation or information about the installation of the LMES.