

ETSI EN 301 489-34 V1.1.1 (2010-10)

Harmonized European Standard (Telecommunications series)

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
ElectroMagnetic Compatibility (EMC)
standard for radio equipment and services;
Part 34: Specific conditions for External Power Supply (EPS)
for mobile phones**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 301 489-34 V1.1.1 \(2010-10\)](https://standards.iteh.ai/catalog/standards/etsi/9a0cc6df-0b55-42fb-a2a7-3b498d27c2d0/etsi-en-301-489-34-v1-1-1-2010-10)

10



Reference

DEN/ERM-EMC-270

Keywords

EMC, mobile, radio, regulation

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

ETSI EN 301 489-34 V1.1.1 (2010-10)

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
Introduction	5
1 Scope	6
2 References	6
2.1 Normative references	6
2.2 Informative references.....	7
3 Definitions and abbreviations.....	7
3.1 Definitions	7
3.2 Abbreviations	8
4 Test conditions	8
4.1 General	8
4.2 Arrangements for test signals	9
4.3 Representative generic test load	9
5 Performance assessment.....	9
6 Performance criteria	9
6.1 Performance criteria for EPS.....	10
7 Applicability overview tables.....	10
7.1 EMC emission	10
7.2 Immunity	11
8 Methods of measurement and limits for EMC emissions	11
8.1 Test configuration.....	11
8.2 Enclosure of EPS equipment.....	11
8.2.1 Test method	11
8.2.2 Limits.....	12
8.3 DC power output ports	12
8.3.1 Definition.....	12
8.3.2 Test method	12
8.3.3 Limits.....	12
8.4 AC mains power input ports.....	12
8.4.1 Definition.....	12
8.4.2 Test method	12
8.4.3 Limits.....	13
8.5 Harmonic current emissions (AC mains input port).....	13
8.6 Voltage fluctuations and flicker (AC mains input port)	13
9 Test methods and levels for immunity tests	13
9.1 Test configuration.....	13
9.2 Radio frequency electromagnetic field (80 MHz to 1 000 MHz and 1 400 MHz to 2 700 MHz).....	13
9.2.1 Definition.....	13
9.2.2 Test method	13
9.2.3 Performance criteria.....	14
9.3 Electrostatic discharge.....	14
9.3.1 Definition.....	14
9.3.2 Test method	14
9.3.3 Performance criteria.....	14
9.4 Fast transients, common mode	14
9.4.1 Definition.....	14
9.4.2 Test method	15
9.4.3 Performance criteria.....	15
9.5 Radio frequency, common mode.....	15

9.5.1	Definition.....	15
9.5.2	Test method	15
9.5.3	Performance criteria.....	15
9.6	Voltage dips and interruptions.....	15
9.6.1	Definition.....	15
9.6.2	Test method	16
9.6.3	Performance criteria.....	16
9.7	Surges	16
9.7.1	Definition.....	16
9.7.2	Test method	16
9.7.2.1	Test method for mains ports.....	16
9.7.3	Performance criteria.....	16
Annex A (informative):	Rationales considered in drafting EN 301 489-34.....	17
Annex B (informative):	The EN title in the official languages	18
Annex C (informative):	Bibliography.....	19
History		20

iTeh Standards (<https://standards.iteh.ai>) Document Preview

[ETSI EN 301 489-34 V1.1.1 \(2010-10\)](https://standards.iteh.ai/catalog/standards/etsi/9a0cc6df-0b55-42fb-a2a7-3b498d27c2d0/etsi-en-301-489-34-v1-1-1-2010-10)

[https://standards.iteh.ai/catalog/standards/etsi/9a0cc6df-0b55-42fb-a2a7-3b498d27c2d0/etsi-en-301-489-34-v1-1-1-2010-](https://standards.iteh.ai/catalog/standards/etsi/9a0cc6df-0b55-42fb-a2a7-3b498d27c2d0/etsi-en-301-489-34-v1-1-1-2010-10)

10