



HARMONISED EUROPEAN STANDARD

**ElectroMagnetic Compatibility (EMC)
standard for radio equipment and services;
Part 5: Specific conditions for
Private land Mobile Radio (PMR) and
ancillary equipment (speech and non-speech) and
Terrestrial Trunked Radio (TETRA);**

Harmonised Standard for ElectroMagnetic Compatibility

ReferenceREN/ERM-EMC-419

KeywordsEMC, harmonised standard, PMR, radio,
regulation, TETRA**ETSI**650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Contents

Intellectual Property Rights	5
Foreword.....	5
Modal verbs terminology.....	6
1 Scope	7
2 References	8
2.1 Normative references	8
2.2 Informative references.....	8
3 Definition of terms, symbols and abbreviations.....	9
3.1 Terms.....	9
3.2 Symbols.....	10
3.3 Abbreviations	10
4 Test conditions	10
4.1 General	10
4.2 Arrangements for test signals	10
4.2.1 Arrangements for test signals at the input of transmitters.....	10
4.2.2 Arrangements for test signals at the output of transmitters.....	10
4.2.3 Arrangements for test signals at the input of receivers	11
4.2.4 Arrangements for test signals at the output of receivers	11
4.2.5 Arrangements for testing transmitter and receiver together (as a system)	11
4.3 Exclusion bands.....	11
4.3.1 Transmitter exclusion band.....	11
4.3.2 Receiver and receivers of transceivers exclusion band	11
4.4 Narrow band responses of receivers.....	11
4.5 Normal test modulation	12
4.5.1 General.....	12
4.5.2 Analogue speech equipment	12
4.5.2.1 Angle modulated equipment	12
4.5.2.2 Non-angle modulated equipment	12
4.5.3 Digital speech equipment.....	12
4.5.4 Non-speech equipment (data, specific response, etc.)	12
4.5.5 TETRA equipment.....	13
5 Performance assessment.....	13
5.1 Ancillary equipment	13
5.2 Performance assessment of equipment providing an audio path	13
5.2.1 Assessment of audio path using the audio breakthrough method	13
6 Performance criteria	14
6.0 General	14
6.1 Performance criteria for Continuous phenomena applied to Transmitters (CT)	15
6.1.0 Introduction.....	15
6.1.1 Audio test criteria	15
6.1.1.0 General	15
6.1.1.1 Audio breakthrough requirement	15
6.1.1.2 Audio signal distortion requirement.....	15
6.1.2 Non-audio test criteria	16
6.2 Performance criteria for Transient phenomena applied to Transmitters (TT).....	16
6.3 Performance criteria for Continuous phenomena applied to Receivers (CR).....	16
6.3.0 Introduction.....	16
6.3.1 Audio test criteria	16
6.3.1.0 General	16
6.3.1.1 Audio breakthrough test.....	16
6.3.1.2 Audio signal distortion requirement.....	17
6.3.2 Non-audio test criteria	17
6.4 Performance criteria for Transient phenomena applied to Receivers (TR)	17

7	Applicability overview	17
7.1	Emission	17
7.1.1	General	17
7.1.2	Special conditions	18
7.2	Immunity	18
7.2.1	General	18
7.2.2	Special conditions	19
Annex A (informative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU	20
Annex B:	Void	22
Annex C (informative):	Information supplied to the test laboratory	23
C.1	Information to be supplied	23
Annex D:	Void	24
Annex E (informative):	Change history	25
History		26

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 301 489-5 V2.2.9 \(2025-05\)](https://standards.iteh.ai/catalog/standards/etsi/ee5326f2-e765-47dc-97e7-85216280aca4/etsi-en-301-489-5-v2-2-9-2025-05)

<https://standards.iteh.ai/catalog/standards/etsi/ee5326f2-e765-47dc-97e7-85216280aca4/etsi-en-301-489-5-v2-2-9-2025-05>