



**Global System for Mobile communications (GSM);  
Harmonized EN for Base Station Equipment covering the  
essential requirements of article 3.2 of the R&TTE Directive**

## Document Preview

[ETSI EN 301 502 V10.2.1 \(2012-11\)](https://standards.iteh.ai/catalog/standards/etsi/0437dcb9-8f7b-42f3-8511-5bb1a6983aa6/etsi-en-301-502-v10-2-1-2012-11)

<https://standards.iteh.ai/catalog/standards/etsi/0437dcb9-8f7b-42f3-8511-5bb1a6983aa6/etsi-en-301-502-v10-2-1-2012-11>

---

**Reference**REN/MSG-0006

---

---

**Keywords**base station, cellular, GSM

---

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

**(<https://standards.iteh.ai>)**  
**Document Preview**

---

**Important notice**

---

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

[http://portal.etsi.org/chaicor/ETSI\\_support.asp](http://portal.etsi.org/chaicor/ETSI_support.asp)

---

**Copyright Notification**

---

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2012.  
All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and  
of the 3GPP Organizational Partners.  
**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Contents

|                                                                                                                              |    |
|------------------------------------------------------------------------------------------------------------------------------|----|
| Intellectual Property Rights .....                                                                                           | 7  |
| Foreword.....                                                                                                                | 7  |
| Introduction .....                                                                                                           | 7  |
| 1 Scope .....                                                                                                                | 8  |
| 2 References .....                                                                                                           | 8  |
| 2.1 Normative references .....                                                                                               | 8  |
| 2.2 Informative references.....                                                                                              | 10 |
| 3 Definitions and abbreviations.....                                                                                         | 10 |
| 3.1 Definitions.....                                                                                                         | 10 |
| 3.2 Abbreviations .....                                                                                                      | 13 |
| 4 Technical requirements specifications .....                                                                                | 14 |
| 4.1 Environmental profile.....                                                                                               | 14 |
| 4.2 Conformance requirements .....                                                                                           | 14 |
| 4.2.1 Modulation accuracy.....                                                                                               | 15 |
| 4.2.1.1 Definition .....                                                                                                     | 15 |
| 4.2.1.2 Limit.....                                                                                                           | 16 |
| 4.2.1.3 Conformance.....                                                                                                     | 17 |
| 4.2.2 Mean transmitted RF carrier power .....                                                                                | 17 |
| 4.2.2.1 Definition .....                                                                                                     | 17 |
| 4.2.2.2 Limit.....                                                                                                           | 17 |
| 4.2.2.3 Conformance.....                                                                                                     | 18 |
| 4.2.3 Transmitted RF carrier power versus time.....                                                                          | 18 |
| 4.2.3.1 Definition .....                                                                                                     | 18 |
| 4.2.3.2 Limit.....                                                                                                           | 18 |
| 4.2.3.3 Conformance.....                                                                                                     | 22 |
| 4.2.4 Adjacent channel power.....                                                                                            | 22 |
| 4.2.4.1 Spectrum due to modulation and wideband noise.....                                                                   | 22 |
| 4.2.4.1.1 Definition.....                                                                                                    | 22 |
| 4.2.4.1.2 Limit .....                                                                                                        | 22 |
| 4.2.4.1.3 Conformance .....                                                                                                  | 24 |
| 4.2.4.2 Switching transients spectrum.....                                                                                   | 24 |
| 4.2.4.2.1 Definition.....                                                                                                    | 24 |
| 4.2.4.2.2 Limit .....                                                                                                        | 24 |
| 4.2.4.2.3 Conformance .....                                                                                                  | 25 |
| 4.2.5 Spurious emissions from the transmitter antenna connector.....                                                         | 25 |
| 4.2.5.1 Conducted spurious emissions from the transmitter antenna connector, inside the BTS transmit band.....               | 25 |
| 4.2.5.1.1 Definition.....                                                                                                    | 25 |
| 4.2.5.1.2 Limit .....                                                                                                        | 25 |
| 4.2.5.1.3 Conformance .....                                                                                                  | 25 |
| 4.2.5.2 Conducted spurious emissions from the transmitter antenna connector, outside the BTS transmit band.....              | 25 |
| 4.2.5.2.1 Definition.....                                                                                                    | 25 |
| 4.2.5.2.2 Limit .....                                                                                                        | 25 |
| 4.2.5.2.3 Conformance .....                                                                                                  | 26 |
| 4.2.5.3 Conducted spurious emissions from the transmitter antenna connector, in 3G bands outside the BTS transmit band ..... | 26 |
| 4.2.5.3.1 Definition.....                                                                                                    | 26 |
| 4.2.5.3.2 Limit .....                                                                                                        | 27 |
| 4.2.5.3.3 Conformance .....                                                                                                  | 27 |
| 4.2.6 Intermodulation attenuation .....                                                                                      | 27 |
| 4.2.6.1 Definition .....                                                                                                     | 27 |
| 4.2.6.2 Limit.....                                                                                                           | 27 |

|            |                                                                                         |    |
|------------|-----------------------------------------------------------------------------------------|----|
| 4.2.6.2.1  | For BTS not belonging to the multicarrier BTS class.....                                | 27 |
| 4.2.6.2.2  | For BTS belonging to the multicarrier BTS class.....                                    | 27 |
| 4.2.6.3    | Conformance.....                                                                        | 28 |
| 4.2.7      | Intra Base Station System intermodulation attenuation .....                             | 28 |
| 4.2.7.1    | Definition .....                                                                        | 28 |
| 4.2.7.2    | Limit.....                                                                              | 28 |
| 4.2.7.2.1  | For BTS not belonging to the multicarrier BTS class.....                                | 28 |
| 4.2.7.2.2  | For BTS belonging to the multicarrier BTS class.....                                    | 28 |
| 4.2.7.3    | Conformance .....                                                                       | 28 |
| 4.2.8      | Wideband noise and intra BSS intermodulation attenuation in multicarrier operation..... | 29 |
| 4.2.8.1    | Definition .....                                                                        | 29 |
| 4.2.8.2    | Limit.....                                                                              | 29 |
| 4.2.9      | Static Reference Sensitivity Level .....                                                | 30 |
| 4.2.9.1    | Definition .....                                                                        | 30 |
| 4.2.9.2    | Limit.....                                                                              | 30 |
| 4.2.9.3    | Conformance.....                                                                        | 33 |
| 4.2.10     | Multipath Reference Sensitivity Level .....                                             | 33 |
| 4.2.10.1   | Definition .....                                                                        | 33 |
| 4.2.10.2   | Limit.....                                                                              | 33 |
| 4.2.10.3   | Conformance.....                                                                        | 42 |
| 4.2.11     | Reference Interference Level.....                                                       | 42 |
| 4.2.11.1   | Definition .....                                                                        | 42 |
| 4.2.11.2   | Limit.....                                                                              | 42 |
| 4.2.11.3   | Conformance.....                                                                        | 57 |
| 4.2.12     | Blocking Characteristics .....                                                          | 58 |
| 4.2.12.1   | Definition .....                                                                        | 58 |
| 4.2.12.2   | Limit.....                                                                              | 58 |
| 4.2.12.2.1 | Blocking .....                                                                          | 58 |
| 4.2.12.2.2 | Spurious response.....                                                                  | 59 |
| 4.2.12.3   | Conformance.....                                                                        | 59 |
| 4.2.13     | Intermodulation characteristics.....                                                    | 59 |
| 4.2.13.1   | Definition .....                                                                        | 59 |
| 4.2.13.2   | Limit.....                                                                              | 59 |
| 4.2.13.3   | Conformance.....                                                                        | 59 |
| 4.2.14     | AM suppression.....                                                                     | 59 |
| 4.2.14.1   | Definition .....                                                                        | 59 |
| 4.2.14.2   | Limit.....                                                                              | 60 |
| 4.2.14.3   | Conformance.....                                                                        | 60 |
| 4.2.15     | Spurious emissions from the receiver antenna connector .....                            | 60 |
| 4.2.15.1   | Definition .....                                                                        | 60 |
| 4.2.15.2   | Limit.....                                                                              | 60 |
| 4.2.15.3   | Conformance.....                                                                        | 60 |
| 4.2.16     | Radiated spurious emissions .....                                                       | 60 |
| 4.2.16.1   | Definition .....                                                                        | 60 |
| 4.2.16.2   | Limit.....                                                                              | 61 |
| 4.2.16.3   | Conformance.....                                                                        | 61 |
| 5          | Testing for compliance with technical requirements.....                                 | 61 |
| 5.1        | Environmental conditions for testing .....                                              | 61 |
| 5.2        | Interpretation of the measurement results .....                                         | 61 |
| 5.3        | Essential radio test suites.....                                                        | 62 |
| 5.3.1      | Modulation accuracy.....                                                                | 63 |
| 5.3.1.1    | Test case.....                                                                          | 63 |
| 5.3.1.2    | Test Environment.....                                                                   | 64 |
| 5.3.2      | Mean transmitted RF carrier power .....                                                 | 64 |
| 5.3.2.1    | Test case.....                                                                          | 64 |
| 5.3.2.2    | Test Environment.....                                                                   | 65 |
| 5.3.3      | Transmitted RF carrier power versus time.....                                           | 65 |
| 5.3.3.1    | Test case.....                                                                          | 65 |
| 5.3.3.2    | Test Environment.....                                                                   | 66 |
| 5.3.4      | Adjacent channel power.....                                                             | 66 |
| 5.3.4.1    | Spectrum due to modulation and wideband noise.....                                      | 66 |

|           |                                                                                                                      |     |
|-----------|----------------------------------------------------------------------------------------------------------------------|-----|
| 5.3.4.1.1 | Test case .....                                                                                                      | 66  |
| 5.3.4.1.2 | Test Environment .....                                                                                               | 67  |
| 5.3.4.2   | Switching transients spectrum.....                                                                                   | 67  |
| 5.3.4.2.1 | Test case .....                                                                                                      | 67  |
| 5.3.4.2.2 | Test Environment .....                                                                                               | 68  |
| 5.3.5     | Spurious emissions from the transmitter antenna connector.....                                                       | 68  |
| 5.3.5.1   | Conducted spurious emissions from the transmitter antenna connector, inside the BTS transmit band.....               | 68  |
| 5.3.5.1.1 | Test case .....                                                                                                      | 68  |
| 5.3.5.1.2 | Test Environment .....                                                                                               | 69  |
| 5.3.5.2   | Conducted spurious emissions from the transmitter antenna connector, outside the BTS transmit band.....              | 69  |
| 5.3.5.2.1 | For BTS not belonging to the multicarrier BTS class.....                                                             | 69  |
| 5.3.5.2.2 | For BTS belonging to the multicarrier BTS class.....                                                                 | 70  |
| 5.3.5.3   | Conducted spurious emissions from the transmitter antenna connector, in 3G bands outside the BTS transmit band ..... | 72  |
| 5.3.5.3.1 | Test case .....                                                                                                      | 72  |
| 5.3.5.3.2 | Test Environment .....                                                                                               | 72  |
| 5.3.6     | Intermodulation attenuation .....                                                                                    | 72  |
| 5.3.6.1   | Test case.....                                                                                                       | 72  |
| 5.3.6.2   | Test Environment.....                                                                                                | 74  |
| 5.3.7     | Intra Base Station System intermodulation attenuation .....                                                          | 74  |
| 5.3.7.1   | Test case.....                                                                                                       | 74  |
| 5.3.7.2   | Test Environment.....                                                                                                | 75  |
| 5.3.8     | Wideband noise and intra BSS intermodulation attenuation in multicarrier operation.....                              | 75  |
| 5.3.8.1   | Test case.....                                                                                                       | 75  |
| 5.3.8.2   | Test Environment.....                                                                                                | 77  |
| 5.3.9     | Static reference sensitivity level .....                                                                             | 78  |
| 5.3.9.1   | Test case.....                                                                                                       | 78  |
| 5.3.9.2   | Test Environment.....                                                                                                | 80  |
| 5.3.10    | Multipath Reference Sensitivity Level .....                                                                          | 80  |
| 5.3.10.1  | Test case.....                                                                                                       | 80  |
| 5.3.10.2  | Test Environment.....                                                                                                | 85  |
| 5.3.11    | Reference Interference Level.....                                                                                    | 85  |
| 5.3.11.1  | Test case.....                                                                                                       | 85  |
| 5.3.11.2  | Test Environment.....                                                                                                | 94  |
| 5.3.12    | Blocking Characteristics .....                                                                                       | 95  |
| 5.3.12.1  | Test case.....                                                                                                       | 95  |
| 5.3.12.2  | Test Environment.....                                                                                                | 99  |
| 5.3.13    | Intermodulation characteristics .....                                                                                | 99  |
| 5.3.13.1  | Test case.....                                                                                                       | 99  |
| 5.3.13.2  | Test Environment.....                                                                                                | 101 |
| 5.3.14    | AM suppression .....                                                                                                 | 101 |
| 5.3.14.1  | Test case.....                                                                                                       | 101 |
| 5.3.14.2  | Test Environment.....                                                                                                | 103 |
| 5.3.15    | Spurious emissions from the receiver antenna connector .....                                                         | 103 |
| 5.3.15.1  | Test case.....                                                                                                       | 103 |
| 5.3.15.2  | Test Environment.....                                                                                                | 104 |
| 5.3.16    | Radiated spurious emissions .....                                                                                    | 104 |
| 5.3.16.1  | Test case.....                                                                                                       | 105 |
| 5.3.16.2  | Test Environment.....                                                                                                | 107 |

|                             |                                                                                |            |
|-----------------------------|--------------------------------------------------------------------------------|------------|
| <b>Annex A (normative):</b> | <b>HS Requirements and conformance Test specifications Table (HS-RTT).....</b> | <b>108</b> |
|-----------------------------|--------------------------------------------------------------------------------|------------|

|                             |                                                      |            |
|-----------------------------|------------------------------------------------------|------------|
| <b>Annex B (normative):</b> | <b>General test conditions and declarations.....</b> | <b>110</b> |
|-----------------------------|------------------------------------------------------|------------|

|       |                                                     |     |
|-------|-----------------------------------------------------|-----|
| B.1   | Declaration by manufacturer .....                   | 110 |
| B.1.1 | Output power and determination of power class ..... | 110 |
| B.1.2 | Specified frequency range .....                     | 110 |
| B.1.3 | Frequency hopping .....                             | 111 |
| B.1.4 | RF power control.....                               | 111 |

|                               |                                                      |            |
|-------------------------------|------------------------------------------------------|------------|
| B.1.5                         | Downlink discontinuous transmission (DTX) .....      | 111        |
| B.2                           | BTS Configurations.....                              | 111        |
| B.2.1                         | Receiver diversity .....                             | 112        |
| B.2.2                         | Duplexers .....                                      | 112        |
| B.2.3                         | Power supply options .....                           | 113        |
| B.2.4                         | Ancillary RF amplifiers.....                         | 113        |
| B.2.5                         | BSS using antenna arrays .....                       | 113        |
| B.2.6                         | BTS supporting 8-PSK modulation.....                 | 115        |
| B.2.7                         | BTS supporting additional modulations in EGPRS2..... | 115        |
| B.2.8                         | Supported Symbol Rate.....                           | 115        |
| B.2.9                         | Support of RTTI and/or FANR .....                    | 115        |
| B.2.10                        | Multicarrier BTS .....                               | 115        |
| B.2.11                        | BTS supporting VAMOS .....                           | 117        |
| <b>Annex C (normative):</b>   | <b>Test environments.....</b>                        | <b>118</b> |
| C.1                           | Normal test environment.....                         | 118        |
| C.2                           | Extreme test environment.....                        | 118        |
| C.2.1                         | Extreme temperature .....                            | 119        |
| C.3                           | Vibration.....                                       | 119        |
| C.4                           | Power supply .....                                   | 119        |
| <b>Annex D:</b>               | <b>Void .....</b>                                    | <b>120</b> |
| <b>Annex E (informative):</b> | <b>Bibliography.....</b>                             | <b>121</b> |
| History .....                 |                                                      | 122        |

IteH Standards  
 (https://standards.iteh.ai)  
 Document Preview

ETSI EN 301 502 V10.2.1 (2012-11)

<https://standards.iteh.ai/catalog/standards/etsi/0437dcb9-8f7b-42f3-8511-5bb1a6983aa6/etsi-en-301-502-v10-2-1-2012-11>

# Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

# Foreword

This final draft Harmonized European Standard (EN) has been produced by ETSI Technical Committee Mobile Standards Group (MSG), and is now submitted for the Vote phase of the ETSI standards Two-step Approval Procedure.

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Directive 98/34/EC [i.1] as amended by Directive 98/48/EC [i.7].

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [i.2].

See article 5.1 of Directive 1999/5/EC [i.2] for information on presumption of conformity and Harmonised Standards or parts thereof the references of which have been published in the Official Journal of the European Union.

The requirements relevant to Directive 1999/5/EC [i.2] are summarised in annex A.

| Proposed national transposition dates                                                  |                                 |
|----------------------------------------------------------------------------------------|---------------------------------|
| Date of latest announcement of this EN (doa):                                          | 3 months after ETSI publication |
| Date of latest publication of new National Standard or endorsement of this EN (dop/e): | 6 months after doa              |
| Date of withdrawal of any conflicting National Standard (dow):                         | 18 months after doa             |

# Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive [i.2]. The modular structure is shown in EG 201 399 [i.3].