

ETSI EN 301 502 V9.2.1 (2010-10)

Harmonized European Standard (Telecommunications series)

**Global System for Mobile communications (GSM);
Harmonized EN for Base Station Equipment
covering the essential requirements
of article 3.2 of the R&TTE Directive**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ETSI EN 301 502 V9.2.0 (2010-08)

<https://standards.iteh.ai/catalog/standards/etsi/c3ae0d70-ccea-45e3-84d8-3d0b0ed1fa5e/etsi-en-301-502-v9-2-0-2010-08>



ReferenceREN/MSG-00005

KeywordsGSM

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	7
Foreword.....	7
Introduction	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references.....	10
3 Definitions and abbreviations.....	10
3.1 Definitions.....	10
3.2 Abbreviations	12
4 Technical requirements specifications	13
4.1 Environmental profile.....	13
4.2 Conformance requirements	13
4.2.1 Modulation accuracy.....	14
4.2.1.1 Definition	14
4.2.1.2 Limit.....	14
4.2.1.3 Conformance.....	15
4.2.2 Mean transmitted RF carrier power	15
4.2.2.1 Definition	15
4.2.2.2 Limit.....	15
4.2.2.3 Conformance.....	16
4.2.3 Transmitted RF carrier power versus time.....	16
4.2.3.1 Definition	16
4.2.3.2 Limit.....	16
4.2.3.3 Conformance.....	19
4.2.4 Adjacent channel power.....	19
4.2.4.1 Spectrum due to modulation and wideband noise.....	20
4.2.4.1.1 Definition.....	20
4.2.4.1.2 Limit	20
4.2.4.1.3 Conformance	22
4.2.4.2 Switching transients spectrum.....	22
4.2.4.2.1 Definition.....	22
4.2.4.2.2 Limit	22
4.2.4.2.3 Conformance	22
4.2.5 Spurious emissions from the transmitter antenna connector.....	22
4.2.5.1 Conducted spurious emissions from the transmitter antenna connector, inside the BTS transmit band.....	22
4.2.5.1.1 Definition.....	22
4.2.5.1.2 Limit	22
4.2.5.1.3 Conformance	22
4.2.5.2 Conducted spurious emissions from the transmitter antenna connector, outside the BTS transmit band.....	22
4.2.5.2.1 Definition.....	23
4.2.5.2.2 Limit	23
4.2.5.2.3 Conformance	24
4.2.5.3 Conducted spurious emissions from the transmitter antenna connector, in 3G bands outside the BTS transmit band	24
4.2.5.3.1 Definition.....	24
4.2.5.3.2 Limit	24
4.2.5.3.3 Conformance	24
4.2.6 Intermodulation attenuation	24
4.2.6.1 Definition	24
4.2.6.2 Limit.....	24

4.2.6.2.1	For all BTSs except multicarrier BTS	24
4.2.6.2.2	For multicarrier BTS	25
4.2.6.3	Conformance.....	25
4.2.7	Intra Base Station System intermodulation attenuation	25
4.2.7.1	Definition	25
4.2.7.2	Limit.....	25
4.2.7.2.1	For all BTSs except multicarrier BTS	25
4.2.7.2.2	For multicarrier BTS	25
4.2.7.3	Conformance.....	25
4.2.8	Wideband noise and intra BSS intermodulation attenuation in multicarrier operation.....	25
4.2.8.1	Definition	25
4.2.8.2	Limit.....	26
4.2.9	Static Reference Sensitivity Level	27
4.2.9.1	Definition	27
4.2.9.2	Limit.....	27
4.2.9.3	Conformance.....	30
4.2.10	Multipath Reference Sensitivity Level	30
4.2.10.1	Definition	30
4.2.10.2	Limit.....	30
4.2.10.3	Conformance.....	37
4.2.11	Reference Interference Level.....	37
4.2.11.1	Definition	37
4.2.11.2	Limit.....	38
4.2.11.3	Conformance.....	51
4.2.12	Blocking Characteristics	51
4.2.12.1	Definition	51
4.2.12.2	Limit.....	51
4.2.12.2.1	Blocking	51
4.2.12.2.2	Spurious response	52
4.2.12.3	Conformance.....	52
4.2.13	Intermodulation characteristics.....	52
4.2.13.1	Definition	52
4.2.13.2	Limit.....	53
4.2.13.3	Conformance.....	53
4.2.14	AM suppression.....	53
4.2.14.1	Definition	53
4.2.14.2	Limit.....	53
4.2.14.3	Conformance.....	53
4.2.15	Spurious emissions from the receiver antenna connector	53
4.2.15.1	Definition	53
4.2.15.2	Limit.....	54
4.2.15.3	Conformance.....	54
4.2.16	Radiated spurious emissions	54
4.2.16.1	Definition	54
4.2.16.2	Limit.....	54
4.2.16.3	Conformance.....	54
5	Testing for compliance with technical requirements.....	54
5.1	Environmental conditions for testing	54
5.2	Interpretation of the measurement results	55
5.3	Essential radio test suites.....	56
5.3.1	Modulation accuracy.....	56
5.3.1.1	Test case.....	56
5.3.1.2	Test Environment.....	57
5.3.2	Mean transmitted RF carrier power	57
5.3.2.1	Test case.....	57
5.3.2.2	Test Environment.....	58
5.3.3	Transmitted RF carrier power versus time.....	58
5.3.3.1	Test case.....	58
5.3.3.2	Test Environment.....	59
5.3.4	Adjacent channel power.....	59
5.3.4.1	Spectrum due to modulation and wideband noise	59

5.3.4.1.1	Test case	59
5.3.4.1.2	Test Environment	60
5.3.4.2	Switching transients spectrum.....	60
5.3.4.2.1	Test case	60
5.3.4.2.2	Test Environment	61
5.3.5	Spurious emissions from the transmitter antenna connector.....	62
5.3.5.1	Conducted spurious emissions from the transmitter antenna connector, inside the BTS transmit band.....	62
5.3.5.1.1	Test case	62
5.3.5.1.2	Test Environment	62
5.3.5.2	Conducted spurious emissions from the transmitter antenna connector, outside the BTS transmit band.....	62
5.3.5.2.1	All base stations except multicarrier BTS	62
5.3.5.2.2	Multicarrier BTS	63
5.3.5.3	Conducted spurious emissions from the transmitter antenna connector, in 3G bands outside the BTS transmit band	65
5.3.5.3.1	Test case	65
5.3.5.3.2	Test Environment	66
5.3.6	Intermodulation attenuation	66
5.3.6.1	Test case.....	66
5.3.6.2	Test Environment.....	68
5.3.7	Intra Base Station System intermodulation attenuation	68
5.3.7.1	Test case.....	68
5.3.7.2	Test Environment.....	69
5.3.8	Wideband noise and intra BSS intermodulation attenuation in multicarrier operation.....	69
5.3.8.1	Test case.....	69
5.3.8.2	Test Environment.....	71
5.3.9	Static reference sensitivity level	71
5.3.9.1	Test case.....	71
5.3.9.2	Test Environment.....	73
5.3.10	Multipath Reference Sensitivity Level	73
5.3.10.1	Test case.....	73
5.3.10.2	Test Environment.....	78
5.3.11	Reference Interference Level.....	78
5.3.11.1	Test case.....	78
5.3.11.2	Test Environment.....	85
5.3.12	Blocking Characteristics	85
5.3.12.1	Test case.....	86
5.3.12.2	Test Environment.....	89
5.3.13	Intermodulation characteristics	89
5.3.13.1	Test case.....	89
5.3.13.2	Test Environment.....	91
5.3.14	AM suppression	91
5.3.14.1	Test case.....	91
5.3.14.2	Test Environment.....	92
5.3.15	Spurious emissions from the receiver antenna connector	92
5.3.15.1	Test case.....	93
5.3.15.2	Test Environment.....	93
5.3.16	Radiated spurious emissions	93
5.3.16.1	Test case.....	94
5.3.16.2	Test Environment.....	95

Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT).....	96
-----------------------------	--	-----------

Annex B (normative):	General test conditions and declarations.....	98
-----------------------------	--	-----------

B.1	Declaration by manufacturer	98
B.1.1	Output power and determination of power class	98
B.1.2	Specified frequency range	98
B.1.3	Frequency hopping	99
B.1.4	RF power control.....	99

B.1.5	Downlink discontinuous transmission (DTX)	99
B.2	BTS Configurations.....	99
B.2.1	Receiver diversity	100
B.2.2	Duplexers	100
B.2.3	Power supply options	101
B.2.4	Ancillary RF amplifiers.....	101
B.2.5	BSS using antenna arrays	101
B.2.6	BTS supporting 8-PSK modulation.....	103
B.2.7	BTS supporting additional modulations in EGPRS2.....	103
B.2.8	Supported Symbol Rate.....	103
B.2.9	Support of RTTI and/or FANR	103
B.2.10	Multicarrier BTS	103
Annex C (normative):	Test environments.....	105
C.1	Normal test environment.....	105
C.2	Extreme test environment.....	105
C.2.1	Extreme temperature	106
C.3	Vibration.....	106
C.4	Power supply	106
Annex D (informative):	The EN title in the official languages	107
Annex E (informative):	Bibliography.....	108
History		109

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 301 502 V9.2.0 \(2010-08\)](https://standards.iteh.ai/catalog/standards/etsi/c3ae0d70-ccea-45e3-84d8-3d0b0ed1fa5e/etsi-en-301-502-v9-2-0-2010-08)

<https://standards.iteh.ai/catalog/standards/etsi/c3ae0d70-ccea-45e3-84d8-3d0b0ed1fa5e/etsi-en-301-502-v9-2-0-2010-08>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Mobile Standards Group (MSG).

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC [i.1] (as amended) laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Harmonized Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Directive 1999/5/EC [i.2] of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity ("the R&TTE Directive").

The requirements relevant to Directive 1999/5/EC [i.2] are summarized in annex A.

National transposition dates

Date of adoption of this EN:	19 October 2010
Date of latest announcement of this EN (doa):	31 January 2011
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 July 2011
Date of withdrawal of any conflicting National Standard (dow):	31 July 2012

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive. The modular structure is shown in EG 201 399 [i.3].

Figure 1: Void