

Draft ETSI EN 301 545-2 V1.5.1 (2026-01)



**Digital Video Broadcasting (DVB);
Second Generation DVB
Interactive Satellite System (DVB-RCS2);
Part 2: Lower Layers for Satellite standard**

[ETSI EN 301 545-2 V1.5.1 \(2026-01\)](https://standards.iteh.ai/catalog/standards/etsi/d39a9481-4712-4a69-bd75-ca79f7e07fe6/etsi-en-301-545-2-v1-5-1-2026-01)

<https://standards.iteh.ai/catalog/standards/etsi/d39a9481-4712-4a69-bd75-ca79f7e07fe6/etsi-en-301-545-2-v1-5-1-2026-01>

EBU DVB[®]

ReferenceREN/JTC-DVB-417-2

KeywordsDVB, interaction, satellite

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
© European Broadcasting Union 2026.
All rights reserved.

Contents

Intellectual Property Rights	11
Foreword.....	11
Modal verbs terminology.....	12
Introduction	12
1 Scope	14
2 References	14
2.1 Normative references	14
2.2 Informative references.....	15
3 Definition of terms, symbols and abbreviations.....	17
3.1 Terms.....	17
3.2 Symbols.....	19
3.3 Abbreviations	20
4 Two-way Satellite Interactive Satellite System models	23
4.0 Introduction	23
4.1 Interactive Satellite System Reference Models	24
4.2 System Model.....	24
4.3 Dynamic Connectivity.....	24
4.4 Reference Architectures	24
4.5 Protocol Stack Model.....	24
4.6 The Lower Layers	25
4.6.0 Introduction.....	25
4.6.1 Lower Layer Services.....	26
4.6.2 Lower Layer Interfaces.....	27
5 Forward Link and Regenerative Mesh Downlink	29
5.0 Introduction	29
5.1 SDU Transport in the Forward Link.....	29
5.1.0 Introduction.....	29
5.1.1 SDU Transport in GSE PDUs.....	30
5.1.1.0 Introduction.....	30
5.1.1.1 Implicit Integrity Protection of SDU (optional)	30
5.1.1.2 Explicit Integrity Protection of SDU.....	30
5.1.1.3 Maximum Transfer Unit for an SDU in the Forward Link	30
5.1.2 SDU Transport in TS Packets (optional)	31
5.2 Addressing in the forward link	31
5.2.0 Introduction.....	31
5.2.1 Addressing of L2S	31
5.2.2 Addressing the Unicast Higher Layer Traffic	31
5.2.2.0 Introduction.....	31
5.2.2.1 Addressing Unicast Sent with GSE.....	31
5.2.2.2 Addressing Unicast Sent over a TS Packet stream (optional)	31
5.2.3 Addressing the Multicast Higher Layer Traffic	32
5.2.3.0 Introduction.....	32
5.2.3.1 Addressing Multicast over GSE.....	32
5.2.3.2 Addressing Multicast over TS Packet stream.....	32
5.3 Layer 2 FEC (optional).....	32
5.3.0 Introduction.....	32
5.3.1 LL-FEC Frame.....	33
5.3.1.0 Introduction.....	33
5.3.1.1 Filling of Application Data Table	33
5.3.1.2 Generation of the FEC Data Table.....	34
5.3.1.2.0 Introduction	34
5.3.1.2.1 Reed-Solomon Code.....	34
5.3.1.2.2 Raptor Code.....	35

5.3.2	Carriage of LL-FEC Frames	35
5.3.2.0	Introduction	35
5.3.2.1	Carriage of Application Data	36
5.3.2.1.0	Introduction	36
5.3.2.1.1	GSE-FEC application data optional header extension	36
5.3.2.1.2	NLOS Adaptation optional header extension	37
5.3.2.2	Carriage of Parity Data	38
5.3.2.3	Real-Time Parameters	39
5.4	DVB-S2(X) Physical Layer	40
5.4.0	Introduction	40
5.4.1	DVB-S2 CCM operation	40
5.4.2	DVB-S2 and DVB-S2X ACM operation	41
5.4.2.1	ACM TDM carrying TS packets (optional)	41
5.4.2.2	Single stream ACM TDM carrying GSE PDU	41
5.4.2.3	Multi-stream ACM TDM carrying GSE PDU (optional)	41
5.4.2.4	Transmission mode usage	41
5.4.2.5	PL frame usage	41
5.4.2.6	SYNC Byte Usage	42
5.4.3	FL Modulation and Coding	42
5.4.4	Symbol Scrambling	42
5.4.4.0	Introduction	42
5.4.4.1	Broadcast Type Symbol Scrambling	42
5.4.4.2	Custom Type Symbol Scrambling (optional)	42
5.4.4.3	Two-way Symbol Scrambling	42
5.4.5	Direct Sequence Spread Spectrum (optional)	43
6	Forward Link L2S	43
6.0	Introduction	43
6.1	Protocol Stack	43
6.2	Forward Link L2S Components	44
6.2.0	Introduction	44
6.2.1	Network Clock Reference Indication	44
6.2.1.0	Introduction	44
6.2.1.1	NCR in Continuous GS	44
6.2.1.2	NCR in TS Packet Stream (optional)	45
6.2.1.3	NCR in Forward Link Superframes (optional)	45
6.2.2	Broadcast Tables	46
6.2.2.0	Introduction	46
6.2.2.1	Network Information Table (NIT)	46
6.2.2.2	RCS Map Table (RMT)	46
6.2.2.3	Superframe Composition Table and Superframe Composition Table version 2 (SCT and SCT2)	47
6.2.2.4	Frame Composition Table version 2 or 3 (FCT2 and FCT3)	47
6.2.2.5	Broadcast Configuration Table (BCT)	47
6.2.2.6	Satellite Position Table (SPT) and Satellite Access Tables (SAT)	47
6.2.2.7	Correction Message Table (CMT) and Correction Message Table version 2 (CMT2)	47
6.2.2.8	Terminal Burst Time Plan Table version 2 (TBTP2) and Terminal Burst Time Plan version 3 (TBTP3)	47
6.2.2.9	Multicast Mapping Table version 2 (MMT2)	48
6.2.2.10	Transmission Mode Support Table version 2 (TMST2)	48
6.2.2.11	Fast Access Table (FAT)	48
6.2.2.12	Supplementary Tables (optional)	48
6.2.3	Terminal Information Message (TIM)	49
6.3	Refresh and Update Intervals	49
6.4	Syntax and Coding of FL Signals for L2S	49
6.4.0	Introduction	49
6.4.1	Table and Message Identification and Placement	49
6.4.2	The NCR Packet	51
6.4.3	Transport of Configuration Tables and Messages	52
6.4.3.1	Transport in Continuous Generic Stream	52
6.4.3.1.0	Introduction	52
6.4.3.1.1	Un-addressed Lower Layer Signalling Transport in GSE Packets	52
6.4.3.1.2	Addressed Lower Layer Signalling Transport in GSE Packets	52

6.4.3.2	Transport in TS Packets (optional).....	53
6.4.3.2.0	Introduction	53
6.4.3.2.1	Un-addressed Transport in TS Packets (optional)	53
6.4.3.2.2	Addressed Lower Layer Signal Transport in TS Packet Stream (optional).....	54
6.4.4	The SCT and SCT2 Content	56
6.4.5	The FCT2 and FCT3 Content	58
6.4.6	The BCT Content.....	60
6.4.6.0	Introduction.....	60
6.4.6.1	Format Data Block for LM Burst.....	61
6.4.6.2	Format Data Block for CPM Burst	64
6.4.6.3	Format Data Block for Continuous Transmission.....	66
6.4.6.4	Format Data Block for Spread-Spectrum LM Burst	66
6.4.6.5	Format Data Block for Spread-Spectrum LM Burst Variable Roll-off	69
6.4.6.6	Format Data Block for Spread-Spectrum LM Burst -Variable Roll-off.....	71
6.4.6.7	Format Data Block for DVB-S2X Transmission	72
6.4.7	The SPT and SAT Content	74
6.4.7.0	Introduction.....	74
6.4.7.1	The SPT Content.....	74
6.4.7.2	The SAT Content	75
6.4.8	The CMT and CMT2 Content.....	75
6.4.9	The TBTP2 and TBTP3 Content	77
6.4.10	The NIT Content.....	81
6.4.11	The RMT Content.....	82
6.4.12	The MMT2 Content	83
6.4.13	The TMST2 Content.....	84
6.4.14	The TIM Content	85
6.4.15	The Fast Access Table Content (optional).....	87
6.4.16	Supplementary SI Tables Content (optional).....	87
6.4.17	The Descriptors.....	87
6.4.17.0	Introduction.....	87
6.4.17.1	Correction Message Descriptors	87
6.4.17.2	Control Assign Descriptor and Control Assign Descriptor version 2	89
6.4.17.3	Echo Value Descriptor	91
6.4.17.4	Linkage Descriptor.....	91
6.4.17.5	Satellite Return Link Descriptors	92
6.4.17.5.0	Introduction	92
6.4.17.5.1	Satellite Return Link Descriptor.....	93
6.4.17.5.2	Satellite Return Link v2_Descriptor.....	94
6.4.17.6	Satellite Forward Link Descriptors	95
6.4.17.6.0	Introduction	95
6.4.17.6.1	Satellite Forward Link Descriptor	95
6.4.17.6.2	Satellite Forward Link_v2 Descriptor	98
6.4.17.7	Logon Contention Descriptor.....	99
6.4.17.8	Correction Control Descriptor.....	100
6.4.17.9	Mobility Control Descriptor.....	100
6.4.17.10	Correction Message Extension Descriptor.....	101
6.4.17.11	Void.....	102
6.4.17.12	Implementation Type Descriptor (optional).....	102
6.4.17.13	LL FEC Identifier Descriptor (optional)	104
6.4.17.14	Frame Payload Format Descriptor	106
6.4.17.15	Pointing Alignment Support Descriptor.....	107
6.4.17.16	Forward Link Streams Descriptor (optional)	109
6.4.17.17	Lower Layer Service Descriptor	110
6.4.17.18	Logon Response Descriptor	112
6.4.17.19	DHCP Option Descriptor	114
6.4.17.20	TRANSEC Message Descriptor.....	115
6.4.17.21	Transmission Offset Descriptors	115
6.4.17.21.0	Introduction	115
6.4.17.21.1	Transmission Offset Descriptor.....	116
6.4.17.21.2	Transmission Offset V2 Descriptor.....	117
6.4.17.22	RCS Content Descriptor (optional).....	118
6.4.17.23	Logon Security Descriptor (optional)	118

6.4.17.24	Random Access Load Control Descriptor.....	119
6.4.17.25	CLI Instruction Descriptor (optional)	120
6.4.17.26	Random Access Traffic Method Descriptor (optional)	120
6.4.17.27	Network Layer Info descriptor.....	122
6.4.17.28	Higher Layers Initialization descriptor.....	122
6.4.17.29	Lowest Software Version descriptor	123
6.4.17.30	Mesh System descriptor (optional)	124
6.4.17.31	Extension Protocol descriptor (optional).....	124
6.4.17.32	Continuous Carrier Control Descriptor (optional)	125
6.4.17.33	DVB-S2X Continuous Transmission Control Descriptor	125
6.4.18	RTMST Details.....	127
6.5	Transmission of Forward Link L2S Data Structures	129
7	Return Link and Mesh Uplink.....	129
7.0	Introduction	129
7.1	Return Link Logical Link Control.....	130
7.1.0	Introduction.....	130
7.1.1	SDU Transport in the Return Link.....	130
7.1.2	Maximum Transfer Unit for an SDU in the Return Link.....	131
7.2	Return Link Medium Access Control.....	131
7.2.0	Introduction.....	131
7.2.1	The Addressed Link PDU (ALPDU).....	131
7.2.1.0	Introduction.....	131
7.2.1.1	Addressed Link PDU Format and Syntax	132
7.2.1.1.0	Introduction	132
7.2.1.1.1	compressed_protocol_type Field.....	132
7.2.1.1.2	protocol_type Field.....	134
7.2.1.1.3	alpdu_label_byte Field (optional).....	134
7.2.1.1.4	sdu_byte Field.....	134
7.2.1.1.5	fragmenting_alpdu.....	134
7.2.1.1.6	sequence_number Field.....	134
7.2.1.1.7	alpdu_crc Field (optional).....	134
7.2.1.2	The ALPDU Label.....	135
7.2.1.3	Identifying the Transmission Resources for the ALPDU.....	135
7.2.1.4	Mapping the ALPDU to Available Payload.....	135
7.2.1.4.0	Introduction	135
7.2.1.4.1	Forwarding the ALPDU in One Payload-adapted PDU	135
7.2.1.4.2	Forwarding the ALPDU Using Several Payload-adapted PDUs	135
7.2.1.4.3	Integrity Protection of a Fragmented ALPDU.....	135
7.2.1.4.4	Multiplexing Payload-adapted PDUs used for Different ALPDUs	136
7.2.2	The Payload-adapted PDU (PPDU).....	136
7.2.2.0	Introduction.....	136
7.2.2.1	start_indicator and end_indicator Fields	137
7.2.2.2	ppdu_length Field.....	138
7.2.2.3	fragment_id Field.....	138
7.2.2.4	alpdu_label_type Field.....	138
7.2.2.5	protocol_type_suppressed Field.....	138
7.2.2.6	ppdu_label_byte Field (optional).....	139
7.2.2.7	use_alpdu_crc Field	139
7.2.2.8	total_length Field.....	139
7.2.2.9	alpdu_byte Field.....	139
7.2.2.10	The PPDU Label (optional).....	139
7.2.3	The Frame PDU	139
7.2.3.0	Introduction.....	139
7.2.3.1	Context Differentiation of the Frame PDU	139
7.2.3.2	The Frame PDU Format and Syntax	140
7.2.3.3	The Payload Label.....	142
7.2.4	Lower Layer Addressing by the RCST.....	142
7.2.4.0	Introduction.....	142
7.2.4.1	Addresses used for Lower Layer Signalling towards NCC.....	142
7.2.4.2	Lower Layer Addressing of SDUs.....	143

7.2.4.2.0	Introduction	143
7.2.4.2.1	Transparent Star.....	143
7.2.4.2.2	Transparent Mesh	144
7.2.4.2.3	Regenerative Mesh.....	144
7.2.4.3	Virtual Network Addressing	144
7.2.5	Random Access	144
7.2.5.0	Introduction.....	144
7.2.5.1	Channels for Random Access	145
7.2.5.1.1	Timeslots for Random Access Logon.....	145
7.2.5.1.2	Timeslots for Random Access Control (optional).....	145
7.2.5.1.3	Timeslots for Random Access User Traffic (optional).....	145
7.2.5.2	Random Access Methods.....	145
7.2.5.2.0	Introduction	145
7.2.5.2.1	Slotted Aloha	145
7.2.5.2.2	CRDSA (optional).....	145
7.2.5.3	Resources for contention.....	149
7.2.6	Dedicated access.....	149
7.2.6.0	Introduction.....	149
7.2.6.1	Channels for Dedicated access.....	149
7.2.6.1.1	Timeslots Dedicated to an RCST and for Logon Burst	149
7.2.6.1.2	Timeslots Dedicated to an RCST and for Control Burst	149
7.2.6.1.3	Timeslots Dedicated to an RCST and for Traffic/Control Content	150
7.2.6.1.4	Timeslots Dedicated to an RCST and for Traffic Content	150
7.2.6.1.5	Carrier Dedicated to an RCST and for Traffic/Control Content.....	150
7.2.6.2	Unsolicited Resources for Dedicated access	150
7.2.6.3	Solicitation for Resources for Dedicated access	151
7.2.6.3.0	Introduction	151
7.2.6.3.1	Volume Based Dynamic Capacity.....	151
7.2.6.3.2	Rate Based Dynamic Capacity (RBDC).....	151
7.2.6.3.3	Requests per request class	152
7.2.6.3.4	Limitation of the Requested Level of Resources.....	152
7.2.6.3.5	Carrier for Continuous Transmission (Option).....	152
7.2.7	Burst Time Plan Distribution.....	153
7.2.8	Assignment of a Carrier for Continuous Transmission (Option).....	153
7.2.9	PPDU with Generic Stream Encapsulation.....	153
7.3	Transmission Bursts	154
7.3.1	Transmission Burst Content Type	154
7.3.2	Burst Waveform.....	154
7.3.3	Energy Dispersal.....	154
7.3.4	Payload CRC	155
7.3.5	Coding and Interleaving.....	156
7.3.5.0	Introduction.....	156
7.3.5.1	The Turbo FEC Encoder for Linear Modulation.....	156
7.3.5.1.0	Introduction	156
7.3.5.1.1	Turbo Code Permutation	157
7.3.5.1.2	Circulation of Initial State	157
7.3.5.1.3	Rates and Puncturing Map.....	158
7.3.5.2	Convolutional Encoder for CPM.....	158
7.3.5.2.0	Introduction	158
7.3.5.2.1	The FEC Encoder for CPM	159
7.3.5.2.2	Trellis Termination.....	160
7.3.5.2.3	The Bit-interleaver for CPM.....	160
7.3.6	Inclusion of Known Symbols.....	162
7.3.6.0	Introduction.....	162
7.3.6.1	Burst Construction for TC-LM and SS-TC-LM.....	162
7.3.6.2	Burst Construction for CC-CPM.....	163
7.3.7	Modulation.....	164
7.3.7.0	Introduction.....	164
7.3.7.1	Linear Modulation of Burst.....	164
7.3.7.1.0	Introduction	164
7.3.7.1.1	Baseband Shape and Group Delay	164
7.3.7.1.2	Preamble and Post-amble Symbols	164