



**Accessibility requirements for public procurement of ICT
products and services in Europe**

(<https://standards.iteh.ai>)

Document Preview

[ETSI EN 301 549 V1.0.2 \(2013-11\)](https://standards.iteh.ai/catalog/standards/etsi/a6f5fa1c-0fc7-46f7-b886-f22fdad83ed5/etsi-en-301-549-v1-0-2-2013-11)

<https://standards.iteh.ai/catalog/standards/etsi/a6f5fa1c-0fc7-46f7-b886-f22fdad83ed5/etsi-en-301-549-v1-0-2-2013-11>



Reference

DEN/HF-00125

Keywords

accessibility, HF, ICT, procurement

CENAvenue Marnix 17
B-1000 Brussels - BELGIUMTel: + 32 2 550 08 11
Fax: + 32 2 550 08 19**CENELEC**Avenue Marnix 17
B-1000 Brussels - BELGIUMTel.: +32 2 519 68 71
Fax: +32 2 519 69 19**ETSI**650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCETel.: +33 4 92 94 42 00
Fax: +33 4 93 65 47 16Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<https://standards.iteh.ai/catalog/standards/etsi/a6f5b886-f22fdad83ed5/etsi-en-301-549-v1-0-2-2013-11>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp**Copyright Notification**

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2013.

© Comité Européen de Normalisation 2013.

© Comité Européen de Normalisation Electrotechnique 2013.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	10
Foreword.....	10
Introduction	10
1 Scope	11
2 References	11
2.1 Normative references	11
2.2 Informative references	12
3 Definitions and abbreviations.....	13
3.1 Definitions	13
3.2 Abbreviations	15
4 Functional performance.....	15
4.1 General	15
4.2 Functional performance statements	16
4.2.1 Usage without vision	16
4.2.2 Usage with limited vision	16
4.2.3 Usage without perception of colour	16
4.2.4 Usage without hearing	16
4.2.5 Usage with limited hearing	16
4.2.6 Usage without vocal capability	16
4.2.7 Usage with limited manipulation or strength	17
4.2.8 Usage with limited reach	17
4.2.9 Minimize photosensitive seizure triggers	17
4.2.10 Usage with limited cognition	17
4.2.11 Privacy	17
4.3 Meeting functional performance statements.....	17
5 Generic requirements	18
5.1 Closed functionality	18
5.1.1 Introduction.....	18
5.1.2 General.....	18
5.1.2.1 Closed functionality	18
5.1.2.2 Assistive technology	18
5.1.3 Non-visual access	18
5.1.3.1 General	18
5.1.3.2 Auditory output delivery including speech	19
5.1.3.3 Auditory output correlation	19
5.1.3.4 Speech output user control	19
5.1.3.5 Speech output automatic interruption.....	19
5.1.3.6 Speech output for non-text content	19
5.1.3.7 Speech output for video information.....	19
5.1.3.8 Masked entry.....	20
5.1.3.9 Private access to personal data	20
5.1.3.10 Non-interfering audio output.....	20
5.1.3.11 Spoken languages.....	20
5.1.3.12 Receipts, tickets, and transactional outputs.....	20
5.1.4 Volume control	21
5.1.4.1 Private listening.....	21
5.1.4.2 Speaker volume.....	21
5.1.4.3 Volume reset	21
5.1.5 Functionality closed to text enlargement	21
5.1.6 Visual output for auditory information	21
5.1.7 Operation without keyboard interface.....	21
5.2 Activation of accessibility features	22
5.3 Biometrics	22

5.4	Preservation of accessibility information during conversion	22
5.5	Locking or toggle controls.....	22
5.5.1	Tactile or auditory status.....	22
5.5.2	Visual status.....	22
5.6	Key repeat	22
5.7	Simultaneous user actions	23
6	ICT with two way voice communication	23
6.1	General	23
6.2	Wide-band speech	23
6.3	Real-time text (RTT) functionality.....	23
6.3.1	RTT provision.....	23
6.3.1.1	RTT communication	23
6.3.1.2	Concurrent voice and text	23
6.3.2	Display of Real Time Text.....	23
6.3.2.1	Visually distinguishable display.....	23
6.3.2.2	Programmatically determinable send and receive direction.....	24
6.3.3	Interoperability	24
6.3.4	Real-time text responsiveness.....	24
6.4	Caller ID	24
6.5	Alternatives to voice-based services.....	24
6.6	Video communication	24
6.6.1	General.....	24
6.6.2	Resolution	25
6.6.3	Frame rate	25
6.6.4	Synchronization between audio and video.....	25
6.7	Alternatives to video-based services	25
7	ICT with video capabilities	25
7.1	Caption processing technology.....	25
7.1.1	Captioning playback	25
7.1.2	Captioning synchronization	26
7.1.3	Preservation of captioning	26
7.2	Audio description technology.....	26
7.2.1	Audio description playback	26
7.2.2	Audio description synchronization.....	26
7.2.3	Preservation of audio description.....	26
7.3	User controls for captions and audio description	26
8	Hardware	27
8.1	General	27
8.1.1	Standard connections	27
8.1.2	Colour	27
8.2	Hardware products with speech output	27
8.2.1	Speech volume gain.....	27
8.2.1.1	Speech volume range	27
8.2.1.2	Incremental volume control	27
8.2.2	Magnetic coupling	27
8.2.2.1	Fixed-line devices	27
8.2.2.2	Wireless communication devices.....	27
8.3	Physical access to ICT.....	28
8.3.1	General.....	28
8.3.2	Clear floor space.....	28
8.3.2.1	Change in level.....	28
8.3.2.2	Operating area	28
8.3.2.3	Approach.....	29
8.3.2.3.1	General	29
8.3.2.3.2	Forward approach.....	29
8.3.2.3.3	Parallel approach.....	29
8.3.2.4	Knee and toe clearance width.....	29
8.3.2.5	Toe clearance	30
8.3.2.6	Knee clearance	30
8.3.3	Reach range for ICT	31

8.3.3.1	Forward reach	31
8.3.3.1.1	Unobstructed high forward reach	31
8.3.3.1.2	Unobstructed low forward reach	31
8.3.3.1.3	Obstructed reach	31
8.3.3.2	Side reach	32
8.3.3.2.1	Unobstructed high side reach	32
8.3.3.2.2	Unobstructed low side reach	32
8.3.3.2.3	Obstructed side reach	32
8.3.4	Visibility	33
8.3.5	Installation instructions	33
8.4	Operable parts	33
8.4.1	Operable part discernibility	33
8.4.2	Numeric keys	33
8.4.3	Operation	33
8.4.4	Keys, tickets and fare cards	33
8.5	Tactile indication of speech mode	33
9	Web content	34
10	Documents	34
10.1	General	34
10.2	Document success criteria	34
11	Non-Web software	44
11.1	General	44
11.2	Software success criteria	45
11.3	Interoperability with assistive technology	55
11.3.1	Closed functionality	55
11.3.2	Accessibility services	55
11.3.2.1	Platform accessibility service support for software that provides a user interface	55
11.3.2.2	Platform accessibility service support for assistive technologies	56
11.3.2.3	Use of accessibility services	56
11.3.2.4	Assistive technology	56
11.3.2.5	Object information	56
11.3.2.6	Row, column, and headers	56
11.3.2.7	Values	56
11.3.2.8	Label relationships	56
11.3.2.9	Parent-child relationships	57
11.3.2.10	Text	57
11.3.2.11	List of available actions	57
11.3.2.12	Execution of available actions	57
11.3.2.13	Tracking of focus and selection attributes	57
11.3.2.14	Modification of focus and selection attributes	57
11.3.2.15	Change notification	57
11.3.2.16	Modifications of states and properties	58
11.3.2.17	Modifications of values and text	58
11.4	Documented accessibility usage	58
11.4.1	User control of accessibility features	58
11.4.2	No disruption of accessibility features	58
11.5	User preferences	58
11.6	Authoring tools	58
11.6.1	Content technology	58
11.6.2	Accessible content creation	59
11.6.3	Preservation of accessibility information in transformations	59
11.6.4	Repair assistance	59
11.6.5	Templates	59
12	Documentation and support services	59
12.1	Product documentation	59
12.1.1	Accessibility and compatibility features	59
12.1.2	Accessible documentation	59
12.2	Support services	60
12.2.1	General	60

12.2.2	Information on accessibility and compatibility features	60
12.2.3	Effective communication	60
12.2.4	Accessible documentation	60
13	Relay and emergency services	60
13.1	Relay services requirements	60
13.1.1	Text relay services	60
13.1.2	Sign relay services	60
13.1.3	Lip-reading relay services	61
13.1.4	Captioned telephony services	61
13.1.5	Speech to speech relay services	61
13.2	Access to relay services	61
13.3	Access to emergency services	61
Annex A (informative):	WCAG 2.0	62
A.1	Electronic attachment	62
Annex B (informative):	Relationships between requirements and functional performance statements	63
B.1	Relationships with WCAG 2.0 Success Criteria	63
B.2	Relationships with the requirements in clauses 5 to 13	66
Annex C (normative):	Determination of compliance	70
C.1	Introduction	70
C.2	Blank clause	70
C.3	Blank clause	70
C.4	Functional performance	70
C.5	Generic requirements	70
C.5.1	Closed functionality	70
C.5.1.1	Introduction	70
C.5.1.2	General	70
C.5.1.2.1	Closed functionality	70
C.5.1.2.2	Assistive technology	70
C.5.1.3	Non-visual access	71
C.5.1.3.1	General	71
C.5.1.3.2	Auditory output delivery including speech	71
C.5.1.3.3	Auditory output correlation	71
C.5.1.3.4	Speech output user control	71
C.5.1.3.5	Speech output automatic interruption	71
C.5.1.3.6	Speech output for non-text content	72
C.5.1.3.7	Speech output for video information	72
C.5.1.3.8	Masked entry	72
C.5.1.3.9	Private access to personal data	72
C.5.1.3.10	Non-interfering audio output	72
C.5.1.3.11	Spoken languages	73
C.5.1.3.12	Receipts, tickets, and transactional outputs	73
C.5.1.4	Volume control	73
C.5.1.4.1	Private listening	73
C.5.1.4.2	Speaker volume	73
C.5.1.4.3	Volume reset	74
C.5.1.5	Functionality closed to text enlargement	74
C.5.1.6	Visual output for auditory information	74
C.5.1.7	Operation without keyboard interface	74
C.5.2	Activation of accessibility features	74
C.5.3	Biometrics	75
C.5.4	Preservation of accessibility information during conversion	75
C.5.5	Locking or toggle controls	75

C.5.5.1	Tactile or auditory status.....	75
C.5.5.2	Visual status.....	76
C.5.6	Key repeat	76
C.5.7	Simultaneous user actions	76
C.6	ICT with two way voice communication	76
C.6.1	General	76
C.6.2	Wide-band speech	76
C.6.3	Real Time Text (RTT) functionality	77
C.6.3.1	RTT provision.....	77
C.6.3.1.1	RTT communication	77
C.6.3.1.2	Concurrent voice and text	77
C.6.3.2	Display of Real Time Text.....	77
C.6.3.2.1	Visually distinguishable display.....	77
C.6.3.2.2	Programmatically determinable send and receive direction.....	78
C.6.3.3	Interoperability	78
C.6.3.4	Real Time Text responsiveness	79
C.6.4	Caller ID	79
C.6.5	Alternatives to voice-based services.....	79
C.6.6	Video communication	79
C.6.6.1	General.....	79
C.6.6.2	Minimum Resolution	79
C.6.6.3	Frame rate	80
C.6.6.4	Synchronization between audio and video.....	80
C.6.7	Alternatives to video-based services	80
C.7	ICT with video capabilities	80
C.7.1	Caption processing technology.....	80
C.7.1.1	Captioning playback	80
C.7.1.2	Captioning synchronization	81
C.7.1.3	Preservation of captioning	81
C.7.2	Audio description technology.....	81
C.7.2.1	Audio description playback	81
C.7.2.2	Audio description synchronization	81
C.7.2.3	Preservation of audio description.....	81
C.7.3	User controls for captions and audio description.....	82
C.8	Hardware	82
C.8.1	General	82
C.8.1.1	Standard connections	82
C.8.1.2	Colour	82
C.8.2	Hardware products with speech output	82
C.8.2.1	Speech volume gain	82
C.8.2.1.1	Speech volume range	82
C.8.2.1.2	Incremental volume control	83
C.8.2.2	Magnetic coupling	83
C.8.2.2.1	Fixed -line devices	83
C.8.2.2.2	Wireless communication devices	83
C.8.3	Physical access to ICT.....	83
C.8.3.1	General.....	83
C.8.3.2	Clear Floor space	83
C.8.3.2.1	Change in Level	83
C.8.3.2.2	Operating area	84
C.8.3.2.3	Approach.....	84
C.8.3.2.3.1	General	84
C.8.3.2.3.2	Forward Approach.....	84
C.8.3.2.3.3	Parallel Approach	84
C.8.3.2.4	Knee and Toe clearance width	85
C.8.3.2.5	Toe Clearance	85
C.8.3.2.6	Knee Clearance	85
C.8.3.3	Reach range for free-standing ICT.....	86
C.8.3.3.1	Forward reach	86
C.8.3.3.1.1	Unobstructed high forward reach	86