

Draft **ETSI EN 301 843-1** V2.3.0 (2025-12)



**ElectroMagnetic Compatibility (EMC) standard
for marine radio equipment and services;
Part 1: Common technical requirements**

Document Preview

[ETSI EN 301 843-1 V2.3.0 \(2025-12\)](https://standards.iteh.ai/catalog/standards/etsi/8e4f1e7a-2411-4a23-8f4b-7d5b6299b1df/etsi-en-301-843-1-v2-3-0-2025-12)

<https://standards.iteh.ai/catalog/standards/etsi/8e4f1e7a-2411-4a23-8f4b-7d5b6299b1df/etsi-en-301-843-1-v2-3-0-2025-12>

ReferenceREN/ERM-EMC-413

KeywordsEMC, maritime, radio, regulation

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied. In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Contents

Intellectual Property Rights	5
Foreword.....	5
Modal verbs terminology.....	6
Introduction	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	8
3 Definition of terms, symbols and abbreviations.....	9
3.1 Terms.....	9
3.2 Symbols.....	10
3.3 Abbreviations	10
4 General and operational requirements.....	11
4.1 Environmental profile.....	11
4.2 Arrangements for test signals	11
4.2.0 General.....	11
4.2.1 Arrangements for test signals at the input of transmitters.....	12
4.2.2 Arrangements for test signals at the output of transmitters.....	12
4.2.3 Arrangements for test signals at the input of receivers	12
4.2.4 Arrangements for test signals at the output of receivers	12
4.2.5 Arrangements for testing transmitter and receiver together (as a system)	12
4.3 RF exclusion band of radio communications equipment.....	13
4.4 Intermediate frequency responses of receivers or receivers which are part of transceivers	13
4.5 Void.....	14
5 Performance assessment.....	14
5.1 General	14
5.2 Equipment which can provide a continuous communication link	14
5.3 Equipment which does not provide a continuous communication link	14
5.4 Ancillary equipment	15
5.5 Equipment classification	15
6 Performance criteria	15
6.0 General requirements	15
6.1 Performance criteria A for continuous phenomena applied to transmitters and receivers.....	16
6.2 Performance criteria B for transient phenomena applied to transmitters and receivers	16
6.3 Performance criteria C applied to power supply failure	16
6.4 Void.....	16
6.5 Performance criteria for equipment which does not provide a continuous communication link.....	16
6.6 Performance criteria for ancillary equipment tested on a stand alone basis	17
7 Applicability.....	17
8 Testing for compliance with technical requirements.....	17
8.1 Test configuration.....	17
8.2 Enclosure emissions	18
8.2.0 Applicability	18
8.2.1 Test description.....	18
8.2.2 Test method	18
8.2.3 Limits.....	19
8.3 DC power input/output ports	20
8.3.0 Applicability	20
8.3.1 Test description.....	20
8.3.2 Test method	20
8.3.3 Limits.....	21

8.4	AC mains power input/output ports	21
8.4.0	Applicability	21
8.4.1	Test description.....	21
8.4.2	Test method	21
8.4.3	Limits.....	22
9	Test methods and levels for immunity tests	23
9.0	General	23
9.1	Test configuration.....	23
9.2	Radio frequency electromagnetic field (80 MHz to 6 GHz)	23
9.2.0	Applicability	23
9.2.1	Test description.....	23
9.2.2	Test method	23
9.2.3	Performance criteria.....	24
9.3	Electrostatic discharge.....	24
9.3.0	Applicability	24
9.3.1	Test description.....	24
9.3.2	Test method	24
9.3.3	Performance criteria.....	24
9.4	Fast transients, differential and common mode.....	25
9.4.0	Applicability	25
9.4.1	Test description.....	25
9.4.2	Test method	25
9.4.3	Performance criteria.....	25
9.5	Radio frequency, common mode.....	25
9.5.0	Applicability	25
9.5.1	Test description.....	26
9.5.2	Test method	26
9.5.3	Performance criteria.....	26
9.6	Power supply variations	26
9.6.0	Applicability	26
9.6.1	Power supply short term variations.....	27
9.6.1.1	Test description	27
9.6.1.2	Test method.....	27
9.6.1.3	Performance criteria	27
9.6.2	Power supply failure	27
9.6.2.1	Test description	27
9.6.2.2	Test method.....	27
9.6.2.3	Performance criteria	27
9.7	Surges	28
9.7.0	Applicability	28
9.7.1	Test description.....	28
9.7.2	Test method	28
9.7.3	Performance criteria.....	28
Annex A (informative):	Guidance on setting the dwell time for radiated immunity testing	29
A.1	Overview	29
A.2	Example of EUT containing a GNSS receiver.....	29
Annex B (informative):	Bibliography.....	30
Annex C (informative):	Change history	31
History		32

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This draft European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI EN Approval Procedure (ENAP).

The present document is part 1 of a multi-part deliverable covering the ElectroMagnetic Compatibility (EMC) standard for marine radio equipment and services, as identified below:

Part 1: "Common technical requirements";

Part 2: "Specific conditions for VHF radiotelephone transmitters and receivers operating in the frequency range 156 MHz to 174 MHz";

Part 3: "Specific conditions for non-SOLAS maritime radars and river radars";

Part 4: "Specific conditions for Narrow-Band Direct-Printing (NBDP) NAVTEX receivers";

Part 5: "Specific conditions for MF/HF radiotelephone transmitters and receivers";

Part 6: "Specific conditions for Earth Stations on board Vessels operating in frequency bands above 3 GHz";

Part 7: "Specific conditions for Maritime Broadband Radiolink equipment";

Part 8: "Specific conditions for radio beacons and locating devices".