



HARMONISED EUROPEAN STANDARD

**ElectroMagnetic Compatibility (EMC) standard
for marine radio equipment and services;
Harmonised Standard for electromagnetic compatibility;
Part 8: Specific conditions for radio beacons and
locating devices**

[ETSI EN 301 843-8 V1.0.0 \(2025-12\)](https://standards.iteh.ai/catalog/standards/etsi/9958116a-c8b7-4c93-8b48-74b8de715494/etsi-en-301-843-8-v1-0-0-2025-12)

[https://standards.iteh.ai/catalog/standards/etsi/9958116a-c8b7-4c93-8b48-74b8de715494/etsi-en-301-843-8-v1-0-0-2025-](https://standards.iteh.ai/catalog/standards/etsi/9958116a-c8b7-4c93-8b48-74b8de715494/etsi-en-301-843-8-v1-0-0-2025-12)

Reference

DEN/ERM-EMC-421

KeywordsEMC, EPIRB, harmonised standard, maritime,
radio, regulation

ETSI650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Contents

Intellectual Property Rights	5
Foreword.....	5
Modal verbs terminology.....	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	8
3 Definition of terms, symbols and abbreviations.....	8
3.1 Terms.....	8
3.2 Symbols.....	8
3.3 Abbreviations	8
4 General and operational requirements.....	9
4.1 Environmental profile.....	9
4.2 Arrangements for test signals	9
4.2.0 General.....	9
4.2.1 Arrangements for test signals at the input of the transmitter	9
4.2.2 Arrangements for test signals at the output of the transmitter	9
4.2.3 Arrangements for test signals at the input of the receiver	9
4.2.3.1 GNSS test signals.....	9
4.2.3.2 DSC test signals	10
4.2.4 Arrangements for test signals at the output of the receiver	10
4.2.5 Arrangements for testing transmitter and receiver together (as a system)	10
4.3 Exclusion bands.....	10
4.3.0 General.....	10
4.3.1 Exclusion bands for receivers	11
4.3.1.1 GNSS exclusion bands	11
4.3.1.2 DSC Class M exclusion band.....	11
4.3.2 Exclusion band for transmitters	11
4.3.3 Exclusion band for EUTs employing broadband data transceivers	11
4.3.3.1 The 2,4 GHz band	11
4.3.3.2 5 GHz RLAN	11
4.4 Intermediate frequency responses of receivers.....	12
4.5 Test modulation.....	12
5 Performance assessment.....	12
5.1 General	12
5.2 Equipment which can provide a continuous communication link	12
5.3 Equipment which does not provide a continuous communication link	12
5.4 Ancillary equipment	12
5.5 Equipment classification	13
6 Performance criteria	13
6.0 General	13
6.1 Performance criteria A for continuous phenomena applied to transmitters and receivers.....	13
6.2 Performance criteria B for transient phenomena applied to transmitters and receivers	13
6.3 Performance criteria C applied to power supply failure	13
6.4 Performance check	13
6.4.1 Transmitter.....	13
6.4.1.1 General	13
6.4.1.2 121,5 MHz and 243 MHz Homing transmitters	14
6.4.1.3 DSC Class M.....	14
6.4.1.4 AIS	14
6.4.1.5 COSPAS-SARSAT	14
6.4.2 Receiver	14

6.4.2.1	GNSS	14
6.4.2.2	DSC.....	14
7	Applicability overview	14
7.0	General	14
7.1	EMC Emission	15
7.1.1	General conditions	15
7.1.2	Special conditions	15
7.2	Immunity	15
7.2.0	Objective.....	15
7.2.1	General conditions	15
7.2.2	Special conditions	16
Annex A (informative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU	17
Annex B (informative):	Bibliography.....	19
Annex C (informative):	Change history	20
History		21

i T h S t a n d a r d s
 (h t t p s : / / s t a n d a r d s . i t
 D o c u m e n t i e P w r

E T S I E M 1 3 0 1 0 8 (4 2 3 0 - 2 5 - 1 2)

h t t p s : / / s t a n d a r d s . i t / e n 3 0 1 8 4 3 - 8 / v 1 . 0 . 0 / 4 2 3 0 - 2 5 - 1 2