



**Broadband Radio Access Networks (BRAN);
5 GHz high performance RLAN;
Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive**

[ETSI EN 301 893 V1.7.1 \(2012-06\)](https://standards.iteh.ai/catalog/standards/etsi/16b32156-b10b-4a71-b06f-e119e0a9992f/etsi-en-301-893-v1-7-1-2012-06)

<https://standards.iteh.ai/catalog/standards/etsi/16b32156-b10b-4a71-b06f-e119e0a9992f/etsi-en-301-893-v1-7-1-2012-06>

ReferenceREN/BRAN-0060009

Keywordsaccess, broadband, LAN, layer 1, radio,
regulation, testing

ETSI650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2012.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	7
Foreword.....	7
Introduction	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references	9
3 Definitions, symbols and abbreviations	9
3.1 Definitions	9
3.2 Symbols.....	12
3.3 Abbreviations	13
4 Technical requirements specifications	13
4.1 Environmental profile.....	13
4.2 Centre frequencies.....	13
4.2.1 Definition.....	14
4.2.2 Limits.....	14
4.2.3 Conformance.....	14
4.3 Nominal Channel Bandwidth and Occupied Channel Bandwidth.....	14
4.3.1 Definition.....	14
4.3.2 Limits.....	14
4.3.3 Conformance.....	14
4.4 RF output power, Transmit Power Control (TPC) and power density	14
4.4.1 Definitions	14
4.4.1.1 RF Output Power	14
4.4.1.2 Transmit Power Control (TPC).....	15
4.4.1.3 Power Density	15
4.4.2 Limits.....	15
4.4.2.1 RF output power and power density at the highest power level.....	15
4.4.2.2 RF output power at the lowest power level of the TPC range.....	15
4.4.3 Conformance.....	16
4.5 Transmitter unwanted emissions	16
4.5.1 Transmitter unwanted emissions outside the 5 GHz RLAN bands	16
4.5.1.1 Definition	16
4.5.1.2 Limits	16
4.5.1.3 Conformance.....	16
4.5.2 Transmitter unwanted emissions within the 5 GHz RLAN bands	16
4.5.2.1 Definition	16
4.5.2.2 Limits	17
4.5.2.3 Conformance.....	17
4.6 Receiver spurious emissions.....	17
4.6.1 Definition.....	17
4.6.2 Limits.....	18
4.6.3 Conformance.....	18
4.7 Dynamic Frequency Selection (DFS).....	18
4.7.1 Introduction.....	18
4.7.1.1 Applicable frequency range	18
4.7.1.2 DFS operational modes	18
4.7.1.3 DFS operation	19
4.7.2 DFS technical requirements specifications	20
4.7.2.1 Channel Availability Check	20
4.7.2.1.1 Definition.....	20
4.7.2.1.2 Limit	20
4.7.2.1.3 Conformance	20

4.7.2.2	Off-Channel CAC (Off-Channel Channel Availability Check) (optional).....	21
4.7.2.2.1	Definition.....	21
4.7.2.2.2	Limit.....	21
4.7.2.2.3	Conformance	21
4.7.2.3	In-Service Monitoring.....	21
4.7.2.3.1	Definition.....	21
4.7.2.3.2	Limit.....	21
4.7.2.3.3	Conformance	21
4.7.2.4	Channel Shutdown.....	21
4.7.2.4.1	Definition.....	21
4.7.2.4.2	Limit.....	22
4.7.2.4.3	Conformance	22
4.7.2.5	Non-Occupancy Period.....	22
4.7.2.5.1	Definition.....	22
4.7.2.5.2	Limit.....	22
4.7.2.5.3	Conformance	22
4.7.2.6	Uniform Spreading.....	22
4.7.2.6.1	Definition.....	22
4.7.2.6.2	Limit.....	23
4.8	Void.....	23
4.9	Adaptivity (Channel Access Mechanism).....	23
4.9.1	Definition.....	23
4.9.2	Requirements & limits.....	23
4.9.2.1	Frame Based Equipment	23
4.9.2.2	Load Based Equipment	24
4.9.2.3	Short Control Signalling Transmissions.....	25
4.9.2.3.1	Definition.....	25
4.9.2.3.2	Limits	25
4.9.3	Conformance.....	25
4.10	User Access Restrictions.....	26
4.10.1	Definition.....	26
4.10.2	Requirement.....	26
5	Testing for compliance with technical requirements.....	26
5.1	Conditions for testing.....	26
5.1.1	Normal and extreme test conditions.....	26
5.1.2	Test sequences and traffic load.....	26
5.1.2.1	General test transmission sequences	26
5.1.2.2	Test transmission sequences for DFS tests.....	27
5.1.3	Test channels	27
5.1.4	Antennas	28
5.1.4.1	Integrated and dedicated antennas.....	28
5.1.4.2	Transmit operating modes.....	28
5.1.4.2.1	Operating mode 1 (single antenna).....	28
5.1.4.2.2	Operating mode 2 (multiple antennas, no beamforming)	28
5.1.4.2.3	Operating mode 3 (multiple antennas, with beamforming)	28
5.1.5	Presentation of equipment	28
5.1.5.1	Testing of host connected equipment and plug-in radio devices.....	28
5.1.5.1.1	The use of a host or test jig for testing plug-in radio devices	29
5.1.5.1.2	Testing of combinations	29
5.2	Interpretation of the measurement results	30
5.3	Essential radio test suites.....	30
5.3.1	Product information	30
5.3.2	Carrier frequencies.....	32
5.3.2.1	Test conditions	32
5.3.2.2	Test methods	32
5.3.2.2.1	Conducted measurement.....	32
5.3.2.2.2	Radiated measurement.....	33
5.3.3	Occupied Channel Bandwidth	33
5.3.3.1	Test conditions	33
5.3.3.2	Test method.....	33
5.3.3.2.1	Conducted measurement.....	33

5.3.3.2.2	Radiated measurement.....	34
5.3.4	RF output power, Transmit Power Control (TPC) and power density.....	34
5.3.4.1	Test conditions	34
5.3.4.2	Test method.....	34
5.3.4.2.1	Conducted measurement.....	34
5.3.4.2.2	Radiated measurement.....	43
5.3.5	Transmitter unwanted emissions outside the 5 GHz RLAN bands.....	44
5.3.5.1	Test conditions	44
5.3.5.2	Test method.....	44
5.3.5.2.1	Conducted measurement.....	44
5.3.5.2.2	Radiated measurement.....	47
5.3.6	Transmitter unwanted emissions within the 5 GHz RLAN bands	47
5.3.6.1	Test conditions	47
5.3.6.2	Test method.....	47
5.3.6.2.1	Conducted measurement.....	47
5.3.6.2.2	Radiated measurement.....	48
5.3.7	Receiver spurious emissions	48
5.3.7.1	Test conditions	48
5.3.7.2	Test method.....	49
5.3.7.2.1	Conducted measurement.....	49
5.3.7.2.2	Radiated measurement.....	50
5.3.8	Dynamic Frequency Selection (DFS)	50
5.3.8.1	Test conditions	50
5.3.8.1.1	Selection of radar test signals	50
5.3.8.1.2	Test set-ups.....	51
5.3.8.2	Test method.....	52
5.3.8.2.1	Conducted measurement.....	52
5.3.8.2.2	Radiated measurement.....	60
5.3.9	Adaptivity (channel access mechanism).....	60
5.3.9.1	Test conditions	60
5.3.9.2	Test method.....	60
5.3.9.2.1	Conducted measurements	60
5.3.9.2.2	Generic test procedure for measuring channel/frequency usage	62
5.3.9.2.3	Radiated measurements	63

Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT).....	64
-----------------------------	--	-----------

Annex B (normative):	Test sites and arrangements for radiated measurements.....	66
-----------------------------	---	-----------

B.1	Test sites	66
B.1.1	Open air test sites	66
B.1.2	Anechoic chamber	67
B.1.2.1	General.....	67
B.1.2.2	Description.....	67
B.1.2.3	Influence of parasitic reflections.....	67
B.1.2.4	Calibration and mode of use	67

B.2	Test antenna.....	69
-----	-------------------	----

B.3	Substitution antenna	69
-----	----------------------------	----

Annex C (normative):	General description of measurement	70
-----------------------------	---	-----------

C.1	Conducted measurements.....	70
-----	-----------------------------	----

C.2	Radiated measurements	70
-----	-----------------------------	----

C.3	Substitution measurement	71
-----	--------------------------------	----

Annex D (normative):	DFS parameters	72
-----------------------------	-----------------------------	-----------

Annex E (informative):	Guidance for testing IEEE 802.11n™ Devices	76
-------------------------------	---	-----------

E.1	Introduction	76
-----	--------------------	----

E.2	Possible Modulations	76
E.2.1	Guidance for Testing	76
E.2.1.1	Modulation Used for Conformance Testing	76
E.3	Possible Operating Modes.....	77
E.3.1	Guidance for Testing	77
Annex F (informative):	Application form for testing.....	78
F.1	Information as required by EN 301 893 (V1.7.1), clause 5.3.1.....	78
F.2	Additional information provided by the manufacturer.....	86
F.2.1	Modulation:	86
F.2.2	Duty Cycle.....	86
F.2.3	About the UUT	86
F.2.4	List of ancillary and/or support equipment provided by the manufacturer.....	87
Annex G (informative):	The EN title in the official languages	88
Annex H (informative):	Bibliography	89
History		90

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 301 893 V1.7.1 \(2012-06\)](#)

<https://standards.iteh.ai/catalog/standards/etsi/16b32156-b10b-4a71-b06f-e119e0a9992f/etsi-en-301-893-v1-7-1-2012-06>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This final draft Harmonized European Standard (EN) has been produced by ETSI Technical Committee Broadband Radio Access Networks (BRAN), and is now submitted for the ETSI standards One-step Approval Procedure.

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Directive 98/34/EC [i.1] as amended by Directive 98/48/EC [i.1].

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [1].

See article 5.1 of Directive 1999/5/EC [1] for information on presumption of conformity and Harmonised Standards or parts thereof the references of which have been published in the Official Journal of the European Union.

The requirements relevant to Directive 1999/5/EC [1] are summarised in annex A.

Proposed national transposition dates	
Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	18 months after doa

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive [1]. The modular structure is shown in EG 201 399 [i.3].