



IMT cellular networks;

**Harmonized EN covering the essential requirements of
article 3.2 of the R&TTE Directive;**

Part 18: E-UTRA, UTRA and GSM/EDGE

Multi-Standard Radio (MSR) Base Station (BS)

Reference

REN/MSG-TFES-010-18

Keywords

3G, 3GPP, cellular, digital, EDGE, GSM, E-UTRA, IMT-2000, LTE, mobile, MSR, radio, regulation, UMTS, UTRA, WCDMA

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2012.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	6
Foreword.....	6
Introduction	6
1 Scope	7
2 References	7
2.1 Normative references	8
2.2 Informative references.....	9
3 Definitions, symbols and abbreviations	9
3.1 Definitions.....	9
3.2 Symbols.....	11
3.3 Abbreviations	11
4 Technical requirements specifications	12
4.1 Environmental profile.....	12
4.2 Conformance requirements	12
4.2.1 Introduction.....	13
4.2.2 Operating band unwanted emissions	14
4.2.2.1 Definition	14
4.2.2.2 Limits	14
4.2.2.2.1 Limits for Band Categories 1 and 3.....	14
4.2.2.2.2 Limits for Band Category 2.....	15
4.2.2.2.3 Limits for GSM/EDGE single-RAT operation.....	16
4.2.2.2.4 Limits for protection of DTT.....	16
4.2.2.2.5 Limits for co-existence with services in adjacent frequency bands.....	17
4.2.2.3 Conformance.....	17
4.2.3 Adjacent Channel Leakage power Ratio (ACLR)	17
4.2.3.1 Definition	17
4.2.3.2 Limits	17
4.2.3.2.1 E-UTRA limits	17
4.2.3.2.2 UTRA FDD limits.....	18
4.2.3.2.3 UTRA TDD limits.....	18
4.2.3.2.4 Cumulative ACLR requirement in non-contiguous spectrum	18
4.2.3.3 Conformance.....	18
4.2.4 Transmitter spurious emissions.....	19
4.2.4.1 Limits	19
4.2.4.1.1 Spurious emissions	19
4.2.4.1.2 Additional spurious emissions requirement for BC2.....	19
4.2.4.1.3 Co-existence with other systems	19
4.2.4.1.4 Protection of the BS receiver of own or different BS.....	21
4.2.4.2 Conformance.....	21
4.2.5 Base station maximum output power.....	21
4.2.5.1 Definition	21
4.2.5.2 Limits	21
4.2.5.3 Conformance.....	21
4.2.6 Transmit intermodulation	22
4.2.6.1 Definition	22
4.2.6.2 Limits	22
4.2.6.2.1 General limits	22
4.2.6.2.2 Additional limits (BC1 and BC2).....	22
4.2.6.2.3 Additional limits (BC3).....	23
4.2.6.3 Conformance.....	23
4.2.7 Receiver spurious emissions	23
4.2.7.1 Definition	23
4.2.7.2 Limits	23

4.2.7.2.1	General limits	23
4.2.7.2.2	Additional limits for BC2	24
4.2.7.3	Conformance	24
4.2.8	In-band blocking	24
4.2.8.1	Definition	24
4.2.8.2	Limits	24
4.2.8.2.1	General limits	24
4.2.8.2.2	Additional BC3 blocking limits	25
4.2.8.3	Conformance	25
4.2.9	Out-of-band blocking	25
4.2.9.1	Definition	25
4.2.9.2	Limits	26
4.2.9.3	Conformance	26
4.2.10	Receiver intermodulation characteristics	26
4.2.10.1	Definition	26
4.2.10.2	Limits	26
4.2.10.2.1	General intermodulation limits	26
4.2.10.2.2	General narrowband intermodulation limits	27
4.2.10.2.3	Additional narrowband intermodulation limits for GSM/EDGE	29
4.2.10.3	Conformance	29
4.2.11	Narrowband blocking	29
4.2.11.1	Definition	29
4.2.11.2	Limits	29
4.2.11.2.1	General limits	29
4.2.11.2.2	Additional limits for GSM/EDGE	30
4.2.11.2.3	GSM/EDGE limits for AM suppression	30
4.2.11.3	Conformance	30
5	Testing for compliance with technical requirements	30
5.1	Environmental conditions for testing	30
5.2	Interpretation of the measurement results	30
5.3	Essential radio test suites	32
5.3.1	Operating band unwanted emissions	32
5.3.1.1	Initial conditions	32
5.3.1.2	Procedure	32
5.3.1.3	Test requirement	33
5.3.2	Adjacent Channel Leakage power Ratio (ACLR)	33
5.3.2.1	Initial conditions	33
5.3.2.2	Procedure	33
5.3.2.3	Test requirement	33
5.3.3	Transmitter spurious emissions	33
5.3.3.1	Initial conditions	33
5.3.3.2	Procedure	34
5.3.3.3	Test requirement	34
5.3.4	Base station maximum output power	34
5.3.4.1	Initial conditions	34
5.3.4.2	Procedure	34
5.3.4.3	Test requirement	34
5.3.5	Transmit intermodulation	34
5.3.5.1	Initial conditions	34
5.3.5.2	Procedure	35
5.3.5.2.1	General minimum requirement test procedure	35
5.3.5.2.2	Additional minimum requirement (BC1 and BC2) test procedure	35
5.3.5.2.3	Additional minimum requirement (BC3) test procedure	36
5.3.5.3	Test requirement	36
5.3.6	Receiver spurious emissions	37
5.3.6.1	Initial conditions	37
5.3.6.2	Procedure	37
5.3.6.3	Test requirement	37
5.3.7	In-band blocking	37
5.3.7.1	Initial conditions	37
5.3.7.2	Procedure	37

5.3.7.2.1	Procedure for general blocking.....	37
5.3.7.2.2	Procedure for additional BC3 blocking requirement.....	38
5.3.7.3	Test requirement	38
5.3.8	Out-of-band blocking.....	38
5.3.8.1	Initial conditions	38
5.3.8.2	Procedure	38
5.3.8.3	Test requirement	38
5.3.9	Receiver intermodulation characteristics	38
5.3.9.1	Initial conditions	38
5.3.9.2	Procedure	39
5.3.9.2.1	Procedure for general and narrowband intermodulation	39
5.3.9.2.2	Procedure for additional narrowband intermodulation for GSM/EDGE	39
5.3.9.3	Test requirement	39
5.3.10	Narrowband blocking	39
5.3.10.1	Initial conditions	39
5.3.10.2	Procedure	39
5.3.10.2.1	Procedure for narrowband blocking	39
5.3.10.2.2	Procedure for additional narrowband blocking for GSM/EDGE.....	40
5.3.10.2.3	Procedure for GSM/EDGE AM suppression.....	40
5.3.10.3	Test requirement	40

Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT).....	41
-----------------------------	--	-----------

Annex B (normative):	Base Station configurations.....	43
-----------------------------	---	-----------

B.1	Reception with multiple receiver antenna connectors and receiver diversity	43
B.2	Duplexers	43
B.3	Power supply options	43
B.4	Ancillary RF amplifiers.....	43
B.5	BS using antenna arrays	44
B.5.1	Receiver tests.....	44
B.5.2	Transmitter tests	45
B.6	Transmission with multiple transmitter antenna connectors	45
B.7	BS with integrated Iuant BS modem.....	45

Annex C (informative):	Environmental profile specification	46
-------------------------------	--	-----------

Annex D (informative):	The EN title in the official languages	47
-------------------------------	---	-----------

Annex E (informative):	Bibliography.....	48
-------------------------------	--------------------------	-----------

History	49
---------------	----

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This draft Harmonized European Standard (EN) has been produced by ETSI Technical Committee Mobile Standards Group (MSG), and is now submitted for the Public Enquiry phase of the ETSI standards Two-step Approval Procedure.

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Directive 98/34/EC [i.1] as amended by Directive 98/48/EC [i.6].

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [i.2].

See article 5.1 of Directive 1999/5/EC [i.2] for information on presumption of conformity and Harmonised Standards or parts thereof the references of which have been published in the Official Journal of the European Union.

The requirements relevant to Directive 1999/5/EC [i.2] are summarised in annex A.

The present document is part 18 of a multi-part deliverable. Full details of the entire series can be found in part 1 [1].

Proposed national transposition dates

Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	18 months after doa

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive [i.2]. The modular structure is shown in EG 201 399 [i.3].