



**IMT cellular networks;
Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive;
Part 19: OFDMA TDD WMAN (Mobile WiMAX)
TDD User Equipment (UE)**

[ETSI EN 301 908-19 V6.1.1 \(2013-02\)](https://standards.iteh.ai/catalog/standards/etsi/c6f04558-476a-4837-a520-d877bade8b2a/etsi-en-301-908-19-v6-1-1-2013-02)

<https://standards.iteh.ai/catalog/standards/etsi/c6f04558-476a-4837-a520-d877bade8b2a/etsi-en-301-908-19-v6-1-1-2013-02>

Reference

REN/MSG-TFES-010-19

KeywordsIMT, IMT-2000, mobile, OFDMA, radio,
regulation, TDD, WiMAX, WMAN**ETSI**650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2013.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	6
Foreword.....	6
Introduction	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	8
3 Definitions, symbols and abbreviations	8
3.1 Definitions.....	8
3.2 Symbols.....	9
3.3 Abbreviations	9
4 Essential requirements specification	10
4.1 Environmental profile.....	10
4.2 Conformance requirements	10
4.2.1 Introduction.....	10
4.2.2 Transmitter Maximum Output Power	10
4.2.2.1 Definition	10
4.2.2.2 Limits	10
4.2.2.3 Conformance.....	10
4.2.3 Transmitter Spectrum Emission Mask.....	11
4.2.3.1 Definition.....	11
4.2.3.2 Limits	11
4.2.3.2.1 Requirements for 5 MHz channel bandwidth	11
4.2.3.2.2 Requirements for 10 MHz channel bandwidth	11
4.2.3.3 Conformance.....	12
4.2.4 Transmitter Spurious Emissions	12
4.2.4.1 Definition	12
4.2.4.2 Limits	12
4.2.4.2.1 Requirements for 5 MHz channel bandwidth	12
4.2.4.2.2 Requirements for 10 MHz channel bandwidth	13
4.2.4.2.3 Requirements for UE Coexistence.....	13
4.2.4.3 Conformance.....	13
4.2.5 Transmitter Minimum Output Power.....	13
4.2.5.1 Definition	13
4.2.5.2 Limits	13
4.2.5.3 Conformance.....	14
4.2.6 Receiver Adjacent Channel Selectivity (ACS)	14
4.2.6.1 Definition	14
4.2.6.2 Limits	14
4.2.6.3 Conformance.....	14
4.2.7 Receiver Blocking Characteristics	14
4.2.7.1 Definition	14
4.2.7.2 Limits	15
4.2.7.3 Conformance.....	16
4.2.8 Receiver Spurious Response.....	16
4.2.8.1 Definition	16
4.2.8.2 Limits	16
4.2.8.3 Conformance.....	17
4.2.9 Receiver Intermodulation Characteristics	17
4.2.9.1 Definition	17
4.2.9.2 Limits	17
4.2.9.3 Conformance.....	18
4.2.10 Receiver Spurious Emissions.....	18

4.2.10.1	Definition	18
4.2.10.2	Limits	18
4.2.10.3	Conformance.....	18
4.2.11	Transmitter Adjacent Channel Leakage Power Ratio	19
4.2.11.1	Definition	19
4.2.11.2	Limits	19
4.2.11.2.1	Requirements for 5 MHz channel bandwidth	19
4.2.11.2.2	Requirements for 10 MHz channel bandwidth	19
4.2.11.3	Conformance	20
5	Testing for compliance with technical requirements.....	20
5.1	Environmental conditions for testing	20
5.2	Product information.....	20
5.3	Interpretation of the measurement results	20
5.4	Essential radio test suites.....	21
5.4.1	Transmitter Maximum and Minimum Output Power	21
5.4.1.1	Method of measurement.....	21
5.4.1.1.1	Initial conditions	22
5.4.1.1.2	Procedure.....	22
5.4.1.2	Test requirements	22
5.4.2	Transmitter Spectrum Emission Mask.....	22
5.4.2.1	Method of measurement.....	23
5.4.2.1.1	Initial conditions	23
5.4.2.1.2	Procedure.....	23
5.4.2.2	Test requirements	24
5.4.3	Transmitter spurious emissions.....	24
5.4.3.1	Method of measurement.....	24
5.4.3.1.1	Initial conditions	24
5.4.3.1.2	Procedure.....	25
5.4.3.2	Test requirements	25
5.4.4	Receiver Adjacent Channel Selectivity (ACS)	25
5.4.4.1	Method of measurement.....	25
5.4.4.1.1	Initial conditions	26
5.4.4.1.2	Procedure.....	26
5.4.4.2	Test requirements	26
5.4.5	Receiver Blocking Characteristics.....	26
5.4.5.1	Method of measurement.....	26
5.4.5.1.1	Initial conditions	27
5.4.5.1.2	Procedure.....	27
5.4.5.2	Test requirements	28
5.4.6	Receiver Spurious Response.....	28
5.4.6.1	Method of measurement.....	28
5.4.6.1.1	Initial conditions	28
5.4.6.1.2	Procedure.....	28
5.4.6.2	Test requirements	29
5.4.7	Receiver Intermodulation characteristics.....	29
5.4.7.1	Method of measurement.....	29
5.4.7.1.1	Initial conditions	29
5.4.7.1.2	Procedure.....	30
5.4.7.2	Test requirements	30
5.4.8	Receiver Spurious Emissions.....	30
5.4.8.1	Method of measurement.....	30
5.4.8.1.1	Initial conditions	31
5.4.8.1.2	Procedure.....	31
5.4.8.2	Test requirements	31
5.4.9	Transmitter Adjacent Channel Leakage Power Ratio	31
5.4.9.1	Method of measurement.....	31
5.4.9.1.1	Initial conditions	32
5.4.9.1.2	Procedure.....	32
5.4.9.2	Test requirements	33

Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT).....	34
Annex B (normative):	Environmental profile	36
Annex C (informative):	Void	37
Annex D (informative):	Bibliography.....	38
History		39

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 301 908-19 V6.1.1 \(2013-02\)](https://standards.iteh.ai/catalog/standards/etsi/c6f04558-476a-4837-a520-d877bade8b2a/etsi-en-301-908-19-v6-1-1-2013-02)

<https://standards.iteh.ai/catalog/standards/etsi/c6f04558-476a-4837-a520-d877bade8b2a/etsi-en-301-908-19-v6-1-1-2013-02>