

ETSI EN 301 908-2 V5.4.1 (2012-12)



**IMT cellular networks;
Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive;
Part 2: CDMA Direct Spread (UTRA FDD) User Equipment (UE)**

[ETSI EN 301 908-2 V5.4.1 \(2012-12\)](https://standards.iteh.ai/catalog/standards/etsi/f95b6adf-da09-407b-b356-dd2f6b16e1d8/etsi-en-301-908-2-v5-4-1-2012-12)

<https://standards.iteh.ai/catalog/standards/etsi/f95b6adf-da09-407b-b356-dd2f6b16e1d8/etsi-en-301-908-2-v5-4-1-2012-12>

Reference

REN/MSG-TFES-006-2-2

Keywords

3G, 3GPP, cellular, digital, IMT, mobile, radio,
regulation, UMTS, UTRA, WCDMA

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2012.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	6
Foreword.....	6
Introduction	7
1 Scope	8
2 References	9
2.1 Normative references	9
2.2 Informative references.....	9
3 Definitions, symbols and abbreviations	10
3.1 Definitions.....	10
3.2 Symbols.....	11
3.3 Abbreviations	12
4 Technical requirements specifications	13
4.1 Environmental profile.....	13
4.2 Conformance requirements	13
4.2.1 Introduction.....	13
4.2.2 Transmitter maximum output power.....	14
4.2.2.1 Definition	14
4.2.2.1A Definition for DC-HSUPA.....	14
4.2.2.2 Limits	14
4.2.2.3 Limits for DC-HSUPA.....	14
4.2.2.3A Conformance.....	15
4.2.3 Transmitter spectrum emission mask.....	15
4.2.3.1 Definition	15
4.2.3.1A Definition for DC-HSUPA.....	15
4.2.3.2 Limits	16
4.2.3.2A Limits for DC-HSUPA.....	16
4.2.3.3 Conformance.....	16
4.2.4 Transmitter spurious emissions.....	17
4.2.4.1 Definition	17
4.2.4.1A Definition for DC-HSUPA.....	17
4.2.4.2 Limits	17
4.2.4.2A Limits for DC-HSUPA.....	18
4.2.4.3 Conformance.....	20
4.2.5 Transmitter minimum output power	20
4.2.5.1 Definition	20
4.2.5.1A Definition for DC-HSUPA.....	20
4.2.5.2 Limits	20
4.2.5.2A Limits for DC-HSUPA.....	21
4.2.5.3 Conformance.....	21
4.2.6 Receiver Adjacent Channel Selectivity (ACS)	21
4.2.6.1 Definition	21
4.2.6.2 Limits	21
4.2.6.3 Conformance.....	21
4.2.7 Receiver blocking characteristics	21
4.2.7.1 Definition	21
4.2.7.2 Limits	21
4.2.7.3 Conformance.....	23
4.2.8 Receiver spurious response.....	23
4.2.8.1 Definition	23
4.2.8.2 Limits	23
4.2.8.3 Conformance.....	24
4.2.9 Receiver intermodulation characteristics	24
4.2.9.1 Definition	24

4.2.9.2	Limits	24
4.2.9.3	Conformance	24
4.2.10	Receiver spurious emissions	25
4.2.10.1	Definition	25
4.2.10.2	Limits	25
4.2.10.3	Conformance	26
4.2.11	Out-of-synchronization handling of output power	26
4.2.11.1	Definition	26
4.2.11.2	Limits	26
4.2.11.3	Conformance	28
4.2.12	Transmitter Adjacent Channel Leakage power Ratio (ACLR)	28
4.2.12.1	Definition	28
4.2.12.1A	Definition for DC-HSUPA	28
4.2.12.2	Limits	28
4.2.12.2A	Limits for DC-HSUPA	28
4.2.12.3	Conformance	28
5	Testing for compliance with technical requirements	29
5.1	Environmental conditions for testing	29
5.2	Interpretation of the measurement results	29
5.3	Essential radio test suites	30
5.3.1	Transmitter maximum output power	30
5.3.1.1	Method of test	30
5.3.1.1.1	Initial conditions	30
5.3.1.1.1A	Initial conditions for DC-HSUPA	31
5.3.1.1.2	Procedure	31
5.3.1.1.2A	Procedure for DC-HSUPA	31
5.3.1.2	Test requirements	31
5.3.2	Transmitter spectrum emission mask	31
5.3.2.1	Method of test	31
5.3.2.1.1	Initial conditions for UEs not supporting HSDPA and/or E-DCH	31
5.3.2.1.1A	Initial conditions for UEs supporting HSDPA and/or E-DCH	32
5.3.2.1.1B	Initial conditions for DC-HSUPA	32
5.3.2.1.2	Procedure for UEs not supporting HSDPA and/or E-DCH	32
5.3.2.1.2A	Procedure for UEs supporting HSDPA and/or E-DCH	32
5.3.2.1.2B	Procedure for DC-HSUPA	32
5.3.2.2	Test requirements	33
5.3.3	Transmitter spurious emissions	33
5.3.3.1	Method of test	33
5.3.3.1.1	Initial conditions	33
5.3.3.1.1A	Initial conditions for DC-HSUPA	33
5.3.3.1.2	Procedure	33
5.3.3.1.2A	Procedure for DC-HSUPA	33
5.3.3.2	Test requirements	34
5.3.4	Transmitter minimum output power	34
5.3.4.1	Method of test	34
5.3.4.1.1	Initial conditions	34
5.3.4.1.1A	Initial conditions for DC-HSUPA	34
5.3.4.1.2	Procedure	34
5.3.4.1.2A	Procedure for DC-HSUPA	34
5.3.4.2	Test requirements	34
5.3.5	Receiver Adjacent Channel Selectivity (ACS)	35
5.3.5.1	Method of test	35
5.3.5.1.1	Initial conditions	35
5.3.5.1.2	Procedure	35
5.3.5.2	Test requirements	35
5.3.6	Receiver blocking characteristics	35
5.3.6.1	Method of test	35
5.3.6.1.1	Initial requirements	35
5.3.6.1.2	Procedure	36
5.3.6.2	Test requirements	36
5.3.7	Receiver spurious response	36

5.3.7.1	Method of test	36
5.3.7.1.1	Initial conditions	36
5.3.7.1.2	Procedure	36
5.3.7.2	Test requirements	36
5.3.8	Receiver Intermodulation characteristics	36
5.3.8.1	Method of test	36
5.3.8.1.1	Initial conditions	36
5.3.8.1.2	Procedure	37
5.3.8.2	Test requirements	37
5.3.9	Receiver spurious emissions	37
5.3.9.1	Method of test	37
5.3.9.1.1	Initial conditions	37
5.3.9.1.2	Procedure	37
5.3.9.2	Test requirements	37
5.3.10	Out-of-synchronization handling of output power	37
5.3.10.1	Method of test	37
5.3.10.1.1	Initial conditions	37
5.3.10.1.2	Procedure	38
5.3.10.2	Test requirements	38
5.3.11	Transmitter adjacent channel leakage power ratio	38
5.3.11.1	Method of test	38
5.3.11.1.1	Initial conditions for UEs not supporting HSDPA and/or E-DCH	38
5.3.11.1.1A	Initial conditions for UEs supporting HSDPA and/or E-DCH	38
5.3.11.1.1B	Initial conditions for DC-HSUPA	39
5.3.11.1.2	Procedure for UEs not supporting HSDPA and/or E-DCH	39
5.3.11.1.2A	Procedure for UEs supporting HSDPA and/or E-DCH	39
5.3.11.1.2B	Procedure for DC-HSUPA	39
5.3.11.2	Test requirements	39
Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT)	40
Annex B (normative):	Environmental profile	42
B.1	General	42
B.1.1	Introduction	42
B.1.2	Temperature	42
B.1.3	Voltage	42
B.1.4	Test environment	43
Annex C (informative):	Bibliography	44
History		45

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (EN) has been produced by ETSI Technical Committee Mobile Standards Group (MSG).

The present document has been produced by ETSI in response to mandate M/284 from the European Commission issued under Directive 98/34/EC [i.1] as amended by Directive 98/48/EC [i.10].

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [i.2].

See article 5.1 of Directive 1999/5/EC [i.2] for information on presumption of conformity and Harmonised Standards or parts thereof the references of which have been published in the Official Journal of the European Union.

The requirements relevant to Directive 1999/5/EC [i.2] are summarised in annex A.

The present document is part 2 of a multi-part deliverable covering the essential requirements under article 3.2 of Directive 1999/5/EC [i.2] (R&TTE Directive) for Base Stations (BS), Repeaters and User Equipment (UE) for IMT cellular networks, as identified below:

- Part 1: "Introduction and common requirements";
- Part 2: "CDMA Direct Spread (UTRA FDD) User Equipment (UE)";**
- Part 3: "CDMA Direct Spread (UTRA FDD) Base Stations (BS)";
- Part 4: "CDMA Multi-Carrier (cdma2000) User Equipment (UE)";
- Part 5: "CDMA Multi-Carrier (cdma2000) Base Stations (BS)";
- Part 6: "CDMA TDD (UTRA TDD) User Equipment (UE)";
- Part 7: "CDMA TDD (UTRA TDD) Base Stations (BS)";
- Part 8: "Harmonized EN for IMT-2000, TDMA Single-Carrier (UWC 136) (UE) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 9: "Harmonized EN for IMT-2000, TDMA Single-Carrier (UWC 136) (BS) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 10: "Harmonized EN for IMT-2000, FDMA/TDMA (DECT) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 11: "CDMA Direct Spread (UTRA FDD) (Repeaters)";
- Part 12: "Harmonized EN for IMT-2000, CDMA Multi-Carrier (cdma2000) (Repeaters) covering the essential requirements of article 3.2 of the R&TTE Directive";
- Part 13: "Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)";