



**IMT cellular networks;
Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive;
Part 20: OFDMA TDD WMAN (Mobile WiMAX)
TDD Base Stations (BS)**

[ETSI EN 301 908-20 V6.1.1 \(2013-02\)](https://standards.iteh.ai/catalog/standards/etsi/a3ed584d-5f63-4696-abee-8f0610d548ae/etsi-en-301-908-20-v6-1-1-2013-02)

<https://standards.iteh.ai/catalog/standards/etsi/a3ed584d-5f63-4696-abee-8f0610d548ae/etsi-en-301-908-20-v6-1-1-2013-02>

ReferenceREN/MSG-TFES-010-20

Keywordsbroadband, IMT, IMT-2000, mobile, OFDMA,
radio, regulation, TDD, WiMAX, WMAN

ETSI650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:
<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2013.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	6
Foreword.....	6
Introduction	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	8
3 Definitions, symbols and abbreviations	8
3.1 Definitions.....	8
3.2 Symbols.....	9
3.3 Abbreviations	10
4 Essential requirements specification	10
4.1 Environmental profile.....	10
4.2 Conformance requirements	10
4.2.1 Introduction.....	10
4.2.2 Transmitter Spectrum Emission Mask.....	11
4.2.2.1 Definition	11
4.2.2.2 Limits	11
4.2.2.2.1 Spectrum emission mask for 5 MHz channel bandwidth - BCI 1.B and 3.A	11
4.2.2.2.2 Spectrum emission mask for 10 MHz channel bandwidth - BCI 1.B and 3.A	11
4.2.2.2.3 Spectrum emission mask for BCI 5L.A, 5L.C, 5H.A and 5H.C.....	12
4.2.2.3 Conformance.....	12
4.2.3 Transmitter Adjacent Channel Leakage power Ratio (ACLR)	12
4.2.3.1 Definition	12
4.2.3.2 Limits	12
4.2.3.2.1 ACLR requirements for 5 MHz channel bandwidth.....	13
4.2.3.2.2 ACLR requirements for 10 MHz channel bandwidth.....	13
4.2.3.3 Conformance.....	14
4.2.4 Transmitter spurious emissions.....	14
4.2.4.1 Definition	14
4.2.4.2 Limits	14
4.2.4.2.1 General requirements.....	14
4.2.4.2.2 Additional Spurious Emission Requirements	15
4.2.4.3 Conformance.....	15
4.2.5 Base station maximum output power.....	15
4.2.5.1 Definition	15
4.2.5.2 Limits	15
4.2.5.3 Conformance.....	16
4.2.6 Transmit intermodulation	16
4.2.6.1 Definition	16
4.2.6.2 Limits	16
4.2.6.3 Conformance.....	16
4.2.7 Receiver spurious emissions	16
4.2.7.1 Definition.....	16
4.2.7.2 Limits	16
4.2.7.3 Conformance.....	17
4.2.8 Receiver blocking characteristics	17
4.2.8.1 Definition	17
4.2.8.2 Limits	17
4.2.8.3 Conformance.....	18
4.2.9 Receiver intermodulation characteristics	18
4.2.9.1 Definition	18
4.2.9.2 Limits	18

4.2.9.3	Conformance.....	19
4.2.10	Receiver Adjacent Channel Selectivity.....	19
4.2.10.1	Definition.....	19
4.2.10.2	Limits.....	19
4.2.10.3	Conformance.....	19
5	Testing for compliance with technical requirements.....	20
5.1	Environmental conditions for testing.....	20
5.2	Product information.....	20
5.3	Interpretation of the measurement results.....	20
5.4	Essential radio test suites.....	21
5.4.1	Transmitter Spectrum Emission Mask.....	21
5.4.1.1	Method of measurement.....	21
5.4.1.1.1	Initial conditions.....	22
5.4.1.1.2	Procedure.....	22
5.4.1.2	Test requirements.....	22
5.4.2	Transmitter Adjacent Channel Leakage Power Ratio (ACLR).....	22
5.4.2.1	Method of measurement.....	23
5.4.2.1.1	Initial conditions.....	23
5.4.2.1.2	Procedure.....	23
5.4.2.2	Test requirements.....	24
5.4.3	Transmitter spurious emissions.....	24
5.4.3.1	Method of measurement.....	24
5.4.3.1.1	Initial conditions.....	25
5.4.3.1.2	Procedure.....	25
5.4.3.2	Test requirements.....	25
5.4.4	Base Station maximum output power.....	25
5.4.4.1	Method of measurement.....	25
5.4.4.1.1	Initial conditions.....	26
5.4.4.1.2	Procedure.....	26
5.4.4.2	Test requirements.....	26
5.4.5	Transmit Intermodulation.....	26
5.4.5.1	Method of measurement.....	26
5.4.5.1.1	Initial conditions.....	27
5.4.5.1.2	Procedure.....	27
5.4.5.2	Test requirements.....	27
5.4.6	Receiver spurious emissions.....	27
5.4.6.1	Method of measurement.....	27
5.4.6.1.1	Initial conditions.....	28
5.4.6.1.2	Procedure.....	28
5.4.6.2	Test requirements.....	28
5.4.7	Receiver blocking characteristics.....	28
5.4.7.1	Method of Measurement.....	28
5.4.7.1.1	Initial conditions.....	29
5.4.7.1.2	Procedure.....	29
5.4.7.2	Test requirements.....	30
5.4.8	Receiver Intermodulation characteristics.....	30
5.4.8.1	Method of measurement.....	30
5.4.8.1.1	Initial conditions.....	30
5.4.8.1.2	Procedure.....	31
5.4.8.2	Test requirements.....	31
5.4.9	Receiver adjacent channel selectivity.....	31
5.4.9.1	Method of measurement.....	31
5.4.9.1.1	Initial conditions.....	32
5.4.9.1.2	Procedure.....	32
5.4.9.2	Test requirements.....	32

Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT).....	33
-----------------------------	--	-----------

Annex B (normative):	Environmental profile	35
-----------------------------	------------------------------------	-----------

Annex C (informative):	Void	36
Annex D (informative):	Bibliography	37
History		38

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 301 908-20 V6.1.1 \(2013-02\)](https://standards.iteh.ai/catalog/standards/etsi/a3ed584d-5f63-4696-abee-8f0610d548ae/etsi-en-301-908-20-v6-1-1-2013-02)

<https://standards.iteh.ai/catalog/standards/etsi/a3ed584d-5f63-4696-abee-8f0610d548ae/etsi-en-301-908-20-v6-1-1-2013-02>