

**IMT cellular networks;  
Harmonised EN covering the essential requirements  
of article 3.2 of the R&TTE Directive;  
Part 22: OFDMA TDD WMAN (Mobile WiMAX)  
FDD Base Stations (BS)**

---

iTeh Standards  
(<https://standards.iteh.ai>)  
Document Preview

[ETSI EN 301 908-22 V5.2.1 \(2011-09\)](https://standards.iteh.ai/catalog/standards/etsi/e3abec0a-fe91-44bc-be16-c35c0bd3b516/etsi-en-301-908-22-v5-2-1-2011-09)

<https://standards.iteh.ai/catalog/standards/etsi/e3abec0a-fe91-44bc-be16-c35c0bd3b516/etsi-en-301-908-22-v5-2-1-2011-09>



---

**Reference**

DEN/MSG-TFES-009-22

---

**Keywords**

3G, cell, digital, FDD, IMT, IMT-2000, mobile,  
radio, regulation, WiMAX

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)  
**Document Preview**

---

**Important notice**

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

[http://portal.etsi.org/chaicor/ETSI\\_support.asp](http://portal.etsi.org/chaicor/ETSI_support.asp)

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.  
All rights reserved.

DECT<sup>TM</sup>, PLUGTESTS<sup>TM</sup>, UMTS<sup>TM</sup> and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
3GPP<sup>TM</sup> and LTE<sup>TM</sup> are Trade Marks of ETSI registered for the benefit of its Members and  
of the 3GPP Organizational Partners.  
GSM<sup>®</sup> and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Contents

|                                                                      |    |
|----------------------------------------------------------------------|----|
| Intellectual Property Rights .....                                   | 6  |
| Foreword.....                                                        | 6  |
| Introduction .....                                                   | 7  |
| 1 Scope .....                                                        | 8  |
| 2 References .....                                                   | 8  |
| 2.1 Normative references .....                                       | 8  |
| 2.2 Informative references .....                                     | 8  |
| 3 Definitions, symbols and abbreviations .....                       | 9  |
| 3.1 Definitions .....                                                | 9  |
| 3.2 Symbols .....                                                    | 10 |
| 3.3 Abbreviations .....                                              | 10 |
| 4 Essential requirements specification .....                         | 11 |
| 4.1 Environmental profile.....                                       | 11 |
| 4.2 Conformance requirements .....                                   | 11 |
| 4.2.1 Introduction.....                                              | 11 |
| 4.2.2 Spectrum emission mask .....                                   | 11 |
| 4.2.2.1 Definition .....                                             | 11 |
| 4.2.2.2 Limits .....                                                 | 11 |
| 4.2.2.2.1 Requirements for 5 MHz channel bandwidth .....             | 12 |
| 4.2.2.2.2 Requirements for 10 MHz channel bandwidth .....            | 12 |
| 4.2.2.3 Conformance .....                                            | 12 |
| 4.2.3 Transmitter Adjacent Channel Leakage power Ratio (ACLR) .....  | 12 |
| 4.2.3.1 Definition .....                                             | 12 |
| 4.2.3.2 Limits .....                                                 | 12 |
| 4.2.3.2.1 ACLR requirements for 5 MHz channel bandwidth .....        | 12 |
| 4.2.3.2.2 ACLR requirements for 10 MHz channel bandwidth .....       | 13 |
| 4.2.3.3 Conformance .....                                            | 13 |
| 4.2.4 Transmitter spurious emissions .....                           | 13 |
| 4.2.4.1 Definition .....                                             | 13 |
| 4.2.4.2 Limits .....                                                 | 13 |
| 4.2.4.2.0 General requirements .....                                 | 13 |
| 4.2.4.2.1 Requirements for 5 MHz channel bandwidth .....             | 14 |
| 4.2.4.2.2 Requirements for 10 MHz channel bandwidth .....            | 14 |
| 4.2.4.2.3 Additional Spurious Emission Requirements .....            | 14 |
| 4.2.4.2.4 Protection of the BS receiver of own or different BS ..... | 14 |
| 4.2.4.3 Conformance .....                                            | 15 |
| 4.2.5 Base station maximum output power .....                        | 15 |
| 4.2.5.1 Definition .....                                             | 15 |
| 4.2.5.2 Limits .....                                                 | 15 |
| 4.2.5.3 Conformance .....                                            | 15 |
| 4.2.6 Transmitter Intermodulation .....                              | 15 |
| 4.2.6.1 Definition .....                                             | 15 |
| 4.2.6.2 Limits .....                                                 | 15 |
| 4.2.6.3 Conformance .....                                            | 16 |
| 4.2.7 Receiver spurious emissions .....                              | 16 |
| 4.2.7.1 Definition .....                                             | 16 |
| 4.2.7.2 Limits .....                                                 | 16 |
| 4.2.7.3 Conformance .....                                            | 16 |
| 4.2.8 Receiver Adjacent Channel Selectivity (ACS) .....              | 16 |
| 4.2.8.1 Definition .....                                             | 16 |
| 4.2.8.2 Limits .....                                                 | 17 |
| 4.2.8.3 Conformance .....                                            | 17 |
| 4.2.9 Receiver blocking characteristics .....                        | 17 |

|           |                                                         |    |
|-----------|---------------------------------------------------------|----|
| 4.2.9.1   | Definition .....                                        | 17 |
| 4.2.9.2   | Limits .....                                            | 17 |
| 4.2.9.3   | Conformance.....                                        | 18 |
| 4.2.10    | Receiver intermodulation characteristics .....          | 19 |
| 4.2.10.1  | Definition and applicability.....                       | 19 |
| 4.2.10.2  | Limits .....                                            | 19 |
| 4.2.10.3  | Conformance.....                                        | 19 |
| 5         | Testing for compliance with technical requirements..... | 19 |
| 5.1       | Environmental conditions for testing .....              | 19 |
| 5.2       | Product information.....                                | 20 |
| 5.3       | Interpretation of the measurement results .....         | 20 |
| 5.4       | Essential radio test suites.....                        | 21 |
| 5.4.1     | Transmitter Spectrum Emission Mask.....                 | 21 |
| 5.4.1.1   | Method of measurement.....                              | 21 |
| 5.4.1.1.1 | Initial conditions.....                                 | 22 |
| 5.4.1.1.2 | Procedure.....                                          | 22 |
| 5.4.1.2   | Test requirements.....                                  | 22 |
| 5.4.2     | Transmitter Adjacent Channel Leakage Power Ratio.....   | 23 |
| 5.4.2.1   | Method of measurement.....                              | 23 |
| 5.4.2.1.1 | Initial conditions.....                                 | 23 |
| 5.4.2.1.2 | Procedure.....                                          | 23 |
| 5.4.2.2   | Test requirements.....                                  | 24 |
| 5.4.3     | Transmitter spurious emissions.....                     | 24 |
| 5.4.3.1   | Method of measurement.....                              | 24 |
| 5.4.3.1.1 | Initial conditions.....                                 | 25 |
| 5.4.3.1.2 | Procedure.....                                          | 25 |
| 5.4.3.2   | Test requirements.....                                  | 25 |
| 5.4.4     | Base Station maximum output power .....                 | 25 |
| 5.4.4.1   | Method of measurement.....                              | 26 |
| 5.4.4.1.1 | Initial conditions.....                                 | 26 |
| 5.4.4.1.2 | Procedure.....                                          | 26 |
| 5.4.4.2   | Test requirements.....                                  | 26 |
| 5.4.5     | Transmitter Intermodulation .....                       | 27 |
| 5.4.5.1   | Method of measurement.....                              | 27 |
| 5.4.5.1.1 | Initial conditions.....                                 | 27 |
| 5.4.5.1.2 | Procedure.....                                          | 27 |
| 5.4.5.2   | Test requirements.....                                  | 27 |
| 5.4.6     | Receiver spurious emissions .....                       | 28 |
| 5.4.6.1   | Method of measurement.....                              | 28 |
| 5.4.6.1.1 | Initial conditions.....                                 | 28 |
| 5.4.6.1.2 | Procedure.....                                          | 28 |
| 5.4.6.2   | Test requirements.....                                  | 29 |
| 5.4.7     | Receiver Adjacent Channel Selectivity (ACS) .....       | 29 |
| 5.4.7.1   | Method of measurement.....                              | 29 |
| 5.4.7.1.1 | Initial conditions.....                                 | 29 |
| 5.4.7.1.2 | Procedure.....                                          | 29 |
| 5.4.7.2   | Test requirements.....                                  | 30 |
| 5.4.8     | Receiver blocking characteristics .....                 | 30 |
| 5.4.8.1   | Method of measurement.....                              | 30 |
| 5.4.8.1.1 | Initial conditions.....                                 | 31 |
| 5.4.8.1.2 | Procedure.....                                          | 31 |
| 5.4.8.2   | Test requirements.....                                  | 31 |
| 5.4.9     | Receiver intermodulation characteristics .....          | 32 |
| 5.4.9.1   | Method of measurement.....                              | 32 |
| 5.4.9.1.1 | Initial conditions.....                                 | 32 |
| 5.4.9.1.2 | Procedure.....                                          | 32 |
| 5.4.9.2   | Test requirements.....                                  | 33 |

|                             |                                                                                |           |
|-----------------------------|--------------------------------------------------------------------------------|-----------|
| <b>Annex A (normative):</b> | <b>HS Requirements and conformance Test specifications Table (HS-RTT).....</b> | <b>34</b> |
|-----------------------------|--------------------------------------------------------------------------------|-----------|

|                               |                                                     |           |
|-------------------------------|-----------------------------------------------------|-----------|
| <b>Annex B (normative):</b>   | <b>Environmental profile specification .....</b>    | <b>36</b> |
| <b>Annex C (informative):</b> | <b>The EN title in the official languages .....</b> | <b>37</b> |
| <b>Annex D (informative):</b> | <b>Bibliography .....</b>                           | <b>38</b> |
| <b>History .....</b>          |                                                     | <b>39</b> |

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[ETSI EN 301 908-22 V5.2.1 \(2011-09\)](#)

<https://standards.iteh.ai/catalog/standards/etsi/e3abec0a-fe91-44bc-be16-c35c0bd3b516/etsi-en-301-908-22-v5-2-1-2011-09>