

**IMT cellular networks;
Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive
Part 4: CDMA Multi-Carrier (cdma2000) User Equipment (UE)**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 301 908-4 V5.2.1 \(2011-09\)](https://standards.iteh.ai/catalog/standards/etsi/fceaacc64-717a-495d-a14f-bf2ade63a6fd/etsi-en-301-908-4-v5-2-1-2011-09)

<https://standards.iteh.ai/catalog/standards/etsi/fceaacc64-717a-495d-a14f-bf2ade63a6fd/etsi-en-301-908-4-v5-2-1-2011-09>



ReferenceREN/MSG-TFES-007-4

Keywords3G, 3GPP2, cdma2000, cellular, digital,
IMT-2000, mobile, radio, regulation, UMTS

ETSI650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	6
Foreword.....	6
Introduction	7
1 Scope	8
2 References	8
2.1 Normative references	9
2.2 Informative references	10
3 Definitions, symbols and abbreviations	10
3.1 Definitions	10
3.2 Symbols	19
3.3 Abbreviations	22
4 Technical requirements specifications	23
4.1 Environmental profile.....	23
4.2 Conformance requirements	23
4.2.1 Introduction.....	24
4.2.2 Conducted spurious emissions when transmitting	24
4.2.2.1 Definition	24
4.2.2.2 Limits	24
4.2.2.2.1 Mobile stations operating in type 1 cdma2000 systems using spreading rate 1 or operating in type 2 cdma2000 systems	25
4.2.2.2.2 Mobile stations operating in type 1 cdma2000 systems using spreading rate 3	26
4.2.2.2.3 Mobile stations operating in multicarrier HRPD systems	26
4.2.2.3 Conformance	27
4.2.3 Maximum RF output power	27
4.2.3.1 Definition	27
4.2.3.2 Limits	28
4.2.3.3 Conformance	28
4.2.4 Minimum controlled output power	28
4.2.4.1 Definition	28
4.2.4.2 Limits	29
4.2.4.3 Conformance	29
4.2.5 Conducted spurious emissions when not transmitting	29
4.2.5.1 Definition	29
4.2.5.2 Limits	29
4.2.5.3 Conformance	29
4.2.6 Receiver blocking characteristics	29
4.2.6.1 Definition	29
4.2.6.2 Limits	30
4.2.6.2.1 Mobile station operating in type 1 cdma2000 systems	30
4.2.6.2.2 Mobile station operating in type 2 cdma2000 systems	30
4.2.6.3 Conformance	30
4.2.7 Intermodulation spurious response attenuation.....	30
4.2.7.1 Definition	30
4.2.7.2 Limits	30
4.2.7.2.1 Mobile station operating in type 1 cdma2000 systems	30
4.2.7.2.2 Mobile stations operating in type 2 cdma2000 systems	30
4.2.7.3 Conformance	30
4.2.8 Adjacent channel selectivity	31
4.2.8.1 Definition	31
4.2.8.2 Limits	31
4.2.8.2.1 Mobile station operating in type 1 cdma2000 systems	31
4.2.8.2.2 Mobile station operating in type 2 cdma2000 systems	31
4.2.8.3 Conformance	31

4.2.9	Supervision of paging channel or Forward Common Control Channel	31
4.2.9.1	Definition	31
4.2.9.2	Limits	31
4.2.9.3	Conformance	31
4.2.10	Supervision of forward traffic channel	31
4.2.10.1	Definition	31
4.2.10.2	Limits	32
4.2.10.3	Conformance	32
4.2.11	Supervision of control channel	32
4.2.11.1	Definition	32
4.2.11.2	Limits	33
4.2.11.3	Conformance	33
4.2.12	Supervision procedures in variable rate state	33
4.2.12.1	Definition	33
4.2.12.2	Limits	33
4.2.12.3	Conformance	33
5	Testing for compliance with technical requirements	34
5.1	Conditions for testing	34
5.1.1	Introduction	34
5.1.2	Standard equipment under test	34
5.1.2.1	Basic equipment	34
5.1.2.2	Ancillary equipment	34
5.2	Interpretation of the measurement results	34
5.3	Essential radio test suites	34
5.3.1	Conducted spurious emissions when transmitting	35
5.3.1.1	Test procedure for mobile stations supporting operation in type 1 cdma2000 systems	35
5.3.1.2	Test procedure for mobile stations supporting operation in type 2 cdma2000 systems	37
5.3.1.3	Test procedure for mobile stations supporting multicarrier HRPD operation	37
5.3.2	Maximum RF output power	38
5.3.2.1	Test procedure for mobile stations supporting operation in type 1 cdma2000 systems	38
5.3.2.2	Test procedure for mobile stations supporting operation in type 2 cdma2000 systems	41
5.3.3	Minimum controlled output power	42
5.3.3.1	Test procedure for mobile stations supporting operation in type 1 cdma2000 systems	42
5.3.3.2	Test procedure for mobile stations supporting operation in type 2 cdma2000 systems	42
5.3.4	Conducted spurious emissions when not transmitting	43
5.3.4.1	Test procedure for mobile stations supporting operation in type 1 and/or type 2 cdma2000 systems	43
5.3.5	Receiver blocking characteristics	43
5.3.5.1	Test procedure for mobile stations supporting operation in type 1 cdma2000 systems	43
5.3.5.2	Test procedure for mobile stations supporting operation in type 2 cdma2000 systems	44
5.3.6	Intermodulation spurious response attenuation	46
5.3.6.1	Test procedure for mobile stations supporting operation in type 1 cdma2000 systems	46
5.3.6.2	Test procedure for mobile stations supporting operation in type 2 cdma2000 systems	46
5.3.7	Adjacent channel selectivity	47
5.3.7.1	Test procedure for mobile stations supporting operation in type 1 cdma2000 systems	47
5.3.7.2	Test procedure for mobile stations supporting operation in type 2 cdma2000 systems	48
5.3.8	Supervision of paging channel or Forward Common Control Channel	49
5.3.9	Supervision of forward traffic channel	50
5.3.10	Supervision of control channel	51
5.3.11	Supervision procedures in variable rate state	52

Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT)	53
-----------------------------	---	-----------

Annex B (normative):	Environmental profile and standard test conditions	55
-----------------------------	---	-----------

B.1	Introduction	55
B.2	CDMA environmental requirements	55
B.2.1	Temperature and power supply voltage	55
B.2.1.1	Definition	55
B.2.1.2	Method of measurement	55

B.2.1.3	Minimum standard	56
B.2.2	High humidity	56
B.2.2.1	Definition	56
B.2.2.2	Method of measurement	56
B.2.2.3	Minimum standard	56
B.2.3	Vibration stability	57
B.2.3.1	Definition	57
B.2.3.2	Method of measurement	57
B.2.3.3	Minimum standard	57
B.2.4	Shock stability	57
B.2.4.1	Definition	57
B.2.4.2	Method of measurement	57
B.2.4.3	Minimum standard	57
B.3	Standard test conditions	57
B.3.1	Standard environmental test conditions	57
B.3.2	Standard conditions for the primary power supply	58
B.3.2.1	General	58
B.3.2.2	Standard DC test voltage from accumulator batteries	58
B.3.2.3	Standard AC voltage and frequency	58
Annex C (informative):	The EN title in the official languages	59
Annex D (informative):	Bibliography	60
History		61

iTeh Standards

(<https://standards.iteh.ai>)

Document Preview

[ETSI EN 301 908-4 V5.2.1 \(2011-09\)](#)

<https://standards.iteh.ai/catalog/standards/etsi/fceaacc64-717a-495d-a14f-bf2ade63a6fd/etsi-en-301-908-4-v5-2-1-2011-09>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This final draft Harmonized European Standard (EN) has been produced by ETSI Technical Committee Mobile Standards Group (MSG), and is now submitted for the Vote phase of the ETSI standards Two-step Approval Procedure.

The present document has been produced by ETSI in response to mandate M/284 from the European Commission issued under Council Directive 98/34/EC [i.1] (as amended) laying down a procedure for the provision of information in the field of technical standards and regulations.

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [i.2].

See article 5.1 of Directive 1999/5/EC [i.2] for information on presumption of conformity and Harmonised Standards or parts thereof the references of which have been published in the Official Journal of the European Union.

The requirements relevant to Directive 1999/5/EC [i.2] are summarised in annex A.

The present document is part 4 of a multi-part deliverable covering the essential requirements under article 3.2 of Directive 1999/5/EC [i.2] (R&TTE Directive) for Base Stations (BS), Repeaters and User Equipment (UE) for IMT cellular networks, as identified below:

- Part 1: "Introduction and common requirements";
- Part 2: "CDMA Direct Spread (UTRA FDD) User Equipment (UE)";
- Part 3: "CDMA Direct Spread (UTRA FDD) Base Stations (BS)";
- Part 4: "CDMA Multi-Carrier (cdma2000) User Equipment (UE)";**
- Part 5: "CDMA Multi-Carrier (cdma2000) Base Stations (BS)";
- Part 6: "CDMA TDD (UTRA TDD) User Equipment (UE)";
- Part 7: "CDMA TDD (UTRA TDD) Base Stations (BS)";
- Part 8: "Harmonized EN for IMT-2000, TDMA Single-Carrier (UWC 136) (UE) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 9: "Harmonized EN for IMT-2000, TDMA Single-Carrier (UWC 136) (BS) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 10: "Harmonized EN for IMT-2000, FDMA/TDMA (DECT) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 11: "CDMA Direct Spread (UTRA FDD) (Repeaters)";
- Part 12: "Harmonized EN for IMT-2000, CDMA Multi-Carrier (cdma2000) (Repeaters) covering the essential requirements of article 3.2 of the R&TTE Directive";
- Part 13: "Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)";

- Part 14: "Evolved Universal Terrestrial Radio Access (E-UTRA) Base Stations (BS)";
- Part 15: "Evolved Universal Terrestrial Radio Access (E-UTRA) (FDD Repeaters)";
- Part 16: "Harmonized EN for IMT-2000, Evolved CDMA Multi-Carrier Ultra Mobile Broadband (UMB) (UE) covering the essential requirements of article 3.2 of the R&TTE Directive";
- Part 17: "Harmonized EN for IMT-2000, Evolved CDMA Multi-Carrier Ultra Mobile Broadband (UMB) (BS) covering the essential requirements of article 3.2 of the R&TTE Directive";
- Part 18: "E-UTRA, UTRA and GSM/EDGE Multi-Standard Radio (MSR) Base Stations (BS)";
- Part 19: "OFDMA TDD WMAN (Mobile WiMAX) TDD User Equipment (UE)";
- Part 20: "OFDMA TDD WMAN (Mobile WiMAX) TDD Base Station (BS)";
- Part 21: "OFDMA TDD WMAN (Mobile WiMAX) FDD User Equipment (UE)";
- Part 22: "OFDMA TDD WMAN (Mobile WiMAX) FDD Base Stations (BS)".

Proposed national transposition dates	
Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	18 months after doa

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive [i.2]. The modular structure is shown in EG 201 399 [i.3].