

**Base Stations (BS), Repeaters and User Equipment (UE)
for IMT-2000 Third-Generation cellular networks;
Part 6: Harmonized EN for IMT-2000,
CDMA TDD (UTRA TDD and E-UTRA TDD) (UE)
covering the essential requirements
of article 3.2 of the R&TTE Directive**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 301 908-6 V5.2.1 \(2011-07\)](https://standards.iteh.ai/catalog/standards/etsi/9735a52a-1142-4ef6-8da5-f266a997a614/etsi-en-301-908-6-v5-2-1-2011-07)

<https://standards.iteh.ai/catalog/standards/etsi/9735a52a-1142-4ef6-8da5-f266a997a614/etsi-en-301-908-6-v5-2-1-2011-07>



ReferenceREN/MSG-TFES-010-6

Keywords

3G, 3GPP, cellular, digital, IMB, IMT-2000,
MBSFN, mobile, radio, regulation, TD-CDMA,
TDD, UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM, TIPHONTM, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTETM is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	6
Foreword.....	6
Introduction	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references.....	9
3 Definitions, symbols and abbreviations	9
3.1 Definitions.....	9
3.2 Symbols.....	10
3.3 Abbreviations	11
4 Technical requirements specifications	11
4.1 Environmental profile.....	11
4.2 Conformance requirements	12
4.2.1 Introduction.....	12
4.2.2 Spectrum emission mask	12
4.2.2.1 Definition	12
4.2.2.1.1 3,84 Mcps TDD option.....	12
4.2.2.1.2 1,28 Mcps TDD option.....	12
4.2.2.1.3 7,68 Mcps TDD option.....	12
4.2.2.2 Limits	13
4.2.2.2.1 3,84 Mcps TDD option.....	13
4.2.2.2.2 1,28 Mcps TDD option.....	13
4.2.2.2.3 7,68 Mcps TDD option.....	14
4.2.2.3 Conformance.....	14
4.2.3 Transmitter spurious emissions.....	14
4.2.3.1 Definition	14
4.2.3.2 Limits	14
4.2.3.2.1 3,84 Mcps TDD option.....	14
4.2.3.2.2 1,28 Mcps TDD option.....	15
4.2.3.2.3 7,68 Mcps TDD option.....	15
4.2.3.3 Conformance.....	16
4.2.4 Maximum output power.....	16
4.2.4.1 Definition	16
4.2.4.2 Limits	16
4.2.4.3 Conformance.....	16
4.2.5 Minimum transmit output power	16
4.2.5.1 Definition	16
4.2.5.2 Limits	16
4.2.5.2.1 3,84 Mcps TDD option.....	16
4.2.5.2.2 1,28 Mcps TDD option.....	16
4.2.5.2.3 7,68 Mcps TDD option.....	16
4.2.5.3 Conformance.....	16
4.2.6 Receiver spurious emissions	16
4.2.6.1 Definition	16
4.2.6.2 Limits	17
4.2.6.2.1 3,84 Mcps TDD option.....	17
4.2.6.2.2 1,28 Mcps TDD option.....	17
4.2.6.2.3 7,68 Mcps TDD option.....	17
4.2.6.3 Conformance.....	18
4.2.7 Receiver blocking characteristics	18
4.2.7.1 Definition	18
4.2.7.2 Limits	18

4.2.7.2.1	3,84 Mcps TDD option.....	18
4.2.7.2.2	1,28 Mcps TDD option.....	19
4.2.7.2.3	7,68 Mcps TDD option.....	20
4.2.7.3	Conformance.....	21
4.2.8	Receiver intermodulation characteristics	21
4.2.8.1	Definition and applicability.....	21
4.2.8.2	Limits	21
4.2.8.2.1	3,84 Mcps TDD option.....	21
4.2.8.2.2	1,28 Mcps TDD option.....	21
4.2.8.2.3	7,68 Mcps TDD option.....	21
4.2.8.3	Conformance.....	22
4.2.9	Receiver spurious response.....	22
4.2.9.1	Definition	22
4.2.9.2	Limits	22
4.2.9.2.1	3,84 Mcps TDD option.....	22
4.2.9.2.2	1,28 Mcps TDD option.....	22
4.2.9.2.3	7,68 Mcps TDD option.....	23
4.2.9.3	Conformance.....	23
4.2.10	Receiver adjacent channel selectivity	23
4.2.10.1	Definition	23
4.2.10.2	Limits	23
4.2.10.2.1	3,84 Mcps TDD option.....	23
4.2.10.2.2	1,28 Mcps TDD option.....	23
4.2.10.2.3	7,68 Mcps TDD option.....	24
4.2.10.3	Conformance.....	24
4.2.11	Out-of-synchronization handling of output power.....	24
4.2.11.1	Definition	24
4.2.11.2	Limit.....	24
4.2.11.2.1	3,84 Mcps TDD option.....	24
4.2.11.2.2	1,28 Mcps TDD option.....	25
4.2.11.2.3	7,68 Mcps TDD option.....	26
4.2.11.3	Conformance.....	27
4.2.12	Transmitter adjacent channel leakage power ratio.....	28
4.2.12.1	Definition	28
4.2.12.2	Limits	28
4.2.12.2.1	3,84 Mcps TDD option.....	28
4.2.12.2.2	1,28 Mcps TDD option.....	28
4.2.12.2.3	7,68 Mcps TDD option.....	28
4.2.12.3	Conformance.....	28
5	Testing for compliance with technical requirements.....	29
5.1	Environmental conditions for testing	29
5.2	Interpretation of the measurement results	29
5.3	Essential radio test suites.....	30
5.3.1	Spectrum emission mask	30
5.3.1.1	Method of test	30
5.3.1.1.1	Initial conditions.....	30
5.3.1.1.2	Procedure.....	31
5.3.1.2	Test requirements.....	31
5.3.2	Transmitter spurious emissions.....	31
5.3.2.1	Method of test	31
5.3.2.1.1	Initial conditions.....	31
5.3.2.1.2	Procedure.....	31
5.3.2.2	Test requirements.....	32
5.3.3	Maximum output power.....	32
5.3.3.1	Method of test	32
5.3.3.1.1	Initial conditions.....	32
5.3.3.1.2	Procedure.....	32
5.3.3.2	Test requirements.....	32
5.3.4	Minimum transmit output power	32
5.3.4.1	Method of test	32
5.3.4.1.1	Initial conditions.....	32

5.3.4.1.2	Procedure.....	33
5.3.4.2	Test requirements.....	33
5.3.5	Receiver spurious emissions.....	33
5.3.5.1	Method of test	33
5.3.5.1.1	Initial conditions.....	33
5.3.5.1.2	Procedure.....	34
5.3.5.2	Test requirements.....	34
5.3.6	Receiver blocking characteristics	35
5.3.6.1	Method of test	35
5.3.6.1.1	Initial conditions.....	35
5.3.6.1.2	Procedure.....	35
5.3.6.2	Test requirements.....	36
5.3.7	Receiver intermodulation characteristics	36
5.3.7.1	Method of test	36
5.3.7.1.1	Initial conditions.....	36
5.3.7.1.2	Procedure.....	36
5.3.7.2	Test requirements.....	36
5.3.8	Receiver spurious response.....	36
5.3.8.1	Method of test	36
5.3.8.1.1	Initial conditions.....	36
5.3.8.1.2	Procedure.....	37
5.3.8.2	Test requirements.....	37
5.3.9	Receiver adjacent channel selectivity	37
5.3.9.1	Method of test	37
5.3.9.1.1	Initial conditions.....	37
5.3.9.1.2	Procedure.....	37
5.3.9.2	Test requirements.....	38
5.3.10	Out-of-synchronization handling of output power.....	38
5.3.10.1	Method of test	38
5.3.10.1.1	Initial conditions.....	38
5.3.10.1.2	Procedure.....	38
5.3.10.2	Test requirements.....	39
5.3.11	Transmitter adjacent channel leakage power ratio.....	39
5.3.11.1	Method of test	39
5.3.11.1.1	Initial conditions.....	39
5.3.11.1.2	Procedure.....	39
5.3.11.2	Test requirements.....	40

Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT).....	41
-----------------------------	--	-----------

Annex B (normative):	Environmental profile	43
-----------------------------	------------------------------------	-----------

B.1	General	43
B.1.1	Introduction	43
B.1.2	Temperature	43
B.1.3	Voltage	43
B.1.4	Test environment.....	44

Annex C (informative):	The EN title in the official languages	45
-------------------------------	---	-----------

Annex D (informative):	Bibliography.....	46
-------------------------------	--------------------------	-----------

History	47
---------------	----

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Mobile Standards Group (MSG), and is now submitted for the Public Enquiry phase of the ETSI standards Two-step Approval Procedure.

The present document has been produced by ETSI in response to mandate M/284 from the European Commission issued under Council Directive 98/34/EC [i.1] (as amended) laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Harmonized Standard, the reference of which will be published in the Official Journal of the European Union referencing the Directive 1999/5/EC [i.2] of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity ("the R&TTE Directive").

The requirements relevant to Directive 1999/5/EC [i.2] are summarised in annex A.

The present document is part 6 of a multi-part deliverable covering the Base Stations (BS), Repeaters and User Equipment (UE) for IMT-2000 Third-Generation cellular networks, as identified below:

- Part 1: "Harmonized EN for IMT-2000, introduction and common requirements, covering the essential requirements of article 3.2 of the R&TTE Directive";
- Part 2: "Harmonized EN for IMT-2000, CDMA Direct Spread (UTRA FDD and E-UTRA FDD) (UE) covering the essential requirements of article 3.2 of the R&TTE Directive";
- Part 3: "Harmonized EN for IMT-2000, CDMA Direct Spread (UTRA FDD and E-UTRA FDD) (BS) covering the essential requirements of article 3.2 of the R&TTE Directive";
- Part 4: "Harmonized EN for IMT-2000, CDMA Multi-Carrier (cdma2000) and Evolved CDMA Multi-Carrier Ultra Mobile Broadband (UMB) (UE) covering the essential requirements of article 3.2 of the R&TTE Directive";
- Part 5: "Harmonized EN for IMT-2000, CDMA Multi-Carrier (cdma2000) and Evolved CDMA Multi-Carrier Ultra Mobile Broadband (UMB) (BS) covering the essential requirements of article 3.2 of the R&TTE Directive";
- Part 6: "Harmonized EN for IMT-2000, CDMA TDD (UTRA TDD and E-UTRA TDD) (UE) covering the essential requirements of article 3.2 of the R&TTE Directive";**
- Part 7: "Harmonized EN for IMT-2000, CDMA TDD (UTRA TDD and E-UTRA TDD) (BS) covering the essential requirements of article 3.2 of the R&TTE Directive";
- Part 8: "Harmonized EN for IMT-2000, TDMA Single-Carrier (UWC 136) (UE) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 9: "Harmonized EN for IMT-2000, TDMA Single-Carrier (UWC 136) (BS) covering essential requirements of article 3.2 of the R&TTE Directive";