

ETSI EN 301 908-7 V5.2.1 (2011-07)

Harmonized European Standard

**IMT cellular networks;
Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive;
Part 7: CDMA TDD (UTRA TDD) Base Stations (BS)**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 301 908-7 V5.2.1 \(2011-07\)](https://standards.iteh.ai/catalog/standards/etsi/13ab3cb9-af84-4375-98c8-87caa0061a86/etsi-en-301-908-7-v5-2-1-2011-07)

<https://standards.iteh.ai/catalog/standards/etsi/13ab3cb9-af84-4375-98c8-87caa0061a86/etsi-en-301-908-7-v5-2-1-2011-07>



ReferenceREN/MSG-TFES-006-7

Keywords

3G, 3GPP, cellular, digital, IMB, IMT, IMT-2000,
MBSFN, mobile, radio, regulation, TD-CDMA,
TDD, UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	6
Foreword.....	6
Introduction	7
1 Scope	8
2 References	8
2.1 Normative references	9
2.2 Informative references.....	9
3 Definitions, symbols and abbreviations	9
3.1 Definitions.....	9
3.2 Symbols.....	10
3.3 Abbreviations	10
4 Technical requirements specifications	11
4.1 Environmental profile.....	11
4.2 Conformance requirements	12
4.2.1 Introduction.....	12
4.2.2 Spectrum emission mask	12
4.2.2.1 Definition	12
4.2.2.1.1 3,84 Mcps TDD option.....	12
4.2.2.1.2 1,28 Mcps TDD option.....	12
4.2.2.1.3 7,68 Mcps TDD option.....	12
4.2.2.2 Limits	13
4.2.2.2.1 3,84 Mcps TDD option.....	13
4.2.2.2.2 1,28 Mcps TDD option.....	14
4.2.2.2.3 7,68 Mcps TDD option.....	15
4.2.2.3 Conformance.....	16
4.2.3 Transmitter adjacent channel leakage power ratio.....	16
4.2.3.1 Definition	16
4.2.3.2 Limits	16
4.2.3.2.1 General requirements.....	16
4.2.3.2.2 Co-existence with UTRA-FDD	17
4.2.3.2.3 Co-existence with unsynchronized UTRA TDD on adjacent channels.....	18
4.2.3.3 Conformance.....	20
4.2.4 Transmitter spurious emissions.....	20
4.2.4.1 Definition	20
4.2.4.2 Limits	20
4.2.4.2.1 General requirements.....	20
4.2.4.2.2 Co-existence with GSM900.....	21
4.2.4.2.3 Co-existence with DCS1800	22
4.2.4.2.4 Co-existence with UTRA FDD	22
4.2.4.2.5 Co-existence with unsynchronized TDD.....	23
4.2.4.3 Conformance.....	23
4.2.5 Base station maximum output power.....	23
4.2.5.1 Definition	23
4.2.5.2 Limits	23
4.2.5.3 Conformance.....	23
4.2.6 Transmit intermodulation	23
4.2.6.1 Definition	23
4.2.6.2 Limits	23
4.2.6.2.1 3,84 Mcps TDD option.....	23
4.2.6.2.2 1,28 Mcps TDD option.....	24
4.2.6.2.3 7,68 Mcps TDD option.....	24
4.2.6.3 Conformance.....	24
4.2.7 Receiver spurious emissions	24

4.2.7.1	Definition	24
4.2.7.2	Limits	24
4.2.7.2.1	3,84 Mcps TDD option.....	25
4.2.7.2.2	1,28 Mcps TDD option.....	25
4.2.7.2.3	7,68 Mcps TDD option.....	25
4.2.7.3	Conformance.....	25
4.2.8	Receiver blocking characteristics	26
4.2.8.1	Definition	26
4.2.8.2	Limits	26
4.2.8.2.1	3,84 Mcps TDD option.....	26
4.2.8.2.2	1,28 Mcps TDD option.....	27
4.2.8.2.3	7,68 Mcps TDD option.....	28
4.2.8.3	Conformance.....	29
4.2.9	Receiver intermodulation characteristics	30
4.2.9.1	Definition	30
4.2.9.2	Limits	30
4.2.9.2.1	3,84 Mcps TDD option.....	30
4.2.9.2.2	1,28 Mcps TDD option.....	30
4.2.9.2.3	7,68 Mcps TDD option.....	31
4.2.9.3	Conformance.....	31
4.2.10	Receiver adjacent channel selectivity	31
4.2.10.1	Definition	31
4.2.10.2	Limits	31
4.2.10.2.1	3,84 Mcps TDD option.....	31
4.2.10.2.2	1,28 Mcps TDD option.....	32
4.2.10.2.3	7,68 Mcps TDD option.....	32
4.2.10.3	Conformance.....	33
5	Testing for compliance with technical requirements.....	33
5.1	Environmental conditions for testing	33
5.2	Interpretation of the measurement results	33
5.3	Essential radio test suites.....	35
5.3.1	Spectrum emission mask	35
5.3.1.1	Method of test	35
5.3.1.1.1	Initial conditions.....	35
5.3.1.1.2	Procedure.....	38
5.3.1.2	Test requirements.....	38
5.3.1.2.1	3,84 Mcps TDD option.....	38
5.3.1.2.2	1,28 Mcps TDD option.....	39
5.3.1.2.3	7,68 Mcps TDD option.....	39
5.3.2	Transmitter adjacent channel leakage power ratio.....	39
5.3.2.1	Method of test	39
5.3.2.1.1	Initial conditions.....	39
5.3.2.1.2	Procedure.....	42
5.3.2.2	Test requirements.....	44
5.3.2.2.1	3,84 Mcps TDD option.....	44
5.3.2.2.2	1,28 Mcps TDD option.....	44
5.3.2.2.3	7,68 Mcps TDD option.....	44
5.3.3	Transmitter spurious emissions.....	44
5.3.3.1	Method of test	44
5.3.3.1.1	Initial conditions.....	44
5.3.3.1.2	Procedure.....	47
5.3.3.2	Test requirements.....	47
5.3.4	Base station maximum output power.....	47
5.3.4.1	Method of test	47
5.3.4.1.1	Initial conditions.....	47
5.3.4.1.2	Procedure.....	49
5.3.4.2	Test requirements.....	49
5.3.5	Transmit intermodulation	49
5.3.5.1	Method of test	49
5.3.5.1.1	Initial conditions.....	49
5.3.5.1.2	Procedure.....	55

5.3.5.2	Test requirements	55
5.3.6	Receiver spurious emissions	55
5.3.6.1	Method of test	55
5.3.6.1.1	Initial conditions	55
5.3.6.1.2	Procedure	56
5.3.6.2	Test requirements	58
5.3.7	Receiver blocking characteristics	58
5.3.7.1	Method of test	58
5.3.7.1.1	Initial conditions	58
5.3.7.1.2	Procedure	59
5.3.7.2	Test requirements	60
5.3.8	Receiver intermodulation characteristics	60
5.3.8.1	Method of test	60
5.3.8.1.1	Initial conditions	60
5.3.8.1.2	Procedure	61
5.3.8.2	Test requirements	61
5.3.9	Receiver adjacent channel selectivity	61
5.3.9.1	Method of test	61
5.3.9.1.1	Initial conditions	61
5.3.9.1.2	Procedure	63
5.3.9.1.3	Test requirements	63

Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT)	64
-----------------------------	---	-----------

Annex B (normative):	BS configurations	66
-----------------------------	--------------------------------	-----------

B.1	Receiver Diversity	66
B.2	Power Supply options	66
B.3	Ancillary RF amplifiers	66
B.4	BS using antenna arrays	66
B.4.1	Receiver tests	67
B.4.2	Transmitter tests	67

Annex C (informative):	Environmental profile specification	68
-------------------------------	--	-----------

Annex D (informative):	The EN title in the official languages	69
-------------------------------	---	-----------

Annex E (informative):	Bibliography	70
-------------------------------	---------------------------	-----------

History	71
---------------	----

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (EN) has been produced by ETSI Technical Committee Mobile Standards Group (MSG).

The present document has been produced by ETSI in response to mandate M/284 from the European Commission issued under Council Directive 98/34/EC [i.1] (as amended) laying down a procedure for the provision of information in the field of technical standards and regulations.

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [i.2].

See article 5.1 of Directive 1999/5/EC [i.2] for information on presumption of conformity and Harmonised Standards or parts thereof the references of which have been published in the Official Journal of the European Union.

The requirements relevant to Directive 1999/5/EC [i.2] are summarised in annex A.

The present document is part 7 of a multi-part deliverable covering the essential requirements under article 3.2 of Directive 1999/5/EC [i.2] (R&TTE Directive) for Base Stations (BS), Repeaters and User Equipment (UE) for IMT cellular networks, as identified below:

- Part 1: "Introduction and common requirements";
- Part 2: "CDMA Direct Spread (UTRA FDD) User Equipment (UE)";
- Part 3: "CDMA Direct Spread (UTRA FDD) Base Stations (BS)";
- Part 4: "CDMA Multi-Carrier (cdma2000) User Equipment (UE)";
- Part 5: "CDMA Multi-Carrier (cdma2000) Base Stations (BS)";
- Part 6: "CDMA TDD (UTRA TDD) User Equipment (UE)";
- Part 7: "CDMA TDD (UTRA TDD) Base Stations (BS)";**
- Part 8: "Harmonized EN for IMT-2000, TDMA Single-Carrier (UWC 136) (UE) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 9: "Harmonized EN for IMT-2000, TDMA Single-Carrier (UWC 136) (BS) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 10: "Harmonized EN for IMT-2000, FDMA/TDMA (DECT) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 11: "CDMA Direct Spread (UTRA FDD) (Repeaters)";
- Part 12: "Harmonized EN for IMT-2000, CDMA Multi-Carrier (cdma2000) (Repeaters) covering the essential requirements of article 3.2 of the R&TTE Directive";
- Part 13: "Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)";

- Part 14: "Evolved Universal Terrestrial Radio Access (E-UTRA) Base Stations (BS)";
- Part 15: "Evolved Universal Terrestrial Radio Access (E-UTRA FDD) (Repeaters)";
- Part 16: "Harmonized EN for IMT-2000, Evolved CDMA Multi-Carrier Ultra Mobile Broadband (UMB) (UE) covering the essential requirements of article 3.2 of the R&TTE Directive";
- Part 17: "Harmonized EN for IMT-2000, Evolved CDMA Multi-Carrier Ultra Mobile Broadband (UMB) (BS) covering the essential requirements of article 3.2 of the R&TTE Directive";
- Part 18: "E-UTRA, UTRA and GSM/EDGE Multi-Standard Radio (MSR) Base Station (BS)";
- Part 19: "OFDMA TDD WMAN (Mobile WiMAX) TDD User Equipment (UE)";
- Part 20: "OFDMA TDD WMAN (Mobile WiMAX) TDD Base Stations (BS)";
- Part 21: "OFDMA TDD WMAN (Mobile WiMAX) FDD User Equipment (UE)";
- Part 22: "OFDMA TDD WMAN (Mobile WiMAX) FDD Base Stations (BS)".

National transposition dates	
Date of adoption of this EN:	4 July 2011
Date of latest announcement of this EN (doa):	31 October 2011
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 April 2012
Date of withdrawal of any conflicting National Standard (dow):	30 April 2013

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive [i.2]. The modular structure is shown in EG 201 399 [i.3].