



**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Short Range Devices (SRD) using
Ultra Wide Band technology (UWB);
Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive;
Part 1: Requirements for Generic UWB applications**

Reference

REN/ERM-TGUWB-016

Keywords

radio, regulation, SRD, testing, UWB

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2014.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
Introduction	6
1 Scope	7
2 References	8
2.1 Normative references	8
2.2 Informative references.....	8
3 Definitions, symbols and abbreviations	9
3.1 Definitions.....	9
3.2 Symbols.....	11
3.3 Abbreviations	11
4 Technical requirements specification.....	11
4.1 Operating bandwidth	11
4.1.1 Definition of operating bandwidth for test procedure.....	11
4.1.2 Test procedure	11
4.1.3 Limit	12
4.1.4 Measurement uncertainty.....	12
4.2 Maximum value of mean power spectral density	12
4.2.1 Definition.....	12
4.2.2 Test procedure	12
4.2.3 Limit	12
4.2.4 Measurement uncertainty.....	13
4.3 Maximum value of peak power.....	13
4.3.1 Definition.....	13
4.3.2 Test procedure	13
4.3.3 Limit	13
4.3.4 Measurement uncertainty.....	14
4.4 Receiver spurious emissions.....	14
4.4.1 Definition.....	14
4.4.2 Test procedure	14
4.4.3 Limit	14
4.4.4 Measurement uncertainty.....	14
4.5 Detect And Avoid (DAA)	14
4.5.1 Definition.....	14
4.5.2 Test procedure	15
4.5.3 Limit	15
4.5.4 Measurement Tolerance.....	15
4.6 Low Duty Cycle (LDC).....	15
4.6.1 Definition.....	15
4.6.2 Test procedure	15
4.6.3 Limit	15
4.7 Equivalent mitigation techniques	15
4.7.1 Equivalent mitigation techniques and LDC limits	15
4.7.1.1 Test procedure.....	16
4.7.1.2 Limit.....	16
5 Test Requirements.....	16
5.1 Product information.....	16
5.2 Requirements for the test modulation.....	16
5.3 Test conditions, power supply and ambient temperatures.....	16
5.4 Choice of equipment for test suites	16
5.4.1 Multiple Operating bandwidths and multiband equipment.....	16
5.5 Testing of host connected equipment and plug-in radio devices.....	17
5.6 Interpretation of the measurement results	17

5.6.1	Measurement uncertainty is equal to or less than maximum acceptable uncertainty.....	17
5.6.2	Measurement uncertainty is greater than maximum acceptable uncertainty.....	18
5.7	Emissions	18
6	Test setups and procedures.....	18
6.1	Introduction	18
6.2	Initial Measurement steps.....	18
6.3	Radiated measurements	18
6.3.1	General.....	18
6.3.2	Test sites and general arrangements for measurements involving the use of radiated fields	18
6.3.3	Guidance on the use of a radiation test site.....	19
6.3.3.1	Range length	19
6.3.4	Coupling of signals	19
6.3.5	Standard test methods	19
6.3.5.1	Generic measurement method.....	19
6.3.5.1.1	Calibrated setup	19
6.3.5.1.2	Substitution method.....	20
6.3.5.2	Spherical scan with automatic test antenna placement.....	21
6.3.5.2.1	Calibrated setup	21
6.3.5.2.2	Substitution method.....	22
6.3.5.3	Spherical scan with rotating device.....	22
6.3.5.3.1	Calibrated setup	23
6.3.5.3.2	Substitution method.....	23
6.3.5.4	Spherical scan other methods	24
6.3.6	Standard calibration method	24
6.4	Conducted measurements.....	24
7	Test procedures for essential radio test suites	24
7.1	General	24
7.2	Method of measurements of the Ultra Wideband Emissions	25
7.3	Mean power spectral density measurements	25
7.4	Peak power spectral density measurements.....	25
7.5	Operating bandwidth	25
7.6	Receiver spurious emissions.....	25
7.7	Low Duty Cycle	25
7.8	Test Procedures for Detect and Avoid Mechanisms.....	25
Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT).....	26
Annex B (informative):	Measurement antenna, preamplifier, and cable specifications.....	28
Annex C (informative):	Bibliography.....	29
History		30

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This final draft Harmonized European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM), and is now submitted for the Vote phase of the ETSI standards EN Approval Procedure.

The present document has been produced by ETSI in response to mandate M/407 issued from the European Commission under Council Directive 98/34/EC [i.14] as amended by Directive 98/48/EC [i.16].

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [i.15].

See article 5.1 of Directive 1999/5/EC [i.15] for information on presumption of conformity and Harmonized Standards or parts thereof the references of which have been published in the Official Journal of the European Union.

The requirements relevant to Directive 1999/5/EC [i.15] are summarized in Annex A.

The present document is part 1 of a multi-part deliverable covering Short Range Devices (SRD) using Ultra Wide Band technology (UWB), as identified below:

Part 1: "Requirements for Generic UWB Applications"; 3.1 (2014-02).

Part 2 "Requirements for UWB location tracking";

Part 3: "Requirements for UWB devices for road and rail vehicles".

Proposed national transposition dates

Date of latest announcement of this EN (doa):	3 months after ETSI consultation
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	18 months after doa