

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Short Range Devices (SRD);
Equipment for Detection and Movement;
Tanks Level Probing Radar (TLPR) operating in the
frequency bands 5,8 GHz, 10 GHz,
25 GHz, 61 GHz and 77 GHz;
Part 1: Technical characteristics and test methods**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 302 372-1 V1.2.1 \(2011-02\)](https://standards.iteh.ai/catalog/standards/etsi/e9b7f1c2-2c33-4c43-8f38-2f210dedd831/etsi-en-302-372-1-v1-2-1-2011-02)

<https://standards.iteh.ai/catalog/standards/etsi/e9b7f1c2-2c33-4c43-8f38-2f210dedd831/etsi-en-302-372-1-v1-2-1-2011-02>



Reference

REN/ERM-TGTLPR-0117-1

Keywords

EHF, radar, regulation, SHF, short range, SRD,
testing, UWB

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	6
Foreword.....	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	8
3 Definitions, symbols and abbreviations	8
3.1 Definitions.....	8
3.2 Symbols.....	9
3.3 Abbreviations	9
4 Technical requirements specifications	10
4.1 Presentation of equipment for testing purposes.....	10
4.2 Choice of model for testing	10
4.3 Mechanical and electrical design.....	10
4.3.1 Marking (equipment identification)	11
4.3.1.1 Equipment identification.....	11
4.4 Auxiliary test equipment and product information.....	11
4.5 General requirements for RF cables	11
4.6 RF waveguides	12
4.6.1 Wave Guide Attenuators.....	13
4.7 External harmonic mixers	13
4.7.1 Introduction.....	13
4.7.2 Signal identification.....	14
4.7.3 Measurement hints.....	14
4.8 Preamplifier	14
4.9 Interpretation of the measurement results	15
5 Test conditions, power sources and ambient temperatures	15
5.1 Normal and extreme test conditions	15
5.2 External test power source.....	15
5.3 Normal test conditions.....	15
5.3.1 Normal temperature and humidity	15
5.3.2 Normal test power source	16
5.3.2.1 Mains voltage	16
5.3.2.2 Regulated lead-acid battery power source.....	16
5.3.2.3 Other power sources.....	16
6 General conditions.....	16
6.1 Radiated measurement arrangements	16
6.2 Measuring receiver	17
7 Measurement uncertainty	17
7.1 Conversion loss data and measurement uncertainty	18
8 Methods of measurement and limits.....	19
8.1 Frequency band of operation	19
8.1.1 Definition.....	19
8.1.2 Method of measurement	19
8.1.3 Limits.....	20
8.2 Duty cycle	20
8.2.1 Duty cycle resulting from application.....	20
8.2.2 Duty cycle resulting from modulation	21
8.2.2.1 Method of measurement.....	21
8.2.3 Limits.....	21
8.3 Equivalent isotropically radiated power (e.i.r.p.)	21

8.3.1	Definition	21
8.3.2	Method of measurement	22
8.3.3	Limits	23
8.4	Emissions	23
8.4.1	Definition	23
8.4.2	Method of measurement	23
8.4.3	Limits	26
8.5	Range of modulation parameters	26

Annex A (normative): Radiated measurement.....27

A.1	Test sites and general arrangements for measurements involving the use of radiated fields	27
A.1.1	Anechoic Chamber	27
A.1.2	Anechoic Chamber with a conductive ground plane	28
A.1.3	Open Area Test Site (OATS)	29
A.1.4	Minimum requirements for test sites for measurements above 18 GHz.....	30
A.1.5	Test antenna.....	32
A.1.6	Substitution antenna	32
A.1.7	Measuring antenna	32
A.2	Guidance on the use of radiation test sites	32
A.2.1	Verification of the test site	32
A.2.2	Preparation of the EUT.....	33
A.2.3	Power supplies to the EUT	33
A.2.4	Range length.....	33
A.2.5	Site preparation	34
A.3	Coupling of signals.....	34
A.3.1	General	34

Annex B (normative): Installation requirements of Tank Level Probing Radar (TLPR) Equipment35

Annex C (informative): Measurement antenna and preamplifier specifications36

Annex D (informative): Electromagnetic leakage from a EUT37

D.1	General	37
D.2	Survey of sources of leakage.....	37

Annex E (normative): Requirements on Test Tank.....39

Annex F (informative): Practical test distances for accurate measurements40

F.1	Introduction	40
F.2	Conventional near-field measurements distance limit	40
F.3	Near-field conditions outside a test tank	40

Annex G (normative): Range of modulation parameters41

G.1	Pulse modulation	41
G.1.1	Definition	41
G.1.2	Operating parameters	42
G.2	Frequency modulated continuous wave	42
G.2.1	Definition	42
G.2.2	Operating parameters	43

Annex H (informative):	Atmospheric absorptions and material dependent attenuations.....	44
H.1	Atmospheric absorptions.....	44
H.2	Material dependent attenuations.....	46
History		48

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 302 372-1 V1.2.1 \(2011-02\)](https://standards.iteh.ai/catalog/standards/etsi/e9b7f1c2-2c33-4c43-8f38-2f210dedd831/etsi-en-302-372-1-v1-2-1-2011-02)

<https://standards.iteh.ai/catalog/standards/etsi/e9b7f1c2-2c33-4c43-8f38-2f210dedd831/etsi-en-302-372-1-v1-2-1-2011-02>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM), and is now submitted for the Vote phase of the ETSI standards Two-step Approval Procedure.

For non-EU countries, the present document may be used for regulatory (Type Approval) purposes.

The present document is part 1 of a multi-part deliverable covering Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Equipment for Detection and Movement; Tanks Level Probing Radar (TLPR) operating in the frequency bands 5,8 GHz, 10 GHz, 25 GHz, 61 GHz and 77 GHz, as identified below:

Part 1: "Technical characteristics and test methods";

Part 2: "Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive".

Proposed national transposition dates

Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa