

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Short Range Devices (SRD) using
Ultra WideBand (UWB) technology;
Location Tracking equipment operating in
the frequency range from 6 GHz to 9 GHz;
Part 1: Technical characteristics and
methods of measurement**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 302 500-1 V2.1.1 \(2010-10\)](https://standards.iteh.ai/catalog/standards/etsi/2f5666a6-7142-4ef8-ad90-48c8076a8452/etsi-en-302-500-1-v2-1-1-2010-10)

<https://standards.iteh.ai/catalog/standards/etsi/2f5666a6-7142-4ef8-ad90-48c8076a8452/etsi-en-302-500-1-v2-1-1-2010-10>



Reference

REN/ERM-TGUWB-009-1

Keywords

radio, regulation, SRD, testing, UWB

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	7
3 Definitions, symbols and abbreviations	8
3.1 Definitions.....	8
3.2 Symbols.....	9
3.3 Abbreviations	9
4 Technical requirement specifications.....	9
4.1 General requirements	9
4.2 Presentation of equipment for testing purposes.....	9
4.2.1 Choice of model for testing	10
4.2.1.1 Auxiliary test equipment	10
4.2.1.2 Declarations by the provider	10
4.3 Mechanical and electrical design.....	10
4.3.1 General.....	10
4.3.2 Controls	10
4.3.3 Transmitter shut-off facility.....	10
4.3.4 Marking	10
4.3.4.1 Equipment identification.....	11
4.3.4.2 Additional information for the user.....	11
4.4 Other device emissions.....	11
5 Test conditions, power sources and ambient temperatures	11
5.1 Normal and extreme test conditions	11
5.2 Power sources.....	11
5.2.1 Power sources for stand-alone equipment	11
5.2.2 Power sources for plug-in radio devices	12
5.3 Normal test conditions.....	12
5.3.1 Normal temperature and humidity	12
5.3.2 Normal test power source	12
5.3.2.1 Mains voltage.....	12
5.3.2.2 Regulated lead-acid battery power sources	12
5.3.2.3 Other power sources.....	12
6 General conditions.....	12
6.1 Modes of operation of the transmitter	12
6.2 Normal test signals	13
6.3 Test sites and general arrangements for radiated measurements	13
6.4 Testing of host connected equipment and plug-in radio devices.....	13
6.4.1 The use of a host or test fixture for testing plug-in radio devices	14
6.4.2 Testing of combinations.....	14
6.4.2.1 Alternative A: General approach for combinations.....	14
6.4.2.2 Alternative B: For host equipment with a plug-in radio device	14
6.4.2.3 Alternative C: For combined equipment with a plug-in radio device	14
7 Interpretation of results	14
7.1 Measurement uncertainty	14
7.1.1 Measurement uncertainty is equal to or less than maximum acceptable uncertainty.....	15
7.1.2 Measurement uncertainty is greater than maximum acceptable uncertainty.....	15
7.2 Other emissions	16
8 Methods of measurement and limits for transmitter parameters	16

8.1	Maximum mean e.i.r.p. spectral density.....	16
8.1.1	Definition.....	16
8.1.2	Methods of measurement.....	16
8.1.3	Limits.....	17
8.2	Frequency of highest maximum mean e.i.r.p. spectral density.....	17
8.2.1	Definition.....	17
8.2.2	Methods of measurement.....	17
8.2.3	Limits.....	17
8.3	Maximum peak e.i.r.p.....	17
8.3.1	Definition.....	17
8.3.2	Methods of measurement.....	17
8.3.3	Limits.....	18
8.4	Indirect Detect-And-Avoid (DAA)	19
8.4.1	Introduction.....	19
8.4.2	Design requirement.....	19
8.4.3	Method of measurement	19
8.4.4	Limits.....	19
9	Methods of measurement and limits for receiver parameters.....	20
9.1	Receiver spurious emissions.....	20
9.1.1	Definition.....	20
9.1.2	Test procedure	20
9.1.3	Limit	21

Annex A (normative): Radiated measurement.....22

A.1	Test sites and general arrangements for measurements involving the use of radiated fields.....	22
A.1.1	Anechoic chamber.....	22
A.1.2	Anechoic chamber with a conductive ground plane.....	23
A.1.3	Outdoor test site	24
A.1.4	Test antenna.....	25
A.1.5	Substitution antenna	26
A.2	Guidance on the use of radiation test sites	26
A.2.1	Verification of the test site	26
A.2.2	Preparation of the EUT.....	26
A.2.3	Power supplies to the EUT.....	26
A.2.4	Range length.....	27
A.2.5	Site preparation	27
A.2.6	General requirements for RF cables	28
A.3	Coupling of signals.....	28
A.3.1	General	28
A.3.2	Data Signals.....	28
A.4	Standard test position	28
A.5	Standard test methods.....	29
A.5.1	Calibrated setup.....	29
A.5.2	Substitution method.....	29
A.5.3	Conducted method.....	30
A.6	Standard calibration method.....	31

Annex B (normative): Technical performance of the spectrum analyser.....33

Annex C (informative): Measurement antenna and preamplifier specifications34

Annex D (informative): Calculation of peak limit for 3 MHz measurement bandwidth.....35

Annex E (informative): Bibliography.....37

History38

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM), and is now submitted for the Vote phase of the ETSI standards Two-step Approval Procedure.

For non EU countries the present document may be used for regulatory (Type Approval) purposes.

The present document is part 1 of a multi-part deliverable covering Short Range Devices (SRD) using Ultra WideBand (UWB) technology; Location Tracking equipment operating in the frequency range from 6 GHz to 9 GHz, as identified below:

Part 1: "Technical characteristics and methods of measurement";

Part 2: "Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive".

Clauses 1 and 3 provide a general description on the types of equipment covered by the present document and the definitions and abbreviations used.

Clause 4 provides a guide as to the number of samples required in order that type tests may be carried out, and any markings on the equipment which the provider shall provide.

Clauses 5 and 6 give guidance on the test and general conditions for testing of the device.

Clause 7 gives the interpretation of results and maximum measurement uncertainty values.

Clause 8 specifies the transmitter spectrum utilization parameters which are required to be measured. The clauses provide details on how the equipment should be tested and the conditions which should be applied.

Clause 9 specifies the receiver spectrum utilization parameters which are required to be measured. The clauses provide details on how the equipment should be tested and the conditions which should be applied.

Annex A (normative) provides specifications concerning radiated measurements.

Annex B (normative) provides information on the spectrum analyser specification.

Annex C (informative) provides information on measurement antenna and preamplifier specifications.

Annex D (informative) provides information on peak measurements within a 3 MHz measurement bandwidth.

Annex E (informative) covers other supplementary information.