

ETSI EN 302 571 V1.2.1 (2013-09)



**Intelligent Transport Systems (ITS);
Radiocommunications equipment operating
in the 5 855 MHz to 5 925 MHz frequency band;
Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive**

[ETSI EN 302 571 V1.2.0 \(2013-05\)](https://standards.iteh.ai/catalog/standards/etsi/35743b2a-7a8b-4fc1-833e-c1bf95224a0e/etsi-en-302-571-v1-2-0-2013-05)

<https://standards.iteh.ai/catalog/standards/etsi/35743b2a-7a8b-4fc1-833e-c1bf95224a0e/etsi-en-302-571-v1-2-0-2013-05>

Reference

REN/ERM-TG37-009

Keywords

CALM, ITS, radio, regulation, transport

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2013.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	6
Foreword.....	6
Introduction	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references	8
3 Definitions, symbols and abbreviations	9
3.1 Definitions	9
3.2 Symbols	10
3.3 Abbreviations	10
4 General	11
4.1 Presentation of equipment for testing purposes	11
4.1.1 Choice of model for testing	11
4.1.1.1 Auxiliary test equipment	11
4.1.1.2 Declarations by the provider	12
4.2 Mechanical and electrical design	12
4.2.1 General	12
4.2.2 Controls	12
4.3 Testing using bit streams or messages	12
4.4 Measuring continuous mode equipment	12
4.5 Measuring discontinuous mode equipment	12
4.6 Receiver category	12
4.6.1 General performance criteria	13
5 Test conditions, power sources and ambient temperatures	13
5.1 Normal and extreme test conditions	13
5.2 Test power source	13
5.3 Normal test conditions	13
5.3.1 Normal temperature and humidity	13
5.3.2 Normal test power source	14
5.3.2.1 Mains voltage	14
5.3.2.2 Regulated lead-acid battery power sources used on vehicles	14
5.3.2.3 Other power sources	14
5.4 Extreme test conditions	14
5.4.1 Extreme temperatures	14
5.4.2 Extreme test source voltages	14
5.4.2.1 Mains voltage	14
5.4.2.2 Regulated lead-acid battery power sources used on vehicles	14
5.4.2.3 Power sources using other types of batteries	14
5.4.2.4 Other power sources	15
5.5 Procedure for tests at extreme temperatures	15
5.5.1 Procedure for equipment designed for continuous transmission	15
5.5.2 Procedure for equipment designed for intermittent transmission	15
5.5.3 Testing of equipment that does not have an external 50 Ω RF connector (integral antenna equipment)	15
6 Technical requirements specifications	16
6.1 Environmental profile	16
6.2 Carrier Frequencies	16
6.2.1 Definition	16
6.2.2 Limits	16
6.2.3 Conformance	16
6.3 RF Output Power, Transmit Power Control (TPC) and Power Spectral Density (PSD)	17

6.3.1	Definitions	17
6.3.1.1	RF output power.....	17
6.3.1.2	Decentralized Congestion Control	17
6.3.1.3	Power Spectral Density	17
6.3.2	Limits.....	17
6.3.2.1	Total RF output power and power spectral density at the highest power level	17
6.3.2.2	Total RF output power and power spectral density at the lowest power level	17
6.3.3	Conformance.....	17
6.4	Transmitter unwanted emissions	18
6.4.1	Transmitter unwanted emissions outside the 5 GHz ITS frequency bands	18
6.4.1.1	Definition	18
6.4.1.2	Limits	18
6.4.1.3	Conformance	18
6.4.2	Transmitter unwanted emissions within the 5 GHz ITS frequency bands	19
6.4.2.1	Definition	19
6.4.2.2	Limits	19
6.4.2.3	Conformance	19
6.5	Receiver spurious emissions.....	19
6.5.1	Definition.....	19
6.5.2	Limits.....	19
6.5.3	Conformance.....	19
6.6	Listen Before Talk threshold	20
6.6.1	Definitions	20
6.6.2	Limits.....	20
6.6.3	Conformance.....	20
6.7	Receiver blocking or desensitization.....	20
6.7.1	Definition.....	20
6.7.2	Limits.....	20
6.7.3	Conformance.....	21
6.8	Receiver adjacent channel rejection	21
6.8.1	Definition.....	21
6.8.2	Limits.....	21
6.8.3	Conformance.....	21
6.9	Transient power.....	21
6.9.1	Definition.....	21
6.9.2	Limits.....	21
6.9.3	Conformance.....	22
6.10	Receiver sensitivity	22
6.10.1	Definition.....	22
6.10.2	Limits.....	22
6.10.3	Conformance.....	22
6.11	CEN DSRC protection	22
6.11.1	Definition.....	22
6.11.2	Limits.....	22
6.11.3	Conformance.....	22
7	Testing for compliance with technical requirements.....	23
7.1	Conditions for testing.....	23
7.1.1	Normal and extreme test conditions.....	23
7.1.2	Test modulation	23
7.1.3	Presentation of equipment	23
7.2	Interpretation of the measurement results	23
7.3	Essential radio test suites.....	24
7.3.1	Product information	24
7.3.2	Carrier Frequencies.....	24
7.3.2.1	Test conditions	24
7.3.2.2	Test methods	24
7.3.2.2.1	Conducted measurement.....	24
7.3.2.2.2	Radiated measurement.....	25
7.3.3	RF Output Power, Transmit Power Control (TPC) and Power Spectral Density (PSD).....	25
7.3.3.1	Test conditions	25
7.3.3.2	Test method.....	25

7.3.3.2.1	Conducted measurement.....	25
7.3.3.2.2	Radiated measurement.....	27
7.3.4	Transmitter unwanted emissions outside the 5 GHz ITS bands.....	28
7.3.4.1	Test conditions	28
7.3.4.2	Test method.....	28
7.3.4.2.1	Conducted measurement.....	28
7.3.4.2.2	Radiated measurement.....	29
7.3.5	Transmitter unwanted emissions within the 5 GHz ITS bands	29
7.3.5.1	Test conditions	29
7.3.5.2	Test method.....	29
7.3.5.2.1	Conducted measurement.....	29
7.3.5.2.2	Radiated measurement.....	30
7.3.6	Receiver spurious emissions	30
7.3.6.1	Test conditions	30
7.3.6.2	Test method.....	30
7.3.6.2.1	Conducted measurement.....	30
7.3.6.2.2	Radiated measurement.....	31
7.3.7	Receiver LBT threshold.....	31
7.3.7.1	Test conditions	31
7.3.7.2	Test method.....	31
7.3.8	Receiver blocking or desensitization	32
7.3.8.1	Test conditions	32
7.3.8.2	Test method.....	32
7.3.9	Receiver adjacent channel rejection.....	33
7.3.9.1	Test conditions	33
7.3.9.2	Test method.....	33
7.3.10	Void.....	34
7.3.11	Receiver sensitivity.....	34
7.3.11.1	Test conditions	34
7.3.11.2	Test method.....	34
7.3.11.2.1	Conducted measurement.....	34
7.3.11.2.2	Radiated measurement.....	35
7.3.12	CEN DSRC protection.....	36
7.3.12.1	Test conditions	36
7.3.12.2	Test method.....	36

Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-1-v1-2-0-2013-05 RTT).....	37
-----------------------------	---	-----------

Annex B (normative):	Test sites and arrangements for radiated measurements.....	39
-----------------------------	---	-----------

B.1	Test sites	39
B.1.1	Open air test sites	39
B.1.2	Anechoic chamber	40
B.1.2.1	General.....	40
B.1.2.2	Description.....	40
B.1.2.3	Influence of parasitic reflections.....	40
B.1.2.4	Calibration and mode of use	41

B.2	Test antenna.....	42
-----	-------------------	----

B.3	Substitution antenna	43
-----	----------------------------	----

Annex C (normative):	General description of measurement	44
-----------------------------	---	-----------

C.1	Conducted measurements.....	44
C.2	Radiated measurements.....	44
C.3	Substitution measurement	45

Annex D (informative):	Bibliography.....	46
-------------------------------	--------------------------	-----------

History	47
---------------	----

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to mandate M/284 issued from the European Commission under Directive 98/34/EC [i.1] as amended by Directive 98/48/EC [i.1].

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [i.2].

See article 5.1 of Directive 1999/5/EC for information on presumption of conformity and Harmonised Standards or parts thereof the references of which have been published in the Official Journal of the European Union.

The requirements relevant to Directive 1999/5/EC [i.2] are summarised in annex A.

Equipment compliant with the present document can be intended for fitment into road vehicles, therefore it is subject to automotive EMC type approval and Directive 95/54/EC [i.3]. For use on vehicles outside the scope of Directive 95/54/EC [i.3], compliance with an EMC directive/standard appropriate for that use is required.

ETSI EN 302 571 V1.2.0 (2013-05)

National transposition dates

Date of adoption of this EN:	29 August 2013
Date of latest announcement of this EN (doa):	30 November 2013
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 May 2014
Date of withdrawal of any conflicting National Standard (dow):	31 May 2015

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive [i.2]. The modular structure is shown in EG 201 399 [i.4].