

ETSI EN 302 617-2 V1.1.1 (2010-10)

Harmonized European Standard (Telecommunications series)

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Ground-based UHF radio transmitters,
receivers and transceivers for the UHF
aeronautical mobile service using amplitude modulation;
Part 2: Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 302 617-2 V1.1.1 \(2010-10\)](https://standards.iteh.ai/catalog/standards/etsi/ecca4d94-226b-4f96-938e-f420493ef982/etsi-en-302-617-2-v1-1-1-2010-10)

<https://standards.iteh.ai/catalog/standards/etsi/ecca4d94-226b-4f96-938e-f420493ef982/etsi-en-302-617-2-v1-1-1-2010-10>



Reference

DEN/ERM-JTFEA-002-2

Keywords

aeronautical, AM, DSB, radio, testing, UHF

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
Introduction	5
1 Scope	6
2 References	6
2.1 Normative references	6
2.2 Informative references.....	6
3 Definitions and abbreviations.....	7
3.1 Definitions.....	7
3.2 Abbreviations	7
4 Technical requirements specifications	7
4.1 Environmental profile.....	7
4.2 Conformance requirements	8
4.2.1 Transmitter requirements	8
4.2.1.1 Frequency error	8
4.2.1.2 Carrier power (conducted)	8
4.2.1.3 Adjacent channel power	8
4.2.1.4 Conducted spurious emissions	8
4.2.1.5 Intermodulation attenuation	8
4.2.1.6 Keying transient frequency behaviour	8
4.2.1.7 Cabinet Radiation.....	8
4.2.2 Receiver requirements	8
4.2.2.1 Sensitivity	8
4.2.2.2 Adjacent channel rejection.....	8
4.2.2.3 Spurious response rejection.....	9
4.2.2.4 Intermodulation response rejection	9
4.2.2.5 Blocking or desensitisation	9
4.2.2.6 Conducted spurious emissions	9
4.2.2.7 Cross modulation rejection	9
4.2.2.8 Cabinet radiation	9
5 Testing for compliance with technical requirements.....	9
5.1 Environmental conditions for testing	9
5.2 Interpretation of the measurement results	9
5.3 Essential radio test suites.....	10
5.3.1 Transmitter test specifications	10
5.3.1.1 Frequency error	10
5.3.1.2 Carrier power (conducted)	10
5.3.1.3 Adjacent channel power	10
5.3.1.4 Conducted spurious emissions	10
5.3.1.5 Intermodulation attenuation	10
5.3.1.6 Keying transient frequency behaviour	10
5.3.1.7 Cabinet Radiation.....	11
5.3.2 Receiver test specifications.....	11
5.3.2.1 Sensitivity	11
5.3.2.2 Adjacent channel rejection.....	11
5.3.2.3 Spurious response rejection.....	11
5.3.2.4 Intermodulation response rejection	11
5.3.2.5 Blocking or desensitisation	11
5.3.2.6 Conducted spurious emissions	11
5.3.2.7 Cross modulation rejection	11
5.3.2.8 Cabinet Radiation.....	11