Draft ETSI EN 302 636-3 V1.1.2 (2014-03)



Intelligent Transport Systems (ITS);
Vehicular Communications;
GeoNetworking;
Part 3: Network Architecture

ETSI EN 302 636-3 V1.2.1 (2014-12)

https://standards.iteh.ai/catalog/standards/etsi/f1252e79-8338-428b-85f2-adaba8ecd802/etsi-en-302-636-3-v1-2-1-2014-1

Reference

REN/ITS-0030034

Keywords

Autonomic Networking, ITS, network, safety

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

(https://standards.iteh.ai) Document Preview

Important notice

The present document can be downloaded from: https://standards.iteh.ai/catalog/standards/etsi/f1252ehttp://www.etsi.org\\000512-adaba\\0008ecd\\000802/etsi-en-302-636-3-v1-2-1-2014-12

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

http://portal.etsi.org/tb/status/status.asp

If you find errors in the present document, please send your comment to one of the following services: <u>http://portal.etsi.org/chaircor/ETSI_support.asp</u>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2014.
All rights reserved.

DECTTM, **PLUGTESTS**TM, **UMTS**TM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members. **3GPP**TM and **LTE**TM are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Int	ellectual Property Rights	4
Fo	reword	4
Int	roduction	4
1	Scope	5
2	References	
2.1 2.2		
3	Definitions and abbreviations	6
3.1	Definitions	6
3.2	Abbreviations	7
4	Network architecture for ITS stations	8
5	Deployment scenarios of the generic network architecture	10
6	Components of the network architecture	
6.1		
6.2	1	
6.3	, e	
6.4		14
7	ITS station protocol architecture Standards	15
7.1		15
7.2		
7.3		
7.3	3.1 Overview Document Praviaw	16
7.3	3.1 Overview	17
7.3		
7.3		17
https://standa	Protocol stacks for other network protocols	
8	Interfaces and service access points	18
9	Framework for networking and transport protocols	
9.1	\mathcal{E}	
9.1	\mathcal{C}	
9.1		
9.1	č	
9.1		
9.1	T T	
9.1		
9.1		
9.2	Other protocol stacks	21
Ar	nnex A (informative): Bibliography	22
Hi	story	23

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://ipr.etsi.org).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This draft European Standard (EN) has been produced by ETSI Technical Committee Intelligent Transport Systems (ITS), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI standards EN Approval Procedure.

The present document is part 3 of a multi-part deliverable. Full details of the entire series can be found in part 1 [7].

Proposed national transposition dates

Date of latest announcement of this EN (doa):

3 months after ETSI publication

Date of latest publication of new National Standard or endorsement of this EN (dop/e):

6 months after doa

Date of withdrawal of any conflicting National Standard (dow):

18 months after doa

ETSLEN 302 636 3 V1 2 1 (2014 12)

Introduction

The present document specifies the network architecture for communication-based Intelligent Transport Systems (ITS) using different ITS access technologies, such as ITS-G5. The network architecture provides - in combination with the description of scenarios - a basis for the technical specification of the networking and transport protocols, in particular for GeoNetworking and its related protocols.

The present document first introduces a generic, high-level system view of the network architecture and defines four basic deployment scenarios. Based on the system view, it identifies and describes the main network components and specifies network reference points among them. Central component of the architecture is the ITS station. For this component, an overview of its protocol architecture is given and different options of using the GeoNetworking protocol in combination with transport protocols and protocols of the IP suite are described. Finally, the present document defines frameworks for different aspects of networking and data transport, such as ad hoc communication, addressing, resource management and data congestion control, integration with protocols of the IP suite and others.

The network architecture is based on the ITS architecture specified in EN 302 665 [1] and represents the networking viewpoint of the overall architecture.