

**Intelligent Transport Systems (ITS);
Radiocommunications equipment operating
in the 63 GHz to 64 GHz frequency band;
Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 302 686 V1.1.1 \(2011-02\)](https://standards.iteh.ai/catalog/standards/etsi/1c8032a2-489d-4475-844b-58f1d2056f30/etsi-en-302-686-v1-1-1-2011-02)

<https://standards.iteh.ai/catalog/standards/etsi/1c8032a2-489d-4475-844b-58f1d2056f30/etsi-en-302-686-v1-1-1-2011-02>



ReferenceDEN/ERM-TG37-008

KeywordsITS, radio, regulation, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
Introduction	5
1 Scope	6
2 References	7
2.1 Normative references	7
2.2 Informative references	7
3 Definitions, symbols and abbreviations	8
3.1 Definitions	8
3.2 Symbols	8
3.3 Abbreviations	9
4 Technical requirements specifications	9
4.1 General requirements	9
4.1.1 Receiver category	9
4.2 Presentation of equipment for testing purposes	9
4.2.1 Choice of model for testing	10
4.2.2 Testing of equipment with alternative power levels	10
4.3 Mechanical and electrical design	10
4.3.1 General	10
4.3.2 Controls	10
4.3.3 Transmitter shut-off facility	10
4.3.4 Receiver automatic switch-off	10
4.3.5 Marking (equipment identification)	10
4.3.5.1 Equipment identification	10
4.3.5.2 Marking	11
4.4 Auxiliary test equipment	11
4.5 General requirements for RF cables	11
4.6 RF waveguides	12
4.6.1 Wave Guide Attenuators	12
4.7 External harmonic mixers	12
4.7.1 Introduction	12
4.7.2 Signal identification	13
4.7.3 Measurement hints	14
4.8 Interpretation of the measurement results	14
4.8.1 Conversion loss data and measurement uncertainty	15
5 Test conditions, power sources and ambient temperatures	16
5.1 Normal and extreme test conditions	16
5.2 Test power source	16
5.2.1 External test power source	16
5.2.2 Internal test power source	17
5.3 Normal test conditions	17
5.3.1 Normal temperature and humidity	17
5.3.2 Normal test power source	17
5.3.2.1 Mains voltage	17
5.3.2.2 Other power sources	17
5.4 Extreme test conditions	17
5.4.1 Extreme temperatures	17
5.4.2 Extreme test source voltages	17
5.4.2.1 Mains voltage	17
5.4.2.2 Regulated lead-acid battery power sources	17
5.4.2.3 Power sources using other types of batteries	18
5.4.2.4 Other power sources	18

6	General conditions.....	18
6.1	Normal test signals and test modulation.....	18
6.1.1	Normal test signals for data	19
6.1.2	Product Information.....	19
6.1.3	Testing of frequency agile or hopping equipment	19
6.2	Test sites and general arrangements for radiated measurements	19
6.2.1	Test fixture.....	19
6.2.1.1	Requirements	19
6.2.1.2	Calibration.....	20
6.2.1.3	Test Sites and general arrangement.....	21
6.2.1.3.1	Open Area Test Site (OATS).....	21
6.2.1.3.2	Other test sites	22
6.2.1.3.3	Semi-Anechoic Rooms with a conductive Ground Plane.....	22
6.2.1.3.4	Fully Anechoic Rooms (FAR).....	23
6.2.1.3.5	Minimum requirements for test sites for measurements above 18 GHz.....	25
6.3	Measuring receiver	26
6.4	Antennas.....	27
6.4.1	Test antenna	27
6.4.2	Substitution antenna.....	27
6.4.3	Signalling antenna	28
7	Methods of measurement and limits for transmitter parameters	28
7.1	RF output power (mean e.i.r.p.)	28
7.1.1	Definition.....	28
7.1.2	Limit	28
7.1.3	Conformance.....	29
7.2	Permitted range of operating frequencies	29
7.2.1	Definition.....	29
7.2.2	Method of measurement	29
7.2.3	Method of measurement for equipment using FHSS modulation.....	30
7.2.4	Limit	30
7.3	Unwanted emissions in the spurious domain.....	31
7.3.1	Definition.....	31
7.3.2	Method of measurement - radiated unwanted emissions	31
7.3.3	Limits.....	32
8	Receiver.....	32
8.1	Unwanted emissions.....	32
8.1.1	Definition.....	32
8.1.2	Method of measurement radiated unwanted components	33
8.1.3	Limits.....	33

Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT).....	34
-----------------------------	--	-----------

Annex B (normative):	Radiated measurements	36
-----------------------------	------------------------------------	-----------

B.1	Substitution method.....	36
B.1.1	Principle of the substitution measurement method.....	36
B.2	Pre-Substitution method.....	37
B.2.1	Principle of radiated power measurement based on site attenuation (Pre-Substitution).....	37

Annex C (informative):	Atmospheric absorptions and material dependent attenuations.....	39
-------------------------------	---	-----------

C.1	Atmospheric absorptions	39
C.2	Material dependent attenuations.....	41

Annex D (informative):	The EN title in the official languages	43
-------------------------------	---	-----------

History	44
---------------	----

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM), and is now submitted for the Vote phase of the ETSI standards Two-step Approval Procedure.

For non-EU countries, the present document may be used for regulatory (Type Approval) purposes.

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC (as amended) [i.4] laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Harmonized Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Directive 1999/5/EC [i.9] of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity ("the R&TTE Directive").

The requirements relevant to Directive 1999/5/EC [i.9] are summarised in annex A.

Equipment compliant with the present document can be intended for fitment into road vehicles, therefore it is subject to automotive EMC type approval and Directive 95/54/EC [i.7]. For use on vehicles outside the scope of Directive 95/54/EC [i.7], compliance with an EMC directive/standard appropriate for that use is required.

Proposed national transposition dates

Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	18 months after doa

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive. The modular structure is shown in EG 201 399 [i.8].

1 Scope

The present document applies to corporate communications using radio transmitters and receivers for Intelligent Transport Systems (ITS). ITS communications may comprise vehicle-to-vehicle, vehicle-to-infrastructure and infrastructure-to-vehicle.

The equipment is comprised of a transmitter and associated encoder and modulator and/or a receiver and associated demodulator and decoder. The types of equipment covered by the present document are as follows:

- OnBoard Equipment (OBE equipment fitted with an integral or dedicated antenna(s), intended for use in vehicles, e.g. a road or a rail vehicle).
- Road Side Equipment (RSE equipment fitted with an antenna socket, integral or dedicated antenna(s), normally used as a fixed station); e.g. a road or rail infrastructure.

These networks operate over a short range with very wideband communications using a variety of directional medium and high gain antennas to enable a high degree of spectrum reuse, and may use a flexible bandwidth scheme under which they normally operate in a wideband mode, and periodically reduce their bandwidth (e.g. for antenna training and other activities).

The technical characteristics of these applications are described in TR 102 400 [i.1], where ITS applications in the 63 GHz to 64 GHz band is described. The present document is also in line with the results of the of the spectrum compatibility study in the CEPT ECC Report 113 [i.3].

These radio equipment types are capable of operating in all or any part of the frequency bands given in table 1.

Table 1: Radiocommunications service frequency bands

Radiocommunications service frequency bands	
Transmit	63 GHz to 64 GHz
Receive	63 GHz to 64 GHz

The present document is intended to cover the provisions of Directive 1999/5/EC [i.9] (R&TTE Directive), article 3.2, which states that "..... radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive may apply to equipment within the scope of the present document.

NOTE: A list of such ENs is included on the web site <http://www.newapproach.org>.