

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Short Range Devices (SRD);
Level Probing Radar (LPR) equipment operating in the
frequency ranges 6 GHz to 8,5 GHz, 24,05 GHz to 26,5 GHz,
57 GHz to 64 GHz, 75 GHz to 85 GHz;
Part 2: Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ETSI EN 302 729-2 V1.1.2 (2011-05)

<https://standards.iteh.ai/catalog/standards/etsi/2aacc44f-5fc9-4e8c-9785-b10265fae1e2/etsi-en-302-729-2-v1-1-2-2011-05>



Reference

DEN/ERM-TGTLPR-0114-2

Keywords

EHF, radar, regulation, SHF, short range, SRD,
testing, UWB,

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	4
Foreword.....	4
Introduction	4
1 Scope	5
2 References	5
2.1 Normative references	6
2.2 Informative references	6
3 Definitions, symbols and abbreviations	6
3.1 Definitions	6
3.2 Symbols.....	6
3.3 Abbreviations	6
4 Technical requirements specifications	6
4.1 Environmental profile.....	6
4.2 Conformance requirements	7
4.2.1 Transmitter requirements.....	7
4.2.1.1 Frequency band of operation.....	7
4.2.1.2 Maximum value of mean power spectral density (within main beam)	7
4.2.1.3 Maximum value of peak power.....	7
4.2.1.4 LPR antenna characteristics	7
4.2.1.5 Range of modulation parameters.....	7
4.2.1.6 Other emissions.....	7
4.2.1.7 Mitigation techniques.....	7
5 Testing for compliance with technical requirements.....	7
5.1 Environmental conditions for testing	7
5.2 Interpretation of measurement results	7
5.3 Conformance radio test suites	8
5.3.1 Normal and extreme test-conditions	8
5.3.2 Test power source	8
5.3.3 Choice of samples for test suites.....	8
5.3.4 Transmitter test suites	8
5.3.4.1 Frequency band of operation.....	8
5.3.4.2 Maximum value of mean power spectral density (within main beam)	8
5.3.4.3 Maximum value of peak power.....	8
5.3.4.4 LPR antenna characteristics	8
5.3.4.5 Other emissions.....	8
5.3.4.6 Mitigation techniques.....	8
Annex A (normative): HS Requirements and conformance Test specifications Table (HS-RTT).....	9
Annex B (informative): The EN title in the official languages	11
History	12