



**Short Range Devices (SRD)
using Ultra Wide Band technology (UWB);
Harmonised standard for access to radio spectrum;
Part 2: Level Probing Radar (LPR) equipment operating
in the frequency range 75 GHz to 85 GHz
for tilted downward installation**

ETSI EN 302 729-2 V3.0.0 (2025-09)

<https://standards.iteh.ai/catalog/standards/etsi/17bfec45-ec8b-4a80-87c5-1f9340bf843d/etsi-en-302-729-2-v3-0-0-2025-09>

Reference

REN/ERM-TGUWB-590

Keywords

radar, short range, SRD, testing, UWB, LPR,
Harmonised Standard, EHF

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Contents

Intellectual Property Rights	7
Foreword.....	7
Modal verbs terminology.....	8
Introduction	8
1 Scope	9
2 References	9
2.1 Normative references	9
2.2 Informative references.....	9
3 Definition of terms, symbols and abbreviations.....	10
3.1 Terms.....	10
3.2 Symbols.....	11
3.3 Abbreviations	11
4 Technical requirements specifications	11
4.1 Environmental profile.....	11
4.2 Equipment categories	12
4.2.1 General.....	12
4.2.2 Categorization by tilting angle.....	12
4.2.3 Categorization by antenna connection	12
4.2.4 Summary equipment categories.....	12
4.3 Transmitter requirements	13
4.3.1 General.....	13
4.3.2 Operating Frequency Range (OFR)	13
4.3.2.1 Applicability.....	13
4.3.2.2 Description	13
4.3.2.3 Limits	13
4.3.2.4 Conformance.....	14
4.3.3 Mean e.i.r.p. spectral density	14
4.3.3.1 Applicability.....	14
4.3.3.2 Description	14
4.3.3.3 Limits	14
4.3.3.4 Conformance.....	14
4.3.4 Peak e.i.r.p. spectral density.....	14
4.3.4.1 Applicability.....	14
4.3.4.2 Description	14
4.3.4.3 Limits	14
4.3.4.4 Conformance.....	15
4.3.5 Transmitter unwanted emissions (TXUE)	15
4.3.5.1 Applicability.....	15
4.3.5.2 Description	15
4.3.5.3 Limits	15
4.3.5.4 Conformance.....	16
4.3.6 Radiation pattern.....	16
4.3.6.1 Applicability.....	16
4.3.6.2 Description	16
4.3.6.3 Limits	16
4.3.6.4 Conformance.....	18
4.3.7 Mitigation techniques	18
4.3.7.1 Combined mitigation factor	18
4.3.7.1.1 Applicability	18
4.3.7.1.2 Description	18
4.3.7.1.3 Limits	18
4.3.7.1.4 Conformance	19
4.3.7.2 Adaptive Power Control (APC)	19
4.3.7.2.1 Applicability.....	19

4.3.7.2.2	Description	19
4.3.7.2.3	Limits	19
4.3.7.2.4	Conformance	19
4.3.7.3	Duty cycle over signal repetition period ($DC_{T_{rep}}$)	19
4.3.7.3.1	Applicability	19
4.3.7.3.2	Description	20
4.3.7.3.3	Limits	20
4.3.7.3.4	Conformance	20
4.3.7.4	Frequency domain mitigation (FDM)	20
4.3.7.4.1	Applicability	20
4.3.7.4.2	Description	20
4.3.7.4.3	Limits	21
4.3.7.4.4	Conformance	21
4.3.8	TX-behaviour under the complete environmental profile	21
4.3.8.1	Applicability	21
4.3.8.2	Description	22
4.3.8.3	Limits	22
4.3.8.3.1	Limits for radiated assessment of the TX-behaviour	22
4.3.8.3.2	Limits for conducted assessment of the TX-behaviour	22
4.3.8.4	Conformance	22
4.4	Receiver requirements	22
4.4.1	General	22
4.4.2	Wanted technical performance criteria	22
4.4.3	Receiver Baseline Sensitivity (RBS)	23
4.4.3.1	Applicability	23
4.4.3.2	Description	23
4.4.3.3	Limits	23
4.4.3.4	Conformance	23
4.4.4	Receiver Baseline Resilience (RBR)	23
4.4.4.1	Applicability	23
4.4.4.2	Description	23
4.4.4.3	Limits	24
4.4.4.4	Conformance	24
5	Testing for compliance with technical requirements	24
5.1	Environmental conditions for testing	24
5.1.1	General	24
5.1.2	Normal test conditions	25
5.1.3	Complete environmental profile test conditions	25
5.2	General conditions for testing	25
5.3	Conformance test suites	25
5.4	Conformance test methods for transmitter	26
5.4.1	Operating Frequency Range (OFR)	26
5.4.1.1	General	26
5.4.1.2	Conformance test for EUTs with antenna connector	26
5.4.1.3	Conformance test for EUTs with integral antennas	26
5.4.2	Mean e.i.r.p. spectral density	26
5.4.2.1	General	26
5.4.2.2	Conformance test for EUTs with antenna connector	26
5.4.2.3	Conformance test for EUTs with integral antennas	26
5.4.3	Peak e.i.r.p. spectral density	27
5.4.3.1	General	27
5.4.3.2	Conformance test for EUTs with antenna connector	27
5.4.3.3	Conformance test for EUTs with integral antennas	27
5.4.4	Transmitter Unwanted Emissions (TXUE)	27
5.4.4.1	General	27
5.4.4.2	Transmitter Unwanted Emissions in the Out-Of-Band (OOB) domain	27
5.4.4.3	Transmitter Unwanted Emissions in the spurious domain	28
5.4.5	EUT radiation pattern	29
5.4.5.1	General	29
5.4.5.2	Conformance test for EUTs with antenna connector	30
5.4.5.3	Conformance test for EUTs with integral antennas	30

5.4.5.4	Antenna gain for EUTs with integral antennas	31
5.4.6	Adaptive Power Control (APC)	31
5.4.6.1	General	31
5.4.6.2	Conformance test for EUTs with integral antennas	32
5.4.6.3	Conformance test for EUTs with antenna connector	33
5.4.7	Duty cycle over signal repetition period	34
5.4.7.1	General	34
5.4.7.2	Conformance test for EUTs with antenna connector	34
5.4.7.3	Conformance test for EUTs with integral antennas	34
5.4.8	Frequency domain mitigation	34
5.4.8.1	General	34
5.4.8.2	Conformance test for EUTs with antenna connector	34
5.4.8.3	Conformance test for EUTs with integral antennas	35
5.4.9	TX-behaviour under the complete environmental profile	35
5.4.9.1	General	35
5.4.9.2	Conformance test for EUTs with antenna connector	35
5.4.9.3	Conformance test for EUTs with integral antennas	35
5.5	Conformance test methods for receiver	35
5.5.1	Receiver Baseline Sensitivity (RBS)	35
5.5.1.1	General	35
5.5.1.2	Conformance test for EUTs with integral antennas	35
5.5.1.3	Conformance test for EUTs with antenna connector	36
5.5.1.4	Test procedure	37
5.5.2	Receiver Baseline Resilience (RBR)	37
5.5.2.1	General	37
5.5.2.2	Test setups for EUTs providing no access to the receiver noise level	38
5.5.2.2.1	Conformance test for EUTs with integral antennas	38
5.5.2.2.2	Conformance test for EUTs with antenna connector	39
5.5.2.2.3	Test procedure	40
5.5.2.3	Test setups for EUTs providing access to the receiver noise level	41
5.5.2.3.1	General	41
5.5.2.3.2	Test procedure	41

Annex A (informative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU	43
-------------------------------	---	-----------

Annex B (informative):	Selection of technical parameters	45
-------------------------------	--	-----------

Annex C (normative):	Test scenarios for receiver parameters measurements	47
-----------------------------	--	-----------

C.1	Introduction	47
C.2	Definition of the real scenario	47
C.3	Derivation of the radiated equivalent scenario	48
C.4	Evaluation of the Radar Cross Section (RCS) of standard radar targets	48

Annex D (normative):	Interferer signals for receiver baseline resilience	49
-----------------------------	--	-----------

D.1	General	49
D.2	Interferer within the OFR	49
D.3	Interferer outside of the OFR	49

Annex E (informative):	Installation requirements	50
-------------------------------	--	-----------

Annex F (informative):	FMCW modulation schemes	52
-------------------------------	--------------------------------------	-----------

Annex G (informative):	Main beam direction of tilted LPR equipment	53
-------------------------------	--	-----------

Annex H (informative):	Bibliography	54
-------------------------------	---------------------------	-----------

Annex I (informative):	Change history	55
-------------------------------	-----------------------------	-----------

History	56
---------------	----

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 302 729-2 V3.0.0 \(2025-09\)](#)

<https://standards.iteh.ai/catalog/standards/etsi/17bfec45-ec8b-4a80-87c5-1f9340bf843d/etsi-en-302-729-2-v3-0-0-2025-09>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](https://standards.iteh.ai).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This draft Harmonised European Standard (EN) has been produced by {ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI Standardisation Request deliverable Approval Procedure (SRdAP).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.2] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.1].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in Table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive and associated EFTA regulations.

The present document is part 2 of a multi-part deliverable covering Short Range Devices (SRD) using Ultra Wide Band technology (UWB); Harmonised standard for access to radio spectrum, as identified below:

Part 1: "Level Probing Radar (LPR) equipment operating in the frequency ranges 6 GHz to 8,5 GHz, 24,05 GHz to 26,5 GHz, 57 GHz to 64 GHz, 75 GHz to 85 GHz for strictly vertical downward installation";

Part 2: "Level Probing Radar (LPR) equipment operating in the frequency range 75 GHz to 85 GHz for tilted downward installation".

NOTE: The list above shows the planned multi-part deliverable, at the time, when the present document was finalized.