



**Advanced Surface Movement Guidance  
and Control System (A-SMGCS);  
Part 6: Harmonized EN covering the essential requirements  
of article 3.2 of the R&TTE Directive for  
deployed surface movement radar sensors;  
Sub-part 1: X-band sensors using pulsed signals and  
transmitting power up to 100 kW**

---

**Reference**REN/ERM-JTFEA-016

---

---

**Keywords**aeronautical, ATM, interoperability, regulation

---

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)  
**Document Preview**

---

**Important notice**

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

[http://portal.etsi.org/chaicor/ETSI\\_support.asp](http://portal.etsi.org/chaicor/ETSI_support.asp)

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2013.  
All rights reserved.

DECT<sup>TM</sup>, PLUGTESTS<sup>TM</sup>, UMTS<sup>TM</sup> and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
3GPP<sup>TM</sup> and LTE<sup>TM</sup> are Trade Marks of ETSI registered for the benefit of its Members and  
of the 3GPP Organizational Partners.  
GSM<sup>®</sup> and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Contents

|                                                                  |    |
|------------------------------------------------------------------|----|
| Intellectual Property Rights .....                               | 5  |
| Foreword.....                                                    | 5  |
| Introduction .....                                               | 6  |
| 1 Scope .....                                                    | 7  |
| 2 References .....                                               | 7  |
| 2.1 Normative references .....                                   | 7  |
| 2.2 Informative references .....                                 | 7  |
| 3 Definitions, symbols and abbreviations .....                   | 8  |
| 3.1 Definitions .....                                            | 8  |
| 3.2 Symbols .....                                                | 8  |
| 3.3 Abbreviations .....                                          | 9  |
| 4 Technical requirements .....                                   | 9  |
| 4.1 Environmental profile.....                                   | 9  |
| 4.2 Conformance requirements .....                               | 9  |
| 4.2.1 Operating frequency .....                                  | 9  |
| 4.2.1.1 Definition .....                                         | 9  |
| 4.2.1.2 Limits .....                                             | 10 |
| 4.2.1.3 Conformance .....                                        | 10 |
| 4.2.2 Transmitter power.....                                     | 10 |
| 4.2.2.1 Definition .....                                         | 10 |
| 4.2.2.2 Limits .....                                             | 10 |
| 4.2.2.3 Conformance .....                                        | 10 |
| 4.2.3 Out-of-band emissions.....                                 | 10 |
| 4.2.3.1 Definition .....                                         | 10 |
| 4.2.3.2 Limits .....                                             | 11 |
| 4.2.3.3 Conformance.....                                         | 12 |
| 4.2.4 Spurious emissions .....                                   | 12 |
| 4.2.4.1 Definition .....                                         | 12 |
| 4.2.4.2 Limits .....                                             | 13 |
| 4.2.4.3 Conformance .....                                        | 14 |
| 4.3 Receiver requirements.....                                   | 14 |
| 4.3.1 Receiver Noise Figure .....                                | 14 |
| 4.3.1.1 Limit.....                                               | 14 |
| 4.3.1.2 Conformance.....                                         | 14 |
| 4.3.2 Receiver Selectivity .....                                 | 14 |
| 4.3.2.1 Limit.....                                               | 14 |
| 4.3.2.2 Conformance.....                                         | 14 |
| 5 Testing for compliance with technical requirements.....        | 14 |
| 5.1 Test conditions, power supply and ambient temperatures ..... | 14 |
| 5.1.1 Standard operating mode of the radar equipment .....       | 14 |
| 5.2 Normal test conditions.....                                  | 15 |
| 5.2.1 Introduction.....                                          | 15 |
| 5.2.2 Normal temperature and humidity .....                      | 15 |
| 5.2.3 Normal test power supply .....                             | 15 |
| 5.3 Essential radio test suites.....                             | 15 |
| 5.3.1 Operating frequency .....                                  | 15 |
| 5.3.2 Transmitter power.....                                     | 15 |
| 5.3.3 Out-of-Band-emissions .....                                | 16 |
| 5.3.4 Spurious emissions .....                                   | 18 |
| 5.3.5 System Noise Figure .....                                  | 18 |
| 5.3.6 Receiver Selectivity .....                                 | 19 |
| 5.3.6.1 Receiver Out-of-Band selectivity .....                   | 19 |
| 5.3.6.2 Receiver spurious response rejection .....               | 20 |

|                               |                                                                                              |           |
|-------------------------------|----------------------------------------------------------------------------------------------|-----------|
| <b>Annex A (normative):</b>   | <b>HS Requirements and conformance Test specifications Table (HS-RTT).....</b>               | <b>21</b> |
| <b>Annex B (normative):</b>   | <b>Transmission power and unwanted emissions of radar systems with indirect methods.....</b> | <b>23</b> |
| <b>Annex C (informative):</b> | <b>Bibliography.....</b>                                                                     | <b>24</b> |
| <b>Annex D (informative):</b> | <b>Change History .....</b>                                                                  | <b>25</b> |
| History .....                 |                                                                                              | 26        |

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[ETSI EN 303 213-6-1 V1.2.1 \(2013-11\)](https://standards.iteh.ai/catalog/standards/etsi/c5d0a3e8-eaaa-4b21-99a1-0b58d5fd070e/etsi-en-303-213-6-1-v1-2-1-2013-11)

[https://standards.iteh.ai/catalog/standards/etsi/c5d0a3e8-eaaa-4b21-99a1-0b58d5fd070e/etsi-en-303-213-6-1-v1-2-1-2013-](https://standards.iteh.ai/catalog/standards/etsi/c5d0a3e8-eaaa-4b21-99a1-0b58d5fd070e/etsi-en-303-213-6-1-v1-2-1-2013-11)