



**Air Traffic Control Surveillance;
Wide Area Multilateration (WAM) systems operating
at 1 030 MHz and 1 090 MHz;
Harmonised Standard for access to radio spectrum**

ETSI EN 303 489 V1.0.0 (2025-05)

<https://standards.iteh.ai/catalog/standards/etsi/86798a9a-10de-4cef-8f63-c810bf586815/etsi-en-303-489-v1-0-0-2025-05>

Reference

DEN/ERM-TGAERO-36

Keywords

aeronautical, harmonised standard, radio

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Contents

Intellectual Property Rights	7
Foreword.....	7
Modal verbs terminology.....	8
Introduction	8
1 Scope	9
2 References	9
2.1 Normative references	9
2.2 Informative references.....	10
3 Definition of terms, symbols and abbreviations.....	10
3.1 Terms.....	10
3.2 Symbols.....	12
3.3 Abbreviations	12
4 Technical requirements specifications	13
4.1 Environmental profile.....	13
4.2 Conformance requirements	13
4.2.1 Applicability	13
4.2.1.1 Equipment with and without integral antenna.....	13
4.2.1.2 Equipment with multiple functions	13
4.2.2 Transmitter requirements.....	13
4.2.2.1 Operating frequency and frequency error	13
4.2.2.1.1 Definition.....	13
4.2.2.1.2 Limits	13
4.2.2.1.3 Conformance	14
4.2.2.2 Spectrum mask.....	14
4.2.2.2.1 Definition.....	14
4.2.2.2.2 Limits	14
4.2.2.2.3 Conformance	15
4.2.2.3 Residual power output.....	15
4.2.2.3.1 Definition.....	15
4.2.2.3.2 Limits	15
4.2.2.3.3 Conformance	16
4.2.2.4 Spurious emissions in active mode	16
4.2.2.4.1 Definition.....	16
4.2.2.4.2 Limits	16
4.2.2.4.3 Conformance	16
4.2.2.5 Intermodulation attenuation	16
4.2.2.5.1 Definition.....	16
4.2.2.5.2 Limits	16
4.2.2.5.3 Conformance	16
4.2.2.6 Pulse Shape and Spacing.....	17
4.2.2.6.1 Definition.....	17
4.2.2.6.2 Limits	17
4.2.2.6.3 Conformance	19
4.2.2.7 Duty cycle	19
4.2.2.7.1 Definition.....	19
4.2.2.7.2 Limits	19
4.2.2.7.3 Conformance	20
4.2.2.8 Peak output power.....	20
4.2.2.8.1 Definition.....	20
4.2.2.8.2 Limits	20
4.2.2.8.3 Conformance	20
4.2.3 Receiver requirements	20
4.2.3.1 Sensitivity variation over the operating frequency range	20
4.2.3.1.1 Definition.....	20

4.2.3.1.2	Limits	20
4.2.3.1.3	Conformance	20
4.2.3.2	RF selectivity and spurious response rejection	21
4.2.3.2.1	Definition.....	21
4.2.3.2.2	Limits	21
4.2.3.2.3	Conformance	21
4.2.3.3	Inter-modulation response rejection.....	21
4.2.3.3.1	Definition.....	21
4.2.3.3.2	Limits	21
4.2.3.3.3	Conformance	21
4.2.3.4	Co-channel rejection	22
4.2.3.4.1	Definition.....	22
4.2.3.4.2	Limits	22
4.2.3.4.3	Conformance	22
4.2.3.5	Blocking.....	22
4.2.3.5.1	Definition.....	22
4.2.3.5.2	Limits	22
4.2.3.5.3	Conformance	22
4.2.3.6	Sensitivity	22
4.2.3.6.1	Definition.....	22
4.2.3.6.2	Limits	22
4.2.3.6.3	Conformance	22
4.2.3.7	Receiver spurious emissions	23
4.2.3.7.1	Definition.....	23
4.2.3.7.2	Limits	23
4.2.3.7.3	Conformance	23
4.2.3.8	Dynamic range	23
4.2.3.8.1	Definition.....	23
4.2.3.8.2	Limits	23
4.2.3.8.3	Conformance	23
5	Testing for compliance with technical requirements.....	23
5.1	Environmental conditions for testing	23
5.1.1	General requirements.....	23
5.1.2	Test conditions.....	24
5.1.2.1	Thermal Balance	24
5.1.2.2	Normal Test Conditions	24
5.1.2.2.1	Temperature and humidity.....	24
5.1.2.2.2	Power supply	24
5.1.2.3	Extreme Test Conditions	24
5.1.2.3.1	Temperature and humidity.....	24
5.1.2.3.2	Power supply	25
5.2	Test and general conditions	25
5.2.1	Transmitter test signals	25
5.2.1.1	General considerations	25
5.2.1.2	Test signal 1	25
5.2.1.3	Test signal 2	25
5.2.1.4	Test signal 3	26
5.2.1.5	Test signal 4	26
5.2.1.6	Test signal 5	26
5.2.2	Simulated received test signals	27
5.2.2.1	General Considerations	27
5.2.2.2	Test signal 6	27
5.2.2.3	Test signal 7	27
5.2.2.4	Test signal 8	28
5.3	Transmitter tests	28
5.3.1	Operating frequency and frequency error	28
5.3.1.1	Description	28
5.3.1.2	Test conditions	28
5.3.1.3	Method of measurement.....	28
5.3.1.4	Measurement procedure	29
5.3.2	Spectrum mask.....	29

5.3.2.1	Description	29
5.3.2.2	Test conditions	29
5.3.2.3	Method of measurement	29
5.3.2.4	Measurement procedure	30
5.3.3	Residual power output	30
5.3.3.1	Description	30
5.3.3.2	Test conditions	30
5.3.3.3	Method of measurement	30
5.3.3.4	Measurement procedure	31
5.3.4	Spurious emissions in active mode	31
5.3.4.1	Description	31
5.3.4.2	Test conditions	31
5.3.4.3	Method of measurement	31
5.3.4.4	Measurement Procedure	31
5.3.4.4.1	Part 1: Measurement of PEP and determination of spurious emission limit	31
5.3.4.4.2	Part 2: Spurious emission measurement procedure	32
5.3.5	Intermodulation attenuation	33
5.3.5.1	Description	33
5.3.5.2	Test Conditions	33
5.3.5.3	Method of Measurement	33
5.3.5.4	Measurement Procedure	34
5.3.6	Pulse Shape and Spacing	35
5.3.6.1	Description	35
5.3.6.2	Test Conditions	35
5.3.6.3	Method of Measurement	35
5.3.6.4	Measurement procedure	36
5.3.7	Duty cycle	36
5.3.7.1	Description	36
5.3.7.2	Test Conditions	36
5.3.7.3	Method of Measurement	37
5.3.7.4	Measurement procedure	37
5.3.8	Peak output power	37
5.3.8.1	Description	37
5.3.8.2	Test Conditions	37
5.3.8.3	Method of Measurement	37
5.3.8.4	Measurement procedure	38
5.4	Receiver tests	38
5.4.1	Sensitivity and sensitivity variation over the operating frequency range	38
5.4.1.1	Description	38
5.4.1.2	Test Conditions	38
5.4.1.3	Method of Measurement	38
5.4.1.4	Measurement procedure	38
5.4.2	RF selectivity and spurious response rejection	39
5.4.2.1	Description	39
5.4.2.2	Test Conditions	39
5.4.2.3	Method of Measurement	39
5.4.2.4	Measurement procedure	39
5.4.3	Inter-modulation response rejection	40
5.4.3.1	Description	40
5.4.3.2	Test Conditions	40
5.4.3.3	Method of Measurement	40
5.4.3.4	Measurement procedure	41
5.4.4	Co-channel rejection	42
5.4.4.1	Description	42
5.4.4.2	Test Conditions	42
5.4.4.3	Method of Measurement	42
5.4.4.4	Measurement procedure	42
5.4.5	Blocking	43
5.4.5.1	Description	43
5.4.5.2	Test Conditions	43
5.4.5.3	Method of Measurement	43
5.4.5.4	Measurement procedure	43

5.4.6	Receiver spurious emissions	44
5.4.6.1	Description	44
5.4.6.2	Test Conditions	44
5.4.6.3	Method of Measurement	44
5.4.6.4	Measurement procedure	44
5.4.7	Dynamic range	44
5.4.7.1	Description	44
5.4.7.2	Test Conditions	44
5.4.7.3	Method of Measurement	45
5.4.7.4	Measurement procedure	45
Annex A (informative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU	46
Annex B (informative):	Checklist	48
Annex C (informative):	Maximum measurement uncertainty	49
History		50

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI EN 303 489 V1.0.0 \(2025-05\)](#)

<https://standards.iteh.ai/catalog/standards/etsi/86798a9a-10de-4cef-8f63-c810bf586815/etsi-en-303-489-v1-0-0-2025-05>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This draft Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI Standardisation Request deliverable Approval Procedure (SRdAP).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.2] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.1].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in Table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

Proposed national transposition dates	
Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	18 months after doa