

ETSI EN 303 978 V1.1.2 (2013-02)



**Satellite Earth Stations and Systems (SES);
Harmonized EN for Earth Stations on Mobile Platforms
(ESOMP) transmitting towards satellites in geostationary orbit
in the 27,5 GHz to 30,0 GHz frequency bands
covering the essential requirements
of article 3.2 of the R&TTE Directive**

[ETSI EN 303 978 V1.1.2 \(2013-02\)](https://standards.iteh.ai/catalog/standards/etsi/ec333674-160b-4e01-ab73-45f2b459177c/etsi-en-303-978-v1-1-2-2013-02)

<https://standards.iteh.ai/catalog/standards/etsi/ec333674-160b-4e01-ab73-45f2b459177c/etsi-en-303-978-v1-1-2-2013-02>

ReferenceDEN/SES-00324

Keywordsantenna, earth station, GSO, mobile, regulation,
satellite

ETSI650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2013.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	7
Foreword.....	7
Introduction	7
1 Scope	9
2 References	10
2.1 Normative references	10
2.2 Informative references	11
3 Definitions, symbols and abbreviations	11
3.1 Definitions	11
3.2 Symbols.....	13
3.3 Abbreviations	13
4 Technical requirements specifications	14
4.1 General	14
4.1.1 Environmental profile	14
4.1.2 Operational configurations	14
4.1.3 Determination of geographic location of the ESOMP	14
4.1.4 EIRP _{Aggregate} for networks of ESOMPs.....	15
4.1.5 Presentation of equipment for testing purposes	15
4.1.6 Choice of model for testing	15
4.1.7 Mechanical and electrical design	15
4.1.7.1 Marking (equipment identification)	15
4.1.7.2 Equipment identification	15
4.2 Conformance requirements	16
4.2.1 Off-axis spurious radiation	16
4.2.1.1 Justification	16
4.2.1.2 Specification.....	16
4.2.1.3 Conformance tests.....	17
4.2.2 On-axis spurious radiation	17
4.2.2.1 Justification	17
4.2.2.2 Specification.....	17
4.2.2.2.1 "Carrier-on" radio state.....	17
4.2.2.2.2 "Carrier-off" and "Emissions disabled" radio states	17
4.2.2.3 Conformance tests	18
4.2.3 Off-axis EIRP emission density within the band	18
4.2.3.1 Justification	18
4.2.3.2 Co-polarized Specification.....	18
4.2.3.3 Void.....	18
4.2.3.4 Cross-polarization Specification	18
4.2.3.5 Burst Transmission Specification.....	19
4.2.3.6 Off-axis Geometry Specification	19
4.2.3.7 Conformance tests	20
4.2.4 Uplink Power Control Specification	20
4.2.5 Carrier suppression	20
4.2.5.1 Justification	20
4.2.5.2 Specification.....	20
4.2.5.3 Conformance tests	20
4.2.6 Antenna pointing and polarization alignment	20
4.2.6.1 Antenna pointing accuracy.....	20
4.2.6.1.1 Purpose	20
4.2.6.1.2 Pointing accuracy specification	20
4.2.6.1.3 On-axis cross polarization isolation specification	21
4.2.6.1.4 Conformance tests	21
4.2.6.2 Antenna Pointing Error Detection.....	21

4.2.6.2.1	Pointing error detection specification	21
4.2.6.2.2	Polarization angle alignment specification	21
4.2.6.2.3	Conformance tests	22
4.2.7	Cessation of emissions	22
4.2.7.1	Justification	22
4.2.7.2	Specification	22
4.2.7.2.1	Specification 1: Mode of cessation of emissions	22
4.2.7.2.2	Specification 2: Conditions under which the ESOMP shall cease emissions	22
4.2.7.2.3	Specification 3: Cessation of emissions	23
4.2.7.2.4	Specification 4: Fault conditions	23
4.2.7.3	Conformance tests	23
4.2.8	Identification of the ESOMP	23
4.2.8.1	Justification	23
4.2.8.2	Specification	23
4.2.8.3	Conformance tests	23
4.2.9	Control and Monitoring Functions (CMFs)	24
4.2.9.1	ESOMP States	24
4.2.9.1.1	CMF state diagram	25
4.2.9.2	Processor monitoring	26
4.2.9.2.1	Justification	26
4.2.9.2.2	Specification	26
4.2.9.2.3	Conformance tests	27
4.2.9.3	Transmit subsystem monitoring	27
4.2.9.3.1	Justification	27
4.2.9.3.2	Specification	27
4.2.9.3.3	Conformance tests	27
4.2.9.4	Power-on/Reset	27
4.2.9.4.1	Justification	27
4.2.9.4.2	Specification	27
4.2.9.4.3	Conformance tests	27
4.2.9.5	Control Channel (CC) and Response Channel (RC)	27
4.2.9.5.1	Justification	27
4.2.9.5.2	Specification	28
4.2.9.5.3	Conformance tests	28
4.2.9.6	Network control commands	28
4.2.9.6.1	Justification	28
4.2.9.6.2	Specification	29
4.2.9.6.3	Conformance tests	29
4.2.9.7	Initial burst transmission	29
4.2.9.7.1	Justification	29
4.2.9.7.2	Specification	29
4.2.9.7.3	Conformance tests	29
4.2.9.8	Inhibition of transmissions	30
4.2.9.8.1	Justification	30
4.2.9.8.2	Specification	30
4.2.9.8.3	Conformance tests	30
5	Testing for compliance with technical requirements	30
5.1	Environmental conditions for testing	30
5.2	Essential radio test suites	30
6	Test methods for all aspects of the ESOMP	30
6.1	General	30
6.1.1	Interpretation of measurement results	31
6.1.2	Measuring receiver	32
6.2	Off-axis spurious radiation	32
6.2.1	Test method	33
6.2.1.1	General	33
6.2.1.2	Multi-carrier operation	33
6.2.2	Measurements up to 1 000 MHz	34
6.2.2.1	Test site	34
6.2.2.2	Measuring receivers	34

6.2.2.3	Procedure	34
6.2.3	Measurements above 1 000 MHz	34
6.2.3.1	Identification of the significant frequencies of spurious radiation	35
6.2.3.1.1	Test site.....	35
6.2.3.1.2	Procedure.....	35
6.2.3.2	Measurement of radiated power levels of identified spurious radiation.....	35
6.2.3.2.1	Test site.....	35
6.2.3.2.2	Procedure.....	35
6.2.3.3	Measurement of conducted spurious radiation at the antenna flange.....	36
6.2.3.3.1	Test site.....	36
6.2.3.3.2	Procedure.....	37
6.3	On-axis spurious radiation.....	37
6.3.1	Test method	37
6.3.1.1	Test site	37
6.3.1.2	Method of measurement.....	37
6.3.1.2.1	General	37
6.3.1.2.2	Method of measurement at the antenna flange	38
6.3.1.2.3	Method of measurement for an EUT with antenna.....	38
6.4	Off-axis EIRP emission density within the band.....	39
6.4.1	Test method	39
6.4.1.1	Transmit output power density.....	40
6.4.1.1.1	General	40
6.4.1.1.2	Test site.....	40
6.4.1.1.3	Method of measurement	40
6.4.1.2	Antenna transmit gain	41
6.4.1.2.1	General	41
6.4.1.2.2	Test site.....	41
6.4.1.2.3	Method of measurement	41
6.4.1.3	Antenna transmit radiation patterns	42
6.4.1.3.1	General	42
6.4.1.3.2	Test site.....	42
6.4.1.3.3	Test arrangement	43
6.4.1.3.4	Co-polar radiation pattern - azimuth.....	43
6.4.1.3.5	Co-polar radiation pattern - elevation.....	43
6.4.1.3.6	Cross-polar radiation pattern - azimuth	44
6.4.1.3.7	Cross-polar radiation pattern - elevation	44
6.4.2	Computation of results.....	45
6.5	Carrier suppression.....	45
6.5.1	Test method	45
6.6	Antenna pointing	45
6.6.1	General.....	45
6.6.2	Test method	46
6.7	Polarization angle alignment capability	46
6.7.1	Test method	46
6.8	Cessation of emissions of the ESOMP	46
6.8.1	Test Method.....	46
6.8.1.1	Required documentation	46
6.8.1.2	Cessation of emissions from the "Transmission enabled" state	47
6.8.1.3	Cessation of emission from the "Transmission disabled" state	47
6.8.1.4	Cessation of emission from the "Initial Phase" state	47
6.8.1.4.1	EUTs transmitting initial bursts.....	47
6.8.1.4.2	EUTs not transmitting initial bursts.....	48
6.8.1.5	"Single action" means of cessation of emissions.....	48
6.8.1.6	Fault conditions.....	49
6.9	Identification of ESOMP.....	49
6.9.1	Test arrangement	49
6.9.2	Test method	49
6.10	Control and monitoring functions	49
6.10.1	Test arrangement	49
6.10.2	Processor monitoring- Test method	49
6.10.3	Transmit subsystem monitoring-Test method.....	50
6.10.4	Power-on/Reset-Test method.....	50

6.10.5	Control Channel and Response Channel -Test method.....	50
6.10.6	Network Control commands-Test method.....	51
6.10.7	Initial burst transmission-Test method.....	53
6.10.8	Inhibition of transmission-Test method.....	53
Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT).....	54
Annex B (informative):	Linear Polarization Alignment Error Calculation	56
Annex C (normative):	Radiated measurement.....	57
C.1	Test sites and general arrangements for measurements involving the use of radiated fields	57
C.1.1	Anechoic Chamber	57
C.1.2	Anechoic Chamber with a conductive ground plane	58
C.1.3	Open Area Test Site (OATS)	59
C.1.4	Minimum requirements for test sites for measurements above 18 GHz.....	60
C.1.5	Test antenna.....	60
C.1.6	Substitution antenna	61
C.1.7	Measuring antenna	61
C.2	Guidance on the use of radiation test sites	61
C.2.1	Verification of the test site	61
C.2.2	Preparation of the EUT.....	61
C.2.3	Power supplies to the EUT	61
C.2.4	Range length.....	62
C.2.5	Site preparation	62
C.3	Coupling of signals.....	63
C.3.1	General	63
C.4	Standard test methods.....	63
C.4.1	Calibrated setup.....	63
C.4.2	Substitution method.....	64
Annex D (normative):	Conducted measurements	65
Annex E (informative):	General Requirements for RF Cables.....	66
Annex F (informative):	RF Waveguides	67
Annex G (informative):	Bibliography.....	68
History		69

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (EN) has been produced by ETSI Technical Committee Satellite Earth Stations and Systems (SES).

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Directive 98/34/EC [i.1] as amended by Directive 98/48/EC [i.8].

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [i.2].

See article 5.1 of Directive 1999/5/EC [i.2] for information on presumption of conformity and Harmonized Standards or parts thereof the references of which have been published in the Official Journal of the European Union.

The requirements relevant to Directive 1999/5/EC [i.2] are summarised in annex A.

For non EEA countries the present document may be used for regulatory (type approval) purposes.

National transposition dates

Date of adoption of this EN:	11 February 2013
Date of latest announcement of this EN (doa):	31 May 2013
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 November 2013
Date of withdrawal of any conflicting National Standard (dow):	30 November 2014

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive [i.2]. The modular structure is shown in EG 201 399 [i.3].

The present document is partly based on EN 301 459 [i.6] and EN 301 360 [i.7].

The present document may also be applicable to the frequency bands 30,0 GHz to 31,0 GHz (Earth-to-space) and 20,2 GHz to 21,2 GHz (space-to-Earth) subject to national regulation.

Annex A (normative) provides HS Requirements and conformance Test specifications Table (HS-RTT).

Annex B (informative) provides information on Linear Polarization Alignment Error Calculation.

Annex C (normative) provides specifications concerning radiated measurements.