

MHEG-5 Broadcast Profile

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview



EBU-UER

[ETSI ES 202 184 V2.2.1 \(2011-03\)](https://standards.iteh.ai/catalog/standards/etsi/ca19a9fc-147d-4b2f-906d-010c3c0292da/etsi-es-202-184-v2-2-1-2011-03)

<https://standards.iteh.ai/catalog/standards/etsi/ca19a9fc-147d-4b2f-906d-010c3c0292da/etsi-es-202-184-v2-2-1-2011-03>



Reference

RES/JTC-022

Keywordsbroadcasting, data, digital, DVB, IP, MHEG,
MPEG, terrestrial, TV, video**ETSI**650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.

© European Broadcasting Union 2011.

All rights reserved.

DECTTM, **PLUGTESTS**TM, **UMTS**TM, **TIPHON**TM, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTETM is a Trade Mark of ETSI currently being registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	18
Foreword.....	18
Introduction	18
1 Scope	19
1.1 Localizing the present document.....	19
1.1.1 Extensions.....	19
1.1.2 Allocation of codes	20
1.1.3 Duplicate services	20
2 References	20
2.1 Normative references	20
2.2 Informative references.....	23
3 Definitions and abbreviations.....	24
3.1 Definitions	24
3.2 Abbreviations	26
4 Conventions.....	27
5 Basic architecture	27
6 Transport protocols.....	29
7 Content formats	29
7.1 Static formats.....	29
7.1.1 Bitmap image formats.....	29
7.1.1.1 PNG.....	29
7.1.1.2 MPEG-2 I-frames.....	29
7.1.2 Monomedia formats for audio clips	29
7.1.3 Monomedia formats for text	29
7.2 Broadcast streaming formats	29
7.3 Resident fonts.....	30
7.4 Colour representation	30
8 Application model	30
8.1 Application lifecycle	30
8.1.1 Launching and terminating MHEG-5 applications	30
8.1.2 Preparing for launch.....	31
8.1.3 Auto boot broadcast application	31
8.1.3.1 How an auto-boot application is done.....	31
8.1.4 Auto kill application	31
8.1.5 Application context.....	31
8.1.5.1 Initial carousel.....	31
8.1.5.2 Current carousel	31
8.1.5.3 Current source	32
8.1.6 Accessible file systems	32
8.1.6.1 Broadcast applications	32
8.1.6.2 CI introduced applications	32
8.1.6.3 Interaction Channel	33
8.1.7 Keeping an application running across service tunes.....	33
8.1.7.1 Broadcast file system requests	33
8.1.7.2 Timers	33
8.1.7.3 Carousel Identity	33
8.1.7.4 Broadcast file system	34
8.1.7.5 Network and service boot info	34
8.1.7.6 Behaviour of stream decoders.....	34
8.1.7.7 Content management.....	35
8.1.7.8 Receiver keys	35

8.1.7.9	Interaction with resident programs.....	35
8.1.7.10	Interaction channel security	35
8.1.7.11	Autoboot behaviour.....	35
8.1.7.12	True persistent storage	35
8.2	Application stacking.....	36
9	Signalling	36
9.1	Introduction to application lifecycle signalling	36
9.1.1	Application-level signalling.....	36
9.1.2	Service-level signalling.....	37
9.1.3	Network-level signalling.....	37
9.1.4	Scope	37
9.2	Void.....	37
9.3	PMT and ServiceGateway signalling extension.....	37
9.3.1	Introduction.....	37
9.3.2	Identification of auto-boot application.....	37
9.3.2.1	data_broadcast_id_descriptor.....	37
9.3.2.2	Network boot info sub-descriptor	38
9.3.2.3	Service boot info sub-descriptor	39
9.3.3	Acquisition of the ServiceGateway object.....	39
9.3.3.1	carousel_id_descriptor	39
9.3.4	Acquisition of the auto-boot object.....	40
9.3.4.1	ServiceContextList.....	40
9.3.4.2	Locating the initial object.....	41
9.3.4.2.1	Explicit Initial Object Identified.....	41
9.3.4.2.2	No Explicit Initial Object Identified	42
9.3.4.2.3	Initial File System.....	42
9.3.4.2.4	Example	42
9.3.5	Example of steps required for auto-boot.....	42
9.3.6	Service-level application lifecycle signalling.....	43
9.3.7	Network-level application lifecycle signalling	43
9.3.7.1	Auto mount broadcast file system.....	43
9.3.7.2	network_boot_info.....	44
9.3.7.3	data_broadcast_id.....	44
9.3.7.4	carousel_id	44
9.3.7.5	Carousels moving components.....	44
9.3.7.6	Removal of service.....	44
10	Security.....	44
11	MHEG-5 engine profile.....	45
11.1	Basic specification.....	45
11.2	Object interchange format	45
11.3	Set of classes	46
11.4	Set of features.....	47
11.4.1	GetEngineSupport "feature" strings.....	47
11.4.1.1	VideoDecodeOffset.....	49
11.4.1.2	BitmapDecodeOffset.....	50
11.4.1.3	Engine identification strings.....	50
11.4.1.4	Audio stream decoders	50
11.5	Content data encoding	51
11.5.1	Use of negative hook values	52
11.5.2	Bitmap objects	52
11.5.2.1	Scaling.....	52
11.5.2.2	Tiling.....	52
11.5.2.3	Transparency.....	52
11.5.3	Stream "memory" formats	52
11.5.3.1	Audio.....	52
11.5.4	Non-linear stream formats	52
11.5.4.1	Video.....	52
11.5.4.2	Audio.....	53
11.5.4.3	Subtitles.....	53
11.5.4.4	Encrypted non-linear streams.....	53

11.6	User input	53
11.6.1	Base remote control functions	53
11.6.1.1	Receiver group	54
11.6.1.2	Register 3 group (see table 11.8).....	54
11.6.1.3	Register 4 group (see table 11.8).....	54
11.6.1.4	Register 5 group (see table 11.8).....	54
11.6.1.5	Register 6 group (see table 11.8).....	55
11.6.2	Extended remote control functions	55
11.6.2.1	Register 6 group (see table 11.9).....	55
11.6.3	UserInput registers	55
11.6.3.1	Base UserInput registers	55
11.6.3.2	Extended UserInput registers	56
11.6.4	Implementation of this interaction model	56
11.6.5	Interaction with broadcast-triggered native applications	57
11.7	Semantic constraints on MHEG-5 applications.....	57
11.8	EngineEvents.....	57
11.8.1	Object retrieval errors	59
11.8.2	Object retrieval errors - Interaction Channel	59
11.9	Protocol mapping and external interaction	59
11.10	ResidentPrograms.....	60
11.10.1	Typical use	61
11.10.2	Program names	62
11.10.3	Encoding of resident program names.....	62
11.10.3.1	Case sensitive names.....	62
11.10.4	Date and time functions	62
11.10.4.1	Day, date and time functions.....	62
11.10.4.2	GetCurrentDate	62
11.10.4.3	FormatDate.....	62
11.10.4.4	GetDayOfWeek.....	63
11.10.5	Random number function	64
11.10.5.1	Random	64
11.10.6	Type conversion functions.....	64
11.10.6.1	CastToContentRef.....	64
11.10.6.2	CastToObjectRef.....	64
11.10.6.3	CastToStringInt.....	65
11.10.7	String manipulation functions.....	65
11.10.7.1	Range of string index values	65
11.10.7.2	GetStringLength.....	65
11.10.7.3	GetSubString.....	65
11.10.7.4	SearchSubString.....	66
11.10.7.5	SearchAndExtractSubString.....	66
11.10.8	Service selection	67
11.10.8.1	SI_GetServiceIndex	67
11.10.8.2	SI_TuneIndex.....	68
11.10.8.3	SI_GetBasicSI.....	68
11.10.8.4	SI_TuneIndexInfo	68
11.10.8.4.1	Destructive service tune.....	70
11.10.8.4.2	Non-destructive service tune	70
11.10.9	Checking references.....	71
11.10.9.1	CheckContentRef.....	72
11.10.9.2	CheckGroupIDRef	72
11.10.10	Presentation information.....	73
11.10.10.1	VideoToGraphics.....	73
11.10.10.1.1	Informative note	73
11.10.10.2	SetWidescreenAlignment.....	74
11.10.10.3	GetDisplayAspectRatio.....	74
11.10.10.4	SetSubtitleMode.....	75
11.10.10.5	SetBroadcasterInterruptions	75
11.10.10.6	GetAudioDescPref	76
11.10.10.7	GetSubtitlePref.....	76
11.10.11	Common Interface	77
11.10.11.1	CI_SendMessage.....	77

11.10.12	Interaction channel.....	77
11.10.12.1	GetICStatus	77
11.10.12.2	ReturnData	78
11.10.12.3	MeasureStreamPerformance	79
11.10.12.4	PromptForGuidance	79
11.10.12.5	PersistentStorageInfo	80
11.10.12.6	SetCookie	80
11.10.12.7	GetCookie	80
11.10.12.8	GetPINSupport.....	81
11.10.13	Hybrid file system.....	81
11.10.13.1	SetHybridFileSystem	81
11.10.14	Developer utilities.....	83
11.10.14.1	WhoAmI	83
11.10.14.2	Debug	83
11.10.15	Access to application lifecycle signalling	84
11.10.15.1	GetBootInfo	84
11.10.16	Data exchange with ResidentPrograms.....	84
11.10.16.1	Memory spaces	84
11.10.16.2	On invocation	84
11.10.16.3	CallSucceeded/ForkSucceeded Values	84
11.10.16.4	During execution.....	84
11.10.16.5	On completion.....	85
11.10.17	Duration of effect of ResidentPrograms	85
11.11	Limitations on standard data-types.....	85
11.11.1	BooleanVariable	85
11.11.2	IntegerVariable	85
11.11.3	OctetString	85
11.11.4	ObjectNumber.....	85
11.11.5	GroupIdentifier and ContentReference	86
11.12	Extensions to the MHEG-5 language specification.....	86
11.12.1	Preamble	86
11.12.2	Changes to the Group class.....	86
11.12.2.1	Changes to "Own internal attributes"	86
11.12.2.2	Changes to "Events"	86
11.12.2.3	Changes to "Effect of MHEG-5 actions"	86
11.12.3	Changes to the Application class	87
11.12.3.1	Changes to "Own exchanged attributes"	87
11.12.3.2	Changes to "Own internal attributes"	87
11.12.3.3	Changes to "Effect of MHEG-5 actions"	87
11.12.4	Changes to the Scene class	88
11.12.4.1	Changes to "Own exchanged attributes"	88
11.12.4.2	Changes to "Own internal attributes"	88
11.12.4.3	Changes to "Events"	88
11.12.4.4	Changes to "Effect of MHEG-5 actions"	89
11.12.5	Changes to the TokenGroup class.....	89
11.12.5.1	Changes to "Effect of MHEG-5 actions"	89
11.12.6	Changes to the ListGroup class.....	89
11.12.6.1	Changes to "Own exchanged attributes"	89
11.12.6.2	Changes to "Own internal attributes"	89
11.12.6.3	Changes to "Effect of MHEG-5 actions"	90
11.12.7	Changes to the Bitmap class	90
11.12.7.1	Changes to "Own internal attributes"	90
11.12.7.2	Changes to "Effect of MHEG-5 actions"	90
11.12.8	Changes to the Text class.....	92
11.12.8.1	Changes to "Own exchanged attributes"	92
11.12.8.2	Changes to "Own internal attributes"	92
11.12.8.3	Changes to "Effect of MHEG-5 actions"	93
11.12.9	Changes to the Stream class.....	94
11.12.9.1	Changes to "Own exchanged attributes"	94
11.12.9.2	Changes to "Own internal attributes"	95
11.12.9.3	Changes to "Internal behaviours"	95
11.12.9.4	Changes to "Effect of MHEG-5 actions"	95

11.12.10	Changes to the Video class	96
11.12.10.1	Changes to "Own internal attributes"	96
11.12.10.2	Changes to "Effect of MHEG-5 actions"	96
11.12.11	Changes to the Slider class	100
11.12.11.1	Changes to "Own exchanged attributes"	100
11.12.11.2	Changes to "Own internal attributes"	100
11.12.11.3	Changes to "Events"	100
11.12.11.4	Changes to "Internal behaviour"	101
11.12.11.5	Changes to "Effect of MHEG-5 actions"	101
11.12.12	Changes to the HyperText class.....	102
11.12.12.1	Changes to "Own internal attributes"	102
11.12.12.2	Changes to "Events"	103
11.12.12.3	Changes to "Internal behaviours".....	103
11.12.12.4	Changes to "Effect of MHEG-5 actions"	104
11.12.13	Changes to the LineArt class	104
11.12.13.1	Changes to "Own exchanged attributes"	105
11.12.13.2	Changes to "Effect of MHEG-5 actions"	105
11.13	Clarifications, restrictions and amendments.....	105
11.13.1	Additional semantics for the SetTimer action.....	105
11.13.2	CounterPosition attribute	105
11.13.3	Synchronous event processing.....	106
11.13.3.1	Preferred interpretation	106
11.13.3.2	Alternative interpretation	106
11.13.3.3	Explanation	106
11.13.4	Actions that generate more than one synchronous event	106
11.13.5	TransitionTo deactivation of shared=FALSE ingredients	107
11.13.6	Interactibles.....	107
11.13.7	Clarification of StreamPlaying and StreamStopped events	107
11.13.8	Use of NextScenes to preload content	108
11.13.9	Application defaults.....	108
11.13.10	Effect of SetData on Internal Attributes	108
11.13.11	Clarification of TransitionTo, Launch and Spawn behaviour.....	108
11.13.12	References to shared=FALSE ingredients	108
11.13.13	Restrictions on Link EventSource	108
11.13.14	Video Termination attribute.....	109
11.13.15	Clarification of Root object destruction behaviour.....	109
11.14	Service Information extension.....	109
11.14.1	Service Information resident programs.....	109
11.14.1.1	SI_GetServiceInfo.....	110
11.14.1.2	SI_GetEventInfo	110
11.15	PVR extensions	111
11.15.1	PVR Implementation	112
11.15.2	CRID format	112
11.15.3	PVR extension resident programs.....	112
11.15.3.1	PVR_MakeBooking.....	112
11.15.3.2	PVR_CancelBooking.....	113
11.15.3.3	PVR_ListBooking.....	114
11.16	InputMaskExtension.....	114
11.16.1	Operation	114
11.16.1.1	Engine Events	115
11.16.2	Changes to the MHEG specification.....	115
11.16.2.1	Input Register semantics.....	115
11.16.2.2	New attributes and ElementaryActions.....	115
11.16.2.3	TestInputMask New Resident Program	116
11.16.2.4	Key values table	116
11.17	File System Acceleration Extension.....	117
11.17.1	File Groups	117
11.17.2	Scope of File Groups	117
11.17.3	Stored groups descriptor	117
11.17.4	Group Location Descriptor	119
11.17.5	Group Manifest.....	120
11.17.6	Group Manifest management.....	121