

**Environmental Engineering (EE);  
Monitoring and Control Interface for Infrastructure Equipment  
(Power, Cooling and Building Environment Systems used in  
Telecommunication Networks)  
Part 1: Generic Interface**

---

iTeh Standards  
(<https://standards.iteh.ai>)  
Document Preview

[ETSI ES 202 336-1 V1.2.1 \(2011-07\)](https://standards.iteh.ai/catalog/standards/etsi/13655f96-e233-4b0e-9a37-56b660d22510/etsi-es-202-336-1-v1-2-1-2011-07)

<https://standards.iteh.ai/catalog/standards/etsi/13655f96-e233-4b0e-9a37-56b660d22510/etsi-es-202-336-1-v1-2-1-2011-07>



---

**Reference**

RES/EE-02039-1

---

**Keywords**

control, interface, management, power, system

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

**(<https://standards.iteh.ai>)**  
**Document Preview**

---

**Important notice**

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

[http://portal.etsi.org/chaicor/ETSI\\_support.asp](http://portal.etsi.org/chaicor/ETSI_support.asp)

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.  
All rights reserved.

DECT<sup>TM</sup>, PLUGTESTS<sup>TM</sup>, UMTS<sup>TM</sup> and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
3GPP<sup>TM</sup> and LTE<sup>TM</sup> are Trade Marks of ETSI registered for the benefit of its Members and  
of the 3GPP Organizational Partners.  
GSM<sup>®</sup> and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Contents

|                                                                          |    |
|--------------------------------------------------------------------------|----|
| Intellectual Property Rights .....                                       | 6  |
| Foreword.....                                                            | 6  |
| 1 Scope .....                                                            | 7  |
| 2 References .....                                                       | 7  |
| 2.1 Normative references .....                                           | 7  |
| 2.2 Informative references.....                                          | 8  |
| 3 Definitions and abbreviations.....                                     | 9  |
| 3.1 Definitions.....                                                     | 9  |
| 3.2 Abbreviations .....                                                  | 11 |
| 4 Monitoring and Control (M&C) overview .....                            | 13 |
| 4.1 Infrastructure equipment management network general description..... | 13 |
| 4.2 IEM&C management network example .....                               | 16 |
| 4.3 IEM&C management network HMI description .....                       | 16 |
| 5 Equipment IEM&C main goals.....                                        | 17 |
| 5.1 Data in the IEM&C network .....                                      | 17 |
| 5.1.1 Mandatory data in the IEM&C network .....                          | 17 |
| 5.1.2 Optional data in the IEM&C network.....                            | 18 |
| 5.2 High level application and data structure flexibility.....           | 18 |
| 5.3 Data interface complexity and structure.....                         | 19 |
| 5.3.1 Information .....                                                  | 19 |
| 5.3.2 Status and event .....                                             | 19 |
| 5.3.3 Alarm severity and event class .....                               | 20 |
| 6 IEM&C management typical content subsets .....                         | 20 |
| 6.1 DC power system (part 2) .....                                       | 22 |
| 6.2 AC UPS power system (part 3) .....                                   | 23 |
| 6.3 AC distribution switchboard (part 4).....                            | 23 |
| 6.4 AC diesel back-up generator (part 5) .....                           | 24 |
| 6.5 Thermal environment and cooling system (part 6).....                 | 24 |
| 6.5.1 Thermal environment of equipment rooms.....                        | 24 |
| 6.5.2 Fan system .....                                                   | 24 |
| 6.5.3 Cooling system with compressors .....                              | 24 |
| 6.5.4 Chilled water cooling system.....                                  | 24 |
| 6.6 Other utilities system (part 7).....                                 | 25 |
| 6.7 Remote power feeding system (part 8).....                            | 25 |
| 6.8 Alternative power systems (part 9).....                              | 25 |
| 6.9 AC inverter power system (part 10).....                              | 25 |
| 7 IEM&C management interface and network architecture .....              | 25 |
| 7.1 Location of intelligence .....                                       | 26 |
| 7.2 XCU, DGU, LMA management interface.....                              | 26 |
| 7.3 Interface and protocol diversity .....                               | 26 |
| 7.4 Open interface and software .....                                    | 27 |
| 7.5 Interface levels .....                                               | 28 |
| 7.5.1 Alarm and state loops interface on XCU or DGU output .....         | 28 |
| 7.5.2 Low level protocol equipment CU mediation by DGU .....             | 28 |
| 7.5.3 XCU and DGU high level protocol interface.....                     | 28 |
| 7.5.4 Hybrid network element solutions .....                             | 29 |
| 7.6 Transport Control Layer .....                                        | 29 |
| 7.7 Physical and network layer.....                                      | 29 |
| 7.8 Progressive Network Evolution.....                                   | 30 |
| 8 Supervisor functions and performance.....                              | 31 |

|        |                                                                                                                          |    |
|--------|--------------------------------------------------------------------------------------------------------------------------|----|
| 9      | Data Structure Format and Syntax of the XML Document, For Exchange Between CU or DGU and LMA or RMA by IEM&C agent ..... | 32 |
| 9.1    | The description of XML elements.....                                                                                     | 32 |
| 9.2    | The order of the XML elements .....                                                                                      | 32 |
| 9.3    | The hierarchic rule.....                                                                                                 | 33 |
| 9.4    | Standard elements of any equipment, system or subsystem .....                                                            | 34 |
| 9.4.1  | Standard elements .....                                                                                                  | 34 |
| 9.4.2  | Alarm and event message .....                                                                                            | 35 |
| 9.4.3  | The <description_table> element.....                                                                                     | 37 |
| 9.4.4  | The <alarm_table> element .....                                                                                          | 38 |
| 9.4.5  | The <event_table> element.....                                                                                           | 39 |
| 9.4.6  | The <data_table> element.....                                                                                            | 40 |
| 9.4.7  | The <data_record_table> element.....                                                                                     | 41 |
| 9.4.8  | The <config_table> element .....                                                                                         | 44 |
| 9.4.9  | The <control_table> element .....                                                                                        | 44 |
| 9.4.10 | Example: XML document related to a generic equipment .....                                                               | 45 |
| 9.5    | XML Document Compliance Verification .....                                                                               | 45 |
| 9.6    | The <site> element .....                                                                                                 | 54 |
| 9.6.1  | Recommendation about the <description_table> of the <site> element .....                                                 | 55 |
| 9.7    | The <energy_system> element.....                                                                                         | 56 |

## **Annex A (normative): Communication between LMA/RMA and IEM&C agent using REST....58**

|       |                                              |    |
|-------|----------------------------------------------|----|
| A.1   | Communication initiated by the LMA/RMA ..... | 58 |
| A.1.1 | The GET method.....                          | 59 |
| A.1.2 | The POST method .....                        | 60 |
| A.2   | Communication initiated by DGU/XCU .....     | 61 |

## **Annex B (informative): Data Coherence and reliability for IEM&C.....62**

|      |                                                                    |    |
|------|--------------------------------------------------------------------|----|
| B.1  | Data integrity, coherence and management network reliability ..... | 62 |
| B.2  | Application data coherence and integrity .....                     | 62 |
| B.3  | Naming and data origin .....                                       | 62 |
| B.4  | CU,DGU reliability .....                                           | 63 |
| B.5  | LMA reliability .....                                              | 63 |
| B.6  | RMA reliability .....                                              | 63 |
| B.7  | Ethernet and IP network reliability .....                          | 64 |
| B.8  | Computer and OS reliability.....                                   | 64 |
| B.9  | Application reliability.....                                       | 64 |
| B.10 | XML Message posting reliability .....                              | 65 |

## **Annex C (informative): Network Element Functions and software architecture and choices .....66**

|     |                                                   |    |
|-----|---------------------------------------------------|----|
| C.1 | General description.....                          | 66 |
| C.2 | Functions of the RMA.....                         | 67 |
| C.3 | Data analysis .....                               | 68 |
| C.4 | Safety monitoring input provision.....            | 68 |
| C.5 | Software working and development environment..... | 68 |

## **Annex D (informative): Network capacity and timing.....69**

|     |                                       |    |
|-----|---------------------------------------|----|
| D.1 | Management and Network Capacity ..... | 69 |
| D.2 | Memory capacity .....                 | 69 |

|                                                                                                                                               |                                                            |           |
|-----------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|-----------|
| D.3                                                                                                                                           | Timing performance .....                                   | 69        |
| <b>Annex E (informative): Overview of the XML format .....</b>                                                                                |                                                            | <b>70</b> |
| E.1                                                                                                                                           | XML .....                                                  | 70        |
| E.2                                                                                                                                           | XML declaration .....                                      | 70        |
| E.3                                                                                                                                           | XML element, XML root element and XML child element .....  | 70        |
| E.4                                                                                                                                           | XML document .....                                         | 71        |
| E.5                                                                                                                                           | XML Attribute.....                                         | 71        |
| E.6                                                                                                                                           | XML Schema .....                                           | 71        |
| E.7                                                                                                                                           | XML Schema Datatypes .....                                 | 72        |
| E.8                                                                                                                                           | XSL Languages .....                                        | 73        |
| E.9                                                                                                                                           | XSLT.....                                                  | 73        |
| E.10                                                                                                                                          | XPath.....                                                 | 73        |
| <b>Annex F (informative): Hints about the choice of OSI or IP models, physical network layers and intranet-Ethernet access protocols.....</b> |                                                            | <b>74</b> |
| F.1                                                                                                                                           | OSI and IP models.....                                     | 74        |
| F.2                                                                                                                                           | Details on IP layers.....                                  | 75        |
| F.2.1                                                                                                                                         | Application Layer.....                                     | 75        |
| F.2.2                                                                                                                                         | Transport Layer .....                                      | 76        |
| F.2.3                                                                                                                                         | Network Layer.....                                         | 76        |
| F.2.4                                                                                                                                         | Link Layer .....                                           | 76        |
| F.3                                                                                                                                           | Internet- Ethernet access protocol PPPoE, PPPoA, PoS ..... | 77        |
| F.3.1                                                                                                                                         | PPPoE.....                                                 | 77        |
| F.3.2                                                                                                                                         | PPP service .....                                          | 78        |
| F.3.3                                                                                                                                         | Other PPP .....                                            | 78        |
| <b>Annex G (informative): Bibliography.....</b>                                                                                               |                                                            | <b>79</b> |
| History .....                                                                                                                                 |                                                            | 80        |

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This ETSI Standard (ES) has been produced by ETSI Technical Committee Environmental Engineering (EE).

The present document is part 1 of a multi-part deliverable covering power, cooling and building environment systems control and monitoring guidance, as identified below:

**Part 1: "Generic Interface";**

Part 2: "DC power system control and monitoring information model";

Part 3: "AC UPS power system control and monitoring information model";

Part 4: "AC distribution power system control and monitoring information model";

Part 5: "AC diesel back-up generator system control and monitoring information model";

Part 6: "Air conditioning system control and monitoring information model";

Part 7: "Other utilities system control and monitoring information model";

Part 8: "Remote power feeding system control and monitoring information model";

Part 9: "Alternative power systems control and monitoring information model";

Part 10: "AC inverter power system control and monitoring information model".

---

# 1 Scope

The present document applies to monitoring and control of Infrastructure Environment i.e. power, cooling and building environment systems for telecommunication centres and access network locations.

Interoperability of heterogeneous management interfaces and systems with multi-vendor equipment is the key issue. The present document gives a general approach from equipment to management system.

The multi-part deliverable is composed of a generic core part (the present document) and several specific parts for equipment category (ES 202 336-2 and following [15] and [i.14]).

The core document defines:

- The site equipment map and its division in functional subsets e.g. DC system which introduces part 2 and following parts of this multi-part deliverable.
- The generic set of exchanged information required at the interface of equipment, which is instanced for each equipment subset in part 2 and following parts of this multi-part deliverable.
- The minimum requirement for network architecture allowing some compatibility with old existing interface and the mechanism to exchange data between network element.
- The data interface protocol for remote or local site management (Machine to Machine Interface MMI) and Human Machine Interface HMI for monitoring and controlling.
- Recommendations for sure management network such as dependability, data back-up, data coherence and synchronization all along the management network, response time, fault detection and partial service in case of failure.

(<https://standards.iteh.ai>)

---

## 2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

### 2.1 Normative references

The following referenced documents are necessary for the application of the present document.

- |     |                                                                                                                                                                                                                                          |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| [1] | ETSI ETS 300 132-1: "Equipment Engineering (EE); Power supply interface at the input to telecommunications equipment; Part 1: Operated by alternating current (AC) derived from direct current (DC) sources".                            |
| [2] | ETSI EN 300 132-2: "Environmental Engineering (EE); Power supply interface at the input to telecommunications equipment; Part 2: Operated by direct current (DC)".                                                                       |
| [3] | ETSI EN 300 132-3: "Environmental Engineering (EE); Power supply interface at the input to telecommunications equipment; Part 3: Operated by rectified current source, alternating current source or direct current source up to 400 V". |
| [4] | ETSI EN 302 099: "Environmental Engineering (EE); Powering of equipment in access network".                                                                                                                                              |
| [5] | ITU-T Recommendation M.3010: "Principles for a Telecommunications management network".                                                                                                                                                   |