



GROUP REPORT

Network Functions Virtualisation (NFV) Release 6; Evolution and Ecosystem; Report on new infrastructure resources for NFV

Document Preview

ETSI GR NFV-EVE 023 V6.1.1 (2025-09)

<https://standards.iteh.ai/catalog/standards/etsi/6b9e4a23-3814-4127-8ac8-586c1da50f9e/etsi-gr-nfv-eve-023-v6-1-1-2025-09>

Disclaimer

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG.
It does not necessarily represent the views of the entire ETSI membership.

Reference

DGR/NFV-EVE023

Keywords

cloud, management, NFV, NFVI

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Contents

Intellectual Property Rights	7
Foreword.....	7
Modal verbs terminology.....	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references.....	8
3 Definition of terms, symbols and abbreviations.....	9
3.1 Terms.....	9
3.2 Symbols.....	10
3.3 Abbreviations	10
4 Introduction and overview.....	10
4.1 Introduction to NFVI.....	10
4.2 New NFVI dimensions	11
4.2.1 Resources heterogeneity	11
4.2.2 Locations, provision and distribution of resources	11
4.2.3 Resources mobility	11
4.3 New kinds of infrastructure resources	12
4.3.1 Data Processing Unit (DPU).....	12
4.3.2 Satellite	12
4.3.3 AI processors	13
4.3.4 High-Altitude Platform Stations	13
4.3.5 Vehicular Infrastructure	14
4.3.6 Reconfigurable Intelligent Surfaces.....	15
4.3.7 Smart-NICs	15
4.3.8 Hybrid Cloud	16
5 Use cases	16
5.1 Overview.....	16
5.2 Use cases about new sources of infrastructure	16
5.2.1 Use case #1: Network service deployment across hybrid Cloud	16
5.2.1.1 Introduction.....	16
5.2.1.2 Actors and roles	17
5.2.1.3 Trigger.....	17
5.2.1.4 Pre-conditions	17
5.2.1.5 Post-conditions.....	17
5.2.1.6 Flow description.....	18
5.2.2 Use case #2: Building/Setting up the NFVI of the hybrid Cloud.....	18
5.2.2.1 Introduction.....	18
5.2.2.2 Actors and roles	18
5.2.2.3 Trigger.....	18
5.2.2.4 Pre-conditions	19
5.2.2.5 Post-conditions.....	19
5.2.2.6 Flow description.....	19
5.3 Use cases about new types of infrastructure resources.....	20
5.3.1 Use case #3: Allocating acceleration resources to VNFs.....	20
5.3.1.1 Introduction.....	20
5.3.1.2 Actors and roles	20
5.3.1.3 Trigger.....	20
5.3.1.4 Pre-conditions	20
5.3.1.5 Post-conditions.....	20
5.3.1.6 Flow description.....	21
5.3.2 Use case #4: Creating bare-metal server pool with DPUs	21
5.3.2.1 Introduction.....	21
5.3.2.2 Actors and roles	21

5.3.2.3	Trigger.....	21
5.3.2.4	Pre-conditions	21
5.3.2.5	Post-conditions	22
5.3.2.6	Flow description.....	22
5.3.3	Use case #5: Create CIS cluster on bare-metal server pool with DPUs.....	22
5.3.3.1	Introduction.....	22
5.3.3.2	Actors and roles	22
5.3.3.3	Trigger.....	23
5.3.3.4	Pre-conditions	23
5.3.3.5	Post-conditions	23
5.3.3.6	Flow description.....	23
5.3.4	Use case #6: Offloading components to DPUs of a bare-metal server pool	24
5.3.4.1	Introduction.....	24
5.3.4.2	Actors and roles	24
5.3.4.3	Trigger.....	24
5.3.4.4	Pre-conditions	24
5.3.4.5	Post-conditions	24
5.3.4.6	Flow description.....	25
5.3.5	Use case #7: Instantiating container-based VNFs on a bare-metal CIS cluster with DPUs.....	25
5.3.5.1	Introduction.....	25
5.3.5.2	Actors and roles	25
5.3.5.3	Trigger.....	25
5.3.5.4	Pre-conditions	25
5.3.5.5	Post-conditions	26
5.3.5.6	Flow description.....	26
5.3.6	Use case #8: Reconfigurable intelligent surfaces as a network resource	26
5.3.6.1	Introduction.....	26
5.3.6.2	Actors and roles	26
5.3.6.3	Trigger.....	27
5.3.6.4	Pre-conditions	27
5.3.6.5	Post-conditions	27
5.3.6.6	Flow description.....	27
5.3.7	Use case #9: RIS as a PNF.....	27
5.3.7.1	Introduction.....	27
5.3.7.2	Actors and roles	28
5.3.7.3	Trigger.....	28
5.3.7.4	Pre-conditions	28
5.3.7.5	Post-conditions	28
5.3.7.6	Flow description.....	28
5.4	Use cases about location and mobility of infrastructure.....	29
5.4.1	Use case #10: Network service deployment across vehicular infrastructure	29
5.4.1.1	Introduction.....	29
5.4.1.2	Actors and roles	29
5.4.1.3	Trigger.....	29
5.4.1.4	Pre-conditions	29
5.4.1.5	Post-conditions	30
5.4.1.6	Flow description.....	30
5.4.2	Use case #11: Network service scaling using infrastructure on HAPS.....	30
5.4.2.1	Introduction.....	30
5.4.2.2	Actors and roles	30
5.4.2.3	Trigger.....	31
5.4.2.4	Pre-conditions	31
5.4.2.5	Post-conditions	31
5.4.2.6	Flow description.....	31
6	Key issue analysis	32
6.1	Introduction	32
6.2	Key issues on resources heterogeneity	32
6.2.1	RIS related key issues	32
6.2.2	Acceleration resources related key issues	32
6.3	Key issues on location, provision and distribution of resources.....	33
6.3.1	Hybrid Cloud related key issues	33

6.4	Key issues on resources mobility	34
6.4.1	HAPS related key issues	34
6.4.2	Vehicular infrastructure related key issues	35
7	Framework and potential solutions	36
7.1	Introduction	36
7.2	Potential solutions	37
7.2.1	Solutions related to hybrid Cloud resource provisioning and management.....	37
7.2.1.1	Introduction.....	37
7.2.1.2	Solution #1: Management scopes and interactions between the NFV-MANO and public Cloud management system in case of infrastructure provisioning.....	38
7.2.1.2.1	Solution description.....	38
7.2.1.2.2	Key issues addressed	38
7.2.1.2.3	Gap analysis	38
7.2.1.3	Solution #2: Management scopes and interactions between the NFV-MANO and public Cloud management system in case of infrastructure provisioning and NFs management.....	39
7.2.1.3.1	Solution description.....	39
7.2.1.3.2	Key issues addressed	40
7.2.1.3.3	Gap analysis	40
7.2.1.4	Solution #3: Management scopes and interactions between the NFV-MANO and public Cloud management system in case of infrastructure provisioning and VNFs and NSs management.....	40
7.2.1.4.1	Solution description.....	40
7.2.1.4.2	Key issues addressed	41
7.2.1.4.3	Gap analysis	41
7.2.2	Solutions related to connectivity for hybrid Cloud deployments.....	41
7.2.2.1	Introduction.....	41
7.2.2.2	Solution #4: Multi-site connectivity service between private Cloud sites and public Cloud sites provided by WIM.....	42
7.2.2.2.1	Solution description.....	42
7.2.2.2.2	Key issues addressed	42
7.2.2.2.3	Gap analysis	42
7.2.3	Solution related to VNF placement in the hybrid Cloud.....	43
7.2.3.1	Solution #5: VNF placement in the public Cloud	43
7.2.3.1.1	Introduction	43
7.2.3.1.2	Solution description.....	43
7.2.3.1.3	Key issues addressed	43
7.2.3.1.4	Key issues addressed	43
7.2.3.2	Solution #6: VNF placement in the public Cloud with prior knowledge of available locations	43
7.2.3.2.1	Introduction	43
7.2.3.2.2	Solution description.....	44
7.2.3.2.3	Key issues addressed	44
7.2.3.2.4	Gap analysis	44
7.2.4	Solution related to HAPS.....	44
7.2.4.1	Introduction.....	44
7.2.4.2	Solution #7: NFV-MANO aware of HAPS mobility, power consumption, and hardware resources	44
7.2.4.2.1	Introduction	44
7.2.4.2.2	Solution description.....	44
7.2.4.2.3	Key issues addressed	45
7.2.4.2.4	Gap analysis	45
7.2.4.3	Solution #8: Mapping VNFs' requirements to HAPS availability.....	46
7.2.4.3.1	Introduction	46
7.2.4.3.2	Solution description.....	46
7.2.4.3.3	Key issues addressed	47
7.2.4.3.4	Gap analysis	47
7.2.4.4	Solution #9: Suitable virtualisation technologies for resource- and power-constrained environment such as HAPS.....	47
7.2.4.4.1	Introduction	47
7.2.4.4.2	Solution description.....	47
7.2.4.4.3	Key issues addressed	48
7.2.4.4.4	Gap analysis	48

7.2.4.5	Solution #10: the LCM and OAM operations related to VNFs deployed over NFVI provided by HAPS	49
7.2.4.5.1	Solution description.....	49
7.2.4.5.2	Key issues addressed	49
7.2.4.5.3	Gap analysis	50
7.2.4.6	Solution #11: Predicting and handling failures of VNFs and NSs deployed on infrastructure provided by HAPS	50
7.2.4.6.1	Solution description.....	50
7.2.4.6.2	Key issues addressed	50
7.2.4.6.3	Gap analysis	50
7.3	Evaluation of solutions.....	51
7.3.1	Overview	51
7.3.2	Evaluation of solutions for key issues about hybrid Cloud.....	51
7.3.3	Evaluation of solutions for key issues about HAPS.....	52
8	Recommendations	53
8.1	Overview	53
8.2	Recommendations related to the NFV architectural framework	54
8.3	Recommendations related to functional aspects.....	54
8.4	Recommendations related to interfaces and information model.....	54
9	Conclusion.....	55
Annex A:	Change history	56
History		59

i T h S t a n d a r d s
(h t t p s : / / s t a n d a r d s . i t
D o c u m e n t i e P w r

E T S I - G R N F V - E V E 0 2 3 V 6 . 1 . 1 (2 0 2 5 - 0 9)
h t t p s : / / s t a n d a r d s . i t e h . a i / c a t a l - m g / v s - t e a v n e d -
0 9

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](https://standards.itec.ai/).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Group Report (GR) has been produced by ETSI Industry Specification Group (ISG) Network Functions Virtualisation (NFV).

Modal verbs terminology

In the present document "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](https://standards.itec.ai/) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.