

ETSI GS F5G-TEST 029 V1.1.1 (2025-08)



GROUP SPECIFICATION

Fifth Generation Fixed Network (F5G); Test Specification for Residential FTTR Functionality and Performance

Document Preview

[ETSI GS F5G-TEST 029 V1.1.1 \(2025-08\)](https://standards.iteh.ai/catalog/standards/etsi/d784404a-abe4-4d10-864e-9069ff50325c/etsi-gs-f5g-test-029-v1-1-1-2025-08)

<https://standards.iteh.ai/catalog/standards/etsi/d784404a-abe4-4d10-864e-9069ff50325c/etsi-gs-f5g-test-029-v1-1-1-2025-08>

Disclaimer

The present document has been produced and approved by the Fifth Generation Fixed Network (F5G) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG. It does not necessarily represent the views of the entire ETSI membership.

Reference

DGS/F5G-0029

Keywords

F5G, fibre, FTTR, residential network, test

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Contents

Intellectual Property Rights	7
Foreword.....	7
Modal verbs terminology.....	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references.....	8
3 Definition of terms, symbols and abbreviations.....	9
3.1 Terms.....	9
3.2 Symbols.....	9
3.3 Abbreviations	9
4 Introduction	10
5 Functional Test cases.....	11
5.1 Common test configuration	11
5.2 Connection function test cases	11
5.2.1 Test case #F1.1: Maximum Ethernet packet size.....	11
5.2.1.1 Test purpose	11
5.2.1.2 Test configuration	11
5.2.1.3 Test procedure.....	11
5.2.1.4 Expected results	11
5.2.2 Test case #F1.2: Downstream working wavelength	12
5.2.2.1 Test purpose	12
5.2.2.2 Test configuration	12
5.2.2.3 Test procedure.....	12
5.2.2.4 Expected results	12
5.2.3 Test case #F1.3: Upstream working wavelength	12
5.2.3.1 Test purpose	12
5.2.3.2 Test configuration	12
5.2.3.3 Test procedure.....	13
5.2.3.4 Expected results	13
5.2.4 Test case #F1.4: Bit rates and payload rates	13
5.2.4.1 Test purpose	13
5.2.4.2 Test configuration	13
5.2.4.3 Test procedure.....	14
5.2.4.4 Expected results	14
5.3 Network service function test cases.....	14
5.3.1 Test case #F2.1: Network service function.....	14
5.3.1.1 Test purpose	14
5.3.1.2 Test configuration	14
5.3.1.3 Test procedure.....	15
5.3.1.4 Expected results	15
5.4 Management function test cases	15
5.4.1 Test case #F3.1: Software upgrade in MFU	15
5.4.1.1 Test purpose	15
5.4.1.2 Test configuration	15
5.4.1.3 Test procedure.....	16
5.4.1.4 Expected results	16
5.4.2 Test case #F3.2: Software upgrade in SFU.....	16
5.4.2.1 Test purpose	16
5.4.2.2 Test configuration	16
5.4.2.3 Test procedure.....	17
5.4.2.4 Expected results	17
5.4.3 Test case #F3.3: Remote reboot MFU	17
5.4.3.1 Test purpose	17

5.4.3.2	Test configuration	17
5.4.3.3	Test procedure.....	17
5.4.3.4	Expected results	18
5.5	Security function test cases	18
5.5.1	Test case #F4.1: Security functions on AES encryption.....	18
5.5.1.1	Test purpose	18
5.5.1.2	Test configuration	18
5.5.1.3	Test procedure.....	18
5.5.1.4	Expected results	18
5.5.2	Test case #F4.2: Security functions on SM4 encryption (optional).....	19
5.5.2.1	Test purpose	19
5.5.2.2	Test configuration	19
5.5.2.3	Test procedure.....	19
5.5.2.4	Expected results	19
6	Performance Test cases	19
6.1	Optical link performance test cases	19
6.1.1	Test case #P1.1: Mean signal transfer delay	19
6.1.1.1	Test purpose	19
6.1.1.2	Test configuration	19
6.1.1.3	Test procedure.....	20
6.1.1.4	Expected results	20
6.1.2	Test case #P1.2: Maximum number of connected SFUs	20
6.1.2.1	Test purpose	20
6.1.2.2	Test configuration	20
6.1.2.3	Test procedure.....	20
6.1.2.4	Expected results	21
6.1.3	Test case #P1.3: Maximum differential fibre length.....	21
6.1.3.1	Test purpose	21
6.1.3.2	Test configuration	21
6.1.3.3	Test procedure.....	21
6.1.3.4	Expected results	22
6.1.4	Test case #P1.4: Optical link budget.....	22
6.1.4.1	Test purpose	22
6.1.4.2	Test method.....	22
6.1.4.3	Test configuration	22
6.1.4.4	Test procedure.....	23
6.1.4.5	Expected results	23
6.1.5	Test case #P1.5: Optical interface parameters of downstream direction.....	24
6.1.5.1	Test purpose	24
6.1.5.2	Test configuration	24
6.1.5.3	Test procedure.....	25
6.1.5.4	Expected results	25
6.1.6	Test case #P1.6: Optical interface parameters of upstream direction	25
6.1.6.1	Test purpose	25
6.1.6.2	Test configuration	25
6.1.6.3	Test procedure.....	26
6.1.6.4	Expected results	27
6.2	WLAN performance test cases	27
6.2.1	Common test configuration of WLAN performance	27
6.2.2	Test case #P2.1: Self-recovery capability: Powering off the SFU in FTTR	27
6.2.2.1	Test Purpose	27
6.2.2.2	Test Method	28
6.2.2.3	Test Configuration	28
6.2.2.4	Test Procedure.....	28
6.2.2.5	Expected Result.....	28
6.2.3	Test case #P2.2: Self-recovery capability: Disconnection between the MFU and SFU in FTTR.....	28
6.2.3.1	Test Purpose	28
6.2.3.2	Test Method	28
6.2.3.3	Test Configuration	29
6.2.3.4	Test Procedure.....	29
6.2.3.5	Expected Result.....	29

6.2.4	Test case #P2.3: Handover delay between the MFU and SFU	29
6.2.4.1	Test Purpose	29
6.2.4.2	Test Method	29
6.2.4.3	Test Configuration	29
6.2.4.4	Test Procedure.....	30
6.2.4.5	Expected Result.....	30
6.2.5	Test case #P2.4: Handover delay between SFUs in FTTR	31
6.2.5.1	Test Purpose	31
6.2.5.2	Test Method	31
6.2.5.3	Test Configuration	31
6.2.5.4	Test Procedure.....	31
6.2.5.5	Expected Result.....	32
6.2.6	Test case #P2.5: Handover Throughput.....	32
6.2.6.1	Test Purpose	32
6.2.6.2	Test Method	32
6.2.6.3	Test Configuration	32
6.2.6.4	Test Procedure.....	32
6.2.6.5	Expected Result.....	32
6.2.7	Test case #P2.6: Concurrent throughput: close-range and far-range WLAN terminals.....	33
6.2.7.1	Test Purpose	33
6.2.7.2	Test Method	33
6.2.7.3	Test Configuration	33
6.2.7.4	Test Procedure.....	34
6.2.7.5	Expected Result.....	34
6.2.8	Test case #P2.7: Concurrent throughput: close-range WLAN terminals	34
6.2.8.1	Test Purpose	34
6.2.8.2	Test Method	34
6.2.8.3	Test Configuration	35
6.2.8.4	Test Procedure.....	36
6.2.8.5	Expected Result.....	36
6.2.9	Test case #P2.8: Concurrent throughput: multiple WLAN terminals in the interference scenario	37
6.2.9.1	Test Purpose	37
6.2.9.2	Test Method	37
6.2.9.3	Test Configuration	37
6.2.9.4	Test Procedure.....	38
6.2.9.5	Expected Result.....	39
6.2.10	Test case #P2.9: Multiple concurrent WLAN terminals in FTTR	39
6.2.10.1	Test Purpose	39
6.2.10.2	Test Method	39
6.2.10.3	Test Configuration	39
6.2.10.4	Test Procedure.....	40
6.2.10.5	Expected Result.....	40
6.2.11	Test case #P2.10: TCP service latency for concurrent multiple WLAN terminals.....	40
6.2.11.1	Test Purpose	40
6.2.11.2	Test Method	40
6.2.11.3	Test Configuration	41
6.2.11.4	Test Procedure.....	41
6.2.11.5	Expected Result.....	41
6.2.12	Test case #P2.11: UDP service latency for concurrent multiple WLAN terminals	42
6.2.12.1	Test Purpose	42
6.2.12.2	Test Configuration	42
6.2.12.3	Test Procedure.....	42
6.2.12.4	Expected Result.....	43
6.2.13	Test case #P2.12: TCP service latency for concurrent multiple WLAN terminals in the interference scenario	43
6.2.13.1	Test Purpose	43
6.2.13.2	Test Configuration	43
6.2.13.3	Test Procedure.....	44
6.2.13.4	Expected Result.....	44
6.2.14	Test case #P2.13: UDP service latency for concurrent multiple WLAN terminals in the interference scenario.....	45
6.2.14.1	Test Purpose	45

6.2.14.2	Test Method	45
6.2.14.3	Test Configuration	45
6.2.14.4	Test Procedure.....	45
6.2.14.5	Expected Result.....	45
6.2.15	Test case #P2.14: Joint TCP latency and throughput.....	46
6.2.15.1	Test Purpose	46
6.2.15.2	Test Method	46
6.2.15.3	Test Configuration	46
6.2.15.4	Test Procedure.....	47
6.2.15.5	Expected Result.....	47
History		48

i T h S t a n d a r d s

(h t t p s : / / s t a n d a r d s . i t

D o c u m e n t i e P w r

E T S I G S 0 2 9 V 1 . 1 . 1 (2 0 2 5 - 0 8)

h t t p s : / / s t a n d a r d s . i t e h . a i / f c 5 a 0 t 3 a 2 l 5 o c g // e s t t s a i n - d g
0 8