

# ETSI GS MEC 048 V3.2.1 (2025-08)



GROUP SPECIFICATION

## Multi-access Edge Computing (MEC); Enablement API for Customer Self-Service

(<https://standards.iteh.ai>)

Document Preview

[ETSI GS MEC 048 V3.2.1 \(2025-08\)](https://standards.iteh.ai/catalog/standards/etsi/2a500a30-5959-4710-a995-9f2e467df40a/etsi-gs-mec-048-v3-2-1-2025-08)

<https://standards.iteh.ai/catalog/standards/etsi/2a500a30-5959-4710-a995-9f2e467df40a/etsi-gs-mec-048-v3-2-1-2025-08>

### *Disclaimer*

The present document has been produced and approved by the Multi-access Edge Computing (MEC) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG. It does not necessarily represent the views of the entire ETSI membership.

---

**Reference**

RGS/MEC-0048v321SelfServEnabl

---

**Keywords**

API, MEC

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

The present document can be downloaded from the  
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.  
All rights reserved.

# Contents

Intellectual Property Rights .....	6
Foreword.....	6
Modal verbs terminology.....	6
1 Scope .....	7
2 References .....	7
2.1 Normative references .....	7
2.2 Informative references.....	7
3 Definition of terms, symbols and abbreviations.....	8
3.1 Terms.....	8
3.2 Symbols.....	8
3.3 Abbreviations .....	8
4 Overview .....	8
5 Description of the services (informative).....	8
5.1 Introduction .....	8
5.2 Sequence diagrams .....	9
5.2.1 General.....	9
5.2.2 Tenant management.....	9
5.2.2.1 Introduction.....	9
5.2.2.2 Tenant resource creation .....	9
5.2.2.3 Tenant resource deletion .....	10
5.2.2.4 Tenant resource update .....	10
5.2.2.5 Tenant resource query .....	10
5.2.3 Computing resource management.....	11
5.2.3.1 Introduction.....	11
5.2.3.2 Computing resource request (per-tenant) .....	12
5.2.3.3 Computing resource request update (per-tenant) .....	12
5.2.3.4 Computing resource quota query (per tenant) .....	13
5.2.4 REST based subscribe-notify model.....	14
5.2.4.1 Subscribing to CSE event notifications.....	14
5.2.4.2 Receiving notification on expiry of CSE event subscription .....	14
5.2.4.3 Updating subscription for CSE event notifications .....	15
5.2.4.4 Unsubscribing from CSE event notifications .....	15
5.2.5 Receiving CSE event notifications about resource usage in a MEC system.....	16
5.2.6 Receiving CSE event notifications about resource usage in edge sites.....	16
6 Data model .....	17
6.1 Introduction .....	17
6.2 Resource data types .....	17
6.2.1 Overview .....	17
6.2.2 Type: TenantInfo .....	17
6.2.3 Type: ResourceQuotaInfo.....	18
6.2.4 Type: SiteResourceQuotaInfo.....	18
6.3 Subscription data types.....	19
6.3.1 Introduction.....	19
6.3.2 Type: ResourceUsageSubscription .....	19
6.3.3 Type: SiteResourceUsageSubscription .....	19
6.3.4 Type: SubscriptionLinkList .....	20
6.4 Notifications data types .....	21
6.4.1 Introduction.....	21
6.4.2 Type: ResourceUsageNotification .....	21
6.4.3 Type: SiteResourceUsageNotification.....	21
6.5 Referenced structured data types.....	22
6.5.1 Introduction.....	22
6.5.2 Type: SiteInfo .....	22

6.5.3	Type: ResourceInfo.....	23
6.5.4	Type: WebsockNotifConfig.....	23
6.5.5	Type: SiteId .....	23
6.5.6	Type: LinkType .....	23
7	API definitions .....	24
7.1	Introduction .....	24
7.2	Global definitions and resource structure .....	24
7.3	Resource: a list of tenants.....	25
7.3.1	Description.....	25
7.3.2	Resource definition .....	25
7.3.3	Resource methods .....	25
7.3.3.1	GET.....	25
7.3.3.2	PUT .....	26
7.3.3.3	PATCH .....	26
7.3.3.4	POST.....	26
7.3.3.5	DELETE .....	27
7.4	Resource: individual tenant .....	27
7.4.1	Description.....	27
7.4.2	Resource definition .....	27
7.4.3	Resource methods .....	27
7.4.3.1	GET.....	27
7.4.3.2	PUT .....	28
7.4.3.3	PATCH .....	29
7.4.3.4	POST.....	29
7.4.3.5	DELETE .....	29
7.5	Resource: per system resource quota.....	30
7.5.1	Description.....	30
7.5.2	Resource definition .....	30
7.5.3	Resource methods .....	30
7.5.3.1	GET.....	30
7.5.3.2	PUT .....	31
7.5.3.3	PATCH .....	32
7.5.3.4	POST.....	32
7.5.3.5	DELETE .....	33
7.6	Resource: a list of per site resource quota.....	33
7.6.1	Description.....	33
7.6.2	Resource definition .....	33
7.6.3	Resource methods .....	33
7.6.3.1	GET .....	33
7.6.3.2	PUT .....	34
7.6.3.3	PATCH .....	34
7.6.3.4	POST.....	34
7.6.3.5	DELETE .....	35
7.7	Resource: individual per site resource quota .....	35
7.7.1	Description.....	35
7.7.2	Resource definition .....	35
7.7.3	Resource methods .....	35
7.7.3.1	GET .....	35
7.7.3.2	PUT .....	36
7.7.3.3	PATCH .....	37
7.7.3.4	POST.....	37
7.7.3.5	DELETE .....	37
7.8	Resource: subscriptions .....	37
7.8.1	Description.....	37
7.8.2	Resource definition .....	37
7.8.3	Resource methods .....	38
7.8.3.1	GET .....	38
7.8.3.2	PUT .....	39
7.8.3.3	PATCH .....	39
7.8.3.4	POST.....	39
7.8.3.5	DELETE .....	40

7.9	Resource: existing subscription.....	40
7.9.1	Description.....	40
7.9.2	Resource definition.....	40
7.9.3	Resource methods.....	40
7.9.3.1	GET.....	40
7.9.3.2	PUT.....	41
7.9.3.3	PATCH.....	43
7.9.3.4	POST.....	43
7.9.3.5	DELETE.....	43
8	OpenAPI definitions (informative).....	44
8.1	Introduction.....	44
8.2	Definition and operation on Resources.....	44
<b>Annex A (informative): Complementary material for API utilization.....</b>		<b>60</b>
<b>Annex B (informative): Change History.....</b>		<b>61</b>
History.....		62

i T h S t a n d a r d s  
( h t t p s : / / s t a n d a r d s . i t  
D o c u m e n t i e P w r

E T S I G S 3 M 2 E . C I ( 4 8 2 5 - 0 8 )

h t t p s : / / s t a n d a r d s . i t e h . a i / c a t a l o g / s t a n d

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

## Foreword

This Group Specification (GS) has been produced by ETSI Industry Specification Group (ISG) Multi-access Edge Computing (MEC).

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

# 1 Scope

The present document specifies the enablement APIs produced by MEO over Mm1 reference point to support customer self-service portal. This includes the related aspects on tenant management, per tenant application management, per tenant resource management, basic monitoring per tenant, per tenant accounting capabilities. It describes the information flows, required information, and specifies the necessary operations, data models and API definitions with example codes.

---

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found in the [ETSI docbox](#).

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long-term validity.

The following referenced documents are necessary for the application of the present document.

- [1] [ETSI GS MEC 009](#): "Multi-access Edge Computing (MEC); General principles, patterns and common aspects of MEC Service APIs".

### 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long-term validity.

The following referenced documents may be useful in implementing an ETSI deliverable or add to the reader's understanding, but are not required for conformance to the present document.

- [i.1] ETSI GR MEC 001: "Multi-access Edge Computing (MEC); Terminology".
- [i.2] [IETF RFC 4122](#): "A Universally Unique Identifier (UUID) URN Namespace".
- [i.3] OpenAPI™ Specification.
- [i.4] [IETF RFC 7807](#): "Problem Details for HTTP APIs".
- [i.5] [IETF RFC 3986](#): "Uniform Resource Identifier (URI): Generic Syntax".