



**Network Functions Virtualisation (NFV) Release 5;  
Protocols and Data Models;  
Profiling specification of protocol and  
data model solutions for  
OS Container management and orchestration**

[ETSI GS NFV-SOL 018 V5.2.1 \(2025-05\)](https://standards.iteh.ai/catalog/standards/etsi/83db7937-67cd-412d-9283-d3a5a4157809/etsi-gs-nfv-sol-018-v5-2-1-2025-05)

<https://standards.iteh.ai/catalog/standards/etsi/83db7937-67cd-412d-9283-d3a5a4157809/etsi-gs-nfv-sol-018-v5-2-1-2025-05>

---

***Disclaimer***

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG.  
It does not necessarily represent the views of the entire ETSI membership.

---

**Reference**

RGS/NFV-SOL018ed521

---

**Keywords**container, data models, NFV, orchestration,  
protocol, service, virtualisation

---

**ETSI**650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

The present document can be downloaded from the  
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.  
All rights reserved.

# Contents

Intellectual Property Rights .....	7
Foreword.....	7
Modal verbs terminology.....	7
1 Scope .....	8
2 References .....	8
2.1 Normative references .....	8
2.2 Informative references.....	9
3 Definition of terms, symbols and abbreviations.....	9
3.1 Terms.....	9
3.2 Symbols.....	10
3.3 Abbreviations .....	10
4 Overview of protocols and data models for OS Container management and orchestration.....	10
4.1 Summary of ETSI GS NFV-IFA 040 and ETSI GS NFV-IFA 036 .....	10
4.2 Profiled protocol and data model solutions .....	11
4.2.1 Kubernetes® API.....	11
4.2.1.1 Introduction .....	11
4.2.1.2 API structure .....	11
4.2.1.3 Data model concepts .....	12
4.2.2 Helm™ CLI.....	12
4.2.2.1 Introduction.....	12
4.2.2.2 CLI structure .....	12
4.2.2.3 Data model concepts .....	13
4.2.2.3.1 Helm™ chart file structure .....	13
4.2.2.3.2 Helm™ release objects.....	13
4.2.3 OCI™ Distribution Specification API.....	13
4.2.3.1 Introduction.....	13
4.2.3.2 API structure .....	14
5 NFV object model mapping to profiled solution objects .....	14
5.1 Managed Container Infrastructure Objects.....	14
5.1.1 Compute MCIOs.....	14
5.1.2 Storage MCIOs .....	15
5.1.3 Network MCIOs .....	15
5.1.4 MCIO configurations.....	16
5.1.5 MCIO policies .....	16
5.2 Managed Container Infrastructure Object Packages .....	17
5.3 Namespace .....	17
5.4 Namespace quota.....	17
5.5 OS container image .....	17
5.6 Managed CIS Cluster Objects .....	17
5.7 CIS Instance .....	18
6 Input/Output parameter mapping between NFV data model and profiled solution data models .....	18
6.1 Introduction .....	18
6.2 Input parameters to CISM APIs .....	19
6.2.1 Framework.....	19
6.2.1.1 Introduction.....	19
6.2.1.2 Mapping to NFV data models .....	20
6.2.1.3 Conveying parameters.....	20
6.2.2 Workloads.....	20
6.2.2.1 Mapping to NFV data models .....	20
6.2.3 Discovery and Loadbalancing.....	26
6.2.3.1 Mapping to NFV data models .....	26
6.2.4 Configuration & Storage.....	30
6.2.4.1 Mapping to NFV data models .....	30

6.3	Output parameters from CISM APIs .....	35
6.3.1	Framework .....	35
6.3.1.1	Introduction .....	35
6.3.1.2	Mapping to NFV data models .....	35
6.3.2	Workload .....	35
6.3.2.1	Mapping to NFV data models .....	35
6.3.3	Discovery and Loadbalancing .....	39
6.3.3.1	Mapping to NFV data models .....	39
6.3.4	Configuration & Storage .....	41
6.3.4.1	Mapping to NFV data models .....	41
7	OS container workload management service interface .....	42
7.1	Description .....	42
7.2	CLI version .....	43
7.3	Sequence diagrams (informative) .....	43
7.3.1	Flow of instantiating a containerized workload based on a MCIOP .....	43
7.3.2	Flow of modifying a containerized workload based on a MCIOP via upgrade .....	43
7.3.3	Flow of modifying a containerized workload based on a MCIOP via rollback .....	44
7.3.4	Flow of terminating a containerized workload based on a MCIOP .....	45
7.3.5	Flow of querying information about a containerized workload based on a MCIOP .....	45
7.4	Operations .....	46
7.4.1	Introduction .....	46
7.4.2	Operation: Helm™ install .....	46
7.4.3	Operation: Helm™ upgrade .....	46
7.4.4	Operation: Helm™ rollback .....	47
7.4.5	Operation: Helm™ uninstall .....	47
7.4.6	Operation: Helm™ status .....	47
7.5	Data model .....	48
7.6	Additional feature profiling .....	48
8	OS container compute management service interface .....	48
8.1	Description .....	48
8.2	API version .....	49
8.3	Resource structure and methods .....	49
8.4	Sequence diagrams (informative) .....	53
8.4.1	Introduction .....	53
8.4.2	Flow of creating a Compute MCIO .....	53
8.4.3	Flow of modifying a Compute MCIO .....	53
8.4.4	Flow of replacing a Compute MCIO .....	54
8.4.5	Flow of deleting a Compute MCIO .....	55
8.4.6	Flow of listing/getting Compute MCIO information .....	55
8.5	Resources .....	56
8.5.1	Introduction .....	56
8.5.2	Resource: Pod .....	56
8.5.3	Resource: DaemonSet .....	57
8.5.4	Resource: Deployment .....	57
8.5.5	Resource: ReplicaSet .....	58
8.5.6	Resource: StatefulSet .....	58
8.5.7	Resource: CronJob .....	59
8.5.8	Resource: Job .....	59
8.6	Data model .....	60
8.7	Additional feature profiling .....	60
9	OS container storage management service interface .....	60
9.1	Description .....	60
9.2	API version .....	61
9.3	Resource structure and methods .....	61
9.4	Sequence diagrams (informative) .....	62
9.5	Resources .....	62
9.5.1	Introduction .....	62
9.5.2	Resource: PersistentVolumeClaim .....	62
9.6	Data model .....	63
9.7	Additional feature profiling .....	63

10	OS container network management service interface .....	63
10.1	Description .....	63
10.2	API version.....	64
10.3	Resource structure and methods.....	64
10.4	Sequence diagrams (informative).....	66
10.5	Resources .....	66
10.5.1	Introduction.....	66
10.5.2	Resource: Endpoints .....	66
10.5.3	Resource: Service .....	67
10.5.4	Resource: EndpointSlice.....	67
10.5.5	Resource: Ingress.....	68
10.6	Data model .....	68
10.7	Additional feature profiling.....	68
11	OS container configuration management service interface.....	69
11.1	Description .....	69
11.2	API version.....	70
11.3	Resource structure and methods.....	70
11.4	Sequence diagrams (informative).....	73
11.5	Resources .....	74
11.5.1	Introduction.....	74
11.5.2	Resource: ConfigMap.....	74
11.5.3	Resource: Secret .....	74
11.5.4	Resource: CustomResourceDefinition.....	75
11.5.5	Resource: PodDisruptionBudget.....	75
11.5.6	Resource: NetworkPolicy .....	76
11.5.7	Resource: Namespace .....	77
11.5.8	Resource: NamespaceQuota .....	77
11.6	Data model .....	77
11.7	Additional feature profiling.....	78
12	OS container image management service interface.....	78
12.1	Description .....	78
12.2	API version.....	78
12.3	Resource structure and methods.....	78
12.4	Sequence diagrams (informative).....	80
12.4.1	Flow of pushing OS container image constituent blob .....	80
12.4.2	Flow of pushing OS container image constituent manifest.....	82
12.4.3	Flow of deleting OS container image constituent blob .....	83
12.4.4	Flow of deleting OS container image constituent manifest .....	83
12.4.5	Flow of deleting OS container image tag.....	84
12.4.6	Flow of discovering OS container images .....	84
12.5	Resources .....	85
12.5.1	Introduction.....	85
12.5.2	Resource: Blob.....	85
12.5.3	Resource: Manifest .....	86
12.5.4	Resource: OS container image tag.....	86
12.6	Data model .....	87
12.7	Additional feature profiling.....	87
13	CIS MCCO management service interface .....	87
13.1	Description .....	87
13.2	API version.....	87
13.3	Resource structure and methods.....	88
13.4	Sequence diagrams (informative).....	89
13.4.1	Introduction.....	89
13.4.2	Flow of creating an MCCO .....	90
13.4.3	Flow of modifying an MCCO.....	90
13.4.4	Flow of replacing an MCCO.....	91
13.4.5	Flow of deleting an MCCO .....	91
13.4.6	Flow of listing/querying an MCCO information .....	92
13.5	Resources .....	93
13.5.1	Introduction.....	93

13.5.2	Resource: DaemonSet.....	93
13.5.3	Resource: CustomResourceDefinition.....	94
13.5.4	Resource: PersistentVolume .....	94
13.6	Data model .....	95
13.7	Additional feature profiling.....	95
14	<b>CIS Instance management service interface.....</b>	<b>95</b>
14.1	Description .....	95
14.2	API version.....	96
14.3	Resource structure and methods.....	96
14.4	Sequence diagrams (informative).....	96
14.4.1	Introduction.....	96
14.4.2	Flow of creating a CIS Instance.....	97
14.4.3	Flow of modifying a CIS Instance.....	97
14.4.4	Flow of replacing a CIS Instance.....	98
14.4.5	Flow of deleting a CIS Instance.....	98
14.4.6	Flow of listing/querying an CIS Instance information.....	99
14.5	Resources .....	100
14.5.1	Introduction.....	100
14.5.2	Resource: Node.....	100
14.6	Data model .....	100
14.7	Additional feature profiling.....	101
<b>Annex A (informative): Integration of the profiled solutions into the NFV-MANO framework..</b>		<b>102</b>
A.1	Concepts and evaluation.....	102
A.1.1	Releases of ETSI NFV own defined protocol and data modeling.....	102
A.1.2	Releases of referenced open source solutions .....	102
A.1.3	Versioning correlation between referenced open source solutions, the present document and other NFV-MANO specifications.....	103
<b>Annex B (informative): Mapping between NFV-MANO and Kubernetes® .....</b>		<b>104</b>
B.1	Overview .....	104
B.2	Detail explanation on Input parameter mapping .....	104
B.2.1	Images .....	104
B.2.2	Affinity and anti-affinity .....	104
B.3	Detail explanation on Output parameter mapping.....	105
B.3.1	Pod name .....	105
<b>Annex C (informative): Change history .....</b>		<b>108</b>
History .....		112

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

## Foreword

This Group Specification (GS) has been produced by ETSI Industry Specification Group (ISG) Network Functions Virtualisation (NFV).

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.