



**Open Radio equipment Interface (ORI);  
ORI Interface Specification;  
Part 1: Low Layers  
(Release 1)**

*(https://standards.iteh.ai)*  
*Document Preview*

[ETSI GS ORI 002-1 V1.2.1 \(2012-08\)](https://standards.iteh.ai/catalog/standards/etsi/c0ad9e66-0c12-453e-a7fc-70a0c2ddd0d8/etsi-gs-ori-002-1-v1-2-1-2012-08)

<https://standards.iteh.ai/catalog/standards/etsi/c0ad9e66-0c12-453e-a7fc-70a0c2ddd0d8/etsi-gs-ori-002-1-v1-2-1-2012-08>

---

***Disclaimer***

This document has been produced and approved by the Open Radio equipment Interface (ORI) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG.  
It does not necessarily represent the views of the entire ETSI membership.

---

**Reference**

RGS/ORI-0005

---

**Keywords**

E-UTRA, interface, radio, UTRA

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

<https://standards.iteh.ai>  
Document Preview

---

**Important notice**

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

[http://portal.etsi.org/chaicor/ETSI\\_support.asp](http://portal.etsi.org/chaicor/ETSI_support.asp)

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2012.  
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
3GPP™ and LTE™ are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.  
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Contents

Intellectual Property Rights .....	4
Foreword.....	4
1 Scope .....	5
2 References .....	5
2.1 Normative references .....	5
2.2 Informative references.....	6
3 Definitions, symbols and abbreviations .....	6
3.1 Definitions.....	6
3.2 Symbols.....	6
3.3 Abbreviations .....	7
4 ORI Low Layers specification compliance .....	7
5 Layer 1 configuration .....	7
5.1 General .....	7
5.2 Optical interface .....	8
5.3 Electrical interface.....	8
6 Control plane.....	9
6.1 Mapping to CPRI protocol structure .....	9
6.2 C&M resource allocation .....	9
6.3 ORI reserved area.....	10
6.3.1 PORT_ID.....	10
6.3.2 UTRA RTWP measurement report.....	11
6.4 ORI low layer reset.....	12
6.5 Data link layer for Fast C&M channel .....	12
7 User plane.....	12
7.1 Mapping and format of IQ data.....	12
7.1.1 E-UTRA.....	13
7.1.2 UTRA-FDD .....	13
7.1.3 E-UTRA and UTRA-FDD combined .....	14
8 ORI start-up sequence .....	14
8.1 General .....	14
8.2 Optical interface .....	14
8.3 CPRI Transition 6 in ORI.....	15
8.4 Layer 1 start-up timer value .....	15
8.5 CPRI State B duration in ORI.....	15
<b>Annex A (informative): Example for topology detection based on PORT_ID.....</b>	<b>16</b>
History .....	17