

Terrestrial Trunked Radio (TETRA); User Requirement Specification TETRA Release 2.1; Part 9: Peripheral Equipment Interface

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI TR 102 021-9 V1.2.1 \(2010-12\)](https://standards.iteh.ai/catalog/standards/etsi/b9a053e9-9c54-4459-acb5-ed975213c6f4/etsi-tr-102-021-9-v1-2-1-2010-12)

<https://standards.iteh.ai/catalog/standards/etsi/b9a053e9-9c54-4459-acb5-ed975213c6f4/etsi-tr-102-021-9-v1-2-1-2010-12>



Reference

RTR/TETRA-01200

Keywords

MS, radio, TETRA, user

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	6
Foreword.....	6
Introduction	6
Background	7
Need for a Physical Link Update	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references.....	8
3 Definitions and abbreviations.....	10
3.1 Definitions	10
3.2 Abbreviations	10
4 Background	11
4.1 Support of High Data Rates.....	11
4.2 Data Reliability	11
4.3 Power Efficiency	11
4.4 Robustness.....	12
4.5 Ease-of-Use	12
4.6 Widely Adopted in the Information Technology World and Compatibility with Other Data Systems.....	12
4.7 Security	12
5 Wired Solutions - Background	12
5.1 Firewire	12
5.1.1 Technical Specification and Architecture	12
5.1.2 Power Supply.....	12
5.1.3 Versions and Data Rates	13
5.1.3.1 Firewire 400	13
5.1.3.2 Firewire-800.....	13
5.2 USB	13
5.2.1 Technical Specification and Architecture	13
5.2.2 Power Supply.....	14
5.2.2.1 Versions and Data Rates	14
5.2.2.1.1 USB 1.0/1.1	14
5.2.2.1.2 USB 2.0	14
5.2.3 USB Backward Compatibility	14
5.3 USB on the Go	15
5.3.1 Why USB OTG.....	15
5.3.2 Power Supply.....	15
5.3.3 USB Data Transfer Modes, Connection Configurations.....	16
5.3.3.1 Control transfers.....	16
5.3.3.2 Interrupt transfers.....	16
5.3.3.3 Isochronous transfers	16
5.4 TIA/EIA-485	16
5.4.1 Technical Specification and Architecture	16
5.4.2 Power Supply.....	17
5.5 Comparisons between Wired Solutions.....	17
5.5.1 Support of High Data Rates	17
5.5.2 Data Reliability	17
5.5.3 Power Efficiency	18
5.5.4 Robustness	18
5.5.5 Ease-of-Use.....	19
5.5.6 Widely Adopted in the Information Technology World and Compatibility with Other Data Systems	19
5.5.7 Data overhead	20

6	Wireless Solutions - Background	20
6.1	Wireless USB	20
6.1.1	Certified Wireless USB (CWUSB).....	20
6.1.2	CWUSB Technical Specification and Architecture	20
6.1.3	Versions and Data Rates	20
6.1.4	UWB Noise.....	20
6.2	Bluetooth®	20
6.2.1	Technical Specification and Features	21
6.2.2	Versions, Features and Data Rates.....	21
6.3	Infrared Data Association.....	21
6.3.1	Technical Specification and Features	22
6.3.2	Versions, Features and Data Rates.....	22
6.4	Comparisons between Wireless Solutions.....	22
6.4.1	Support of High Data Rates	22
6.4.2	Data Reliability	23
6.4.3	Power Efficiency	23
6.4.4	Robustness	23
6.4.5	Ease-of-Use.....	23
6.4.6	Widely Adopted in the Information Technology World and Compatibility with Other Data Systems	24
6.4.7	Security.....	24
7	Background Conclusions.....	26
7.1	Comparison of technologies	26
7.1.1	Summary of table 7.1.....	26
7.1.2	Summary of table 7.2.....	27
8	User Requirements for Enhancements of the TETRA Peripheral Equipment Interface standard.....	27
8.1	Introduction	27
8.2	Physical Link.....	27
8.2.1	USB	27
8.2.2	Bluetooth®	28
8.2.3	Wireless USB.....	28
8.3	Multimedia capability.....	28
8.4	QoS negotiation.....	28
8.5	Circuit mode data, SDS, and STATUS messaging.....	28
8.6	Multiple services on PEI	29
8.7	Mobile device charger standard.....	29
8.8	Multiple applications	29
8.9	Embedded systems	29
8.10	Legacy applications support (TETRA and GSM)	29
8.11	Standardized complete support similar by all manufacturers	29
8.12	Interoperable.....	30
8.13	Developing a driver from scratch	30
8.14	Multiple platforms	30
8.15	Ease of application developers	30
8.16	Terminal management.....	30
8.17	Minimum cost	30
8.18	Time to market	30
8.19	Open source driver layers	31
8.20	Freely available drivers	31
8.21	IPR licensing costs - FRAND.....	31
8.22	Resilient to errors on the interface.....	31
8.23	Future upgradeability	31
8.24	Hot-pluggable.....	31
8.25	Easy to test and certify	31
8.26	Low CPU and memory overhead	31
8.27	Battery life concerns.....	32
8.28	Flow control	32
Annex A:	Indicative data throughput rates for example TETRA 2 data applications.....	33
A.1	Data rates.....	34

Annex B:	Comparisons between data format, number of supported devices, maximum data speed and usage of well-known physical links.....	35
History		36

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI TR 102 021-9 V1.2.1 \(2010-12\)](#)

<https://standards.iteh.ai/catalog/standards/etsi/b9a053e9-9c54-4459-acb5-ed975213c6f4/etsi-tr-102-021-9-v1-2-1-2010-12>