



**GEO-Mobile Radio Interface Specifications (Release 3);
Third Generation Satellite Packet Radio Service;
Part 4: Radio interface protocol specifications;
Sub-part 7: Mobile Radio Interface Signalling Layer 3
General Aspects;
GMR-1 3G 24.007**

ETSI GMR-1 3G 24.007 (2012-12)

<https://standards.iteh.ai/catalog/standards/etsi/08e40499-0fc6-4bbc-9500-4ede142d18e5/etsi-ts-101-376-4-7-v3-3-1-2012-12>

Reference

RTS/SES-00328-4-7

Keywords

3G, GMPRS, GMR, GPRS, GSM, GSO,
interface, layer 3, MES, mobile, MSS, radio,
satellite, signalling, S-PCN

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2012.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
Introduction	6
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references	9
3 Definitions and abbreviations.....	9
3.1 Definitions	9
3.2 Abbreviations	10
4 Introduction	10
4.1 General	10
4.2 Applicability of functional blocks	10
4.3 Technique of description	10
4.3.1 Service description.....	10
4.3.2 Abstract service primitives	10
4.3.3 Protocols and peer-to-peer communication	10
4.3.4 Contents of layer 3 related Technical Specifications	10
5 Structure of layer 3 functions	10
5.1 Basic groups of functions	10
5.2 Protocol architecture.....	11
6 Services provided by signalling layer 3 at the MS side.....	11
6.1 Registration services.....	12
6.2 Call Control services	12
6.3 Call-independent supplementary services support	12
6.4 Short Message Services support.....	12
6.5 MN-RR state services support.....	12
6.6 Position information support	12
6.7 DTMF digits transmission and reception service	12
6.8 Session Management Services for GMPRS-Services.....	12
6.9 Registration Services for GMPRS-Services	12
6.10 Services provided to SNDCCP entities by GMPRS Logical Link Control services	12
6.11 Dark-beam information support	12
7 Services provided by signalling layer 3 on the Network side	13
7.1 Call Control services	13
7.2 Call-independent supplementary services support	13
7.3 Short Message Services support.....	13
7.4 Services provided to SNDCCP and SMS entities by GMPRS Logical Link Control services	13
7.5 Session Management services for GMPRS-1	13
8 Services assumed from signalling layers 1 and 2	13
9 Interlayer service interfaces on the MES side	13
9.1 Services provided by the Radio Resource management entity	13
9.1.1 Service state diagram	13
9.1.2 Service primitives	13
9.2 Services provided by the Mobility Management entity	13
9.2.1 Service state diagram	14
9.2.2 Service primitives	14
9.3 Services provided by radio resource management entity for GMPRS services	14
9.3.1 Service primitives for GRR-SAP (A/Gb mode only)	14
9.3.2 Service primitives for GMMRR-SAP (A/Gb mode only)	14

9.3.3	Service primitives for RABMAS-SAP (Iu mode only)	14
9.3.4	Service primitives for GMMAS-SAP (Iu mode only)	14
9.4	Services provided by LLC entity for GMPRS services (A/Gb mode only).....	14
9.5	Registration Services provided for GMPRS services	14
9.5.1	Service primitives for GMMSM-SAP	14
9.5.2	Void	14
9.5.3	Service primitives for GMMSMS-SAP	14
9.5.4	Service primitives for PMMSMS-SAP (Iu mode only).....	14
9.5.5	Service primitives for GMMRABM-SAP (Iu mode only).....	15
10	Interlayer service interfaces on the Network side	15
11	Standard layer 3 messages.....	15
11.1	Components of a standard layer 3 message.....	15
11.2	Imperative part of a standard layer 3 message.....	15
11.2.1	Protocol discriminator.....	15
11.2.2	Skip Indicator.....	15
11.2.3	Transaction identifier.....	15
11.2.4	Message type	15
11.2.5	Further information elements of the imperative part	15
11.3	Non-imperative part of a standard layer 3 message.....	15
11.4	Presence requirements of information elements.....	15
11.5	Handling of superfluous information	16
11.5.1	Information elements that are unnecessary in a message.....	16
Annex A (informative):	MN-Services arrow diagram.....	17
Annex B (informative):	Description of CSN.1	18
Annex C (informative):	GPRS-Services sequence diagram.....	19
History		20

ETSI TS 101 376-4-7 V3.3.1 (2012-12)

[https://standards.iteh.ai/catalog/standards/etsi/08e40499-0fc6-4bbc-9500-4ede142d18e5/etsi-ts-101-376-4-7-v3-3-1-2012-](https://standards.iteh.ai/catalog/standards/etsi/08e40499-0fc6-4bbc-9500-4ede142d18e5/etsi-ts-101-376-4-7-v3-3-1-2012-12)