

ETSI TS 101 376-5-2 V3.2.1 (2011-02)

Technical Specification

**GEO-Mobile Radio Interface Specifications (Release 3);
Third Generation Satellite Packet Radio Service;
Part 5: Radio interface physical layer specifications;
Sub-part 2: Multiplexing and Multiple Access;
Stage 2 Service Description;
GMR-1 3G 45.002**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI TS 101 376-5-2 V3.2.1 \(2011-02\)](https://standards.iteh.ai/catalog/standards/etsi/6523d0ea-a4ef-4686-b5c2-c74b1d4b58e5/etsi-ts-101-376-5-2-v3-2-1-2011-02)

<https://standards.iteh.ai/catalog/standards/etsi/6523d0ea-a4ef-4686-b5c2-c74b1d4b58e5/etsi-ts-101-376-5-2-v3-2-1-2011-02>



Reference

RTS/SES-00315-5-2

Keywords

3G, GMPRS, GMR, GPRS, GSM, GSO,
interface, MES, mobile, MSS, MUX, radio,
satellite, S-PCN, TDMA

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM, TIPHONTM, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTETM is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	7
Foreword.....	7
Introduction	8
1 Scope	10
2 References	10
2.1 Normative references	10
2.2 Informative references	11
3 Definitions and abbreviations.....	11
3.1 Definitions	11
3.2 Abbreviations	11
4 General	11
5 Logical channels.....	11
5.1 General	11
5.2 Traffic channels.....	11
5.2.1 General.....	11
5.2.2 Speech traffic channels	12
5.2.3 Data traffic channels	12
5.2.4 Summary of traffic channel characteristics.....	12
5.2.5 Packet Data Traffic CHannels (PDTCH) (A/Gb mode only)	12
5.2.5a Packet Data Traffic CHannels (PDTCH3) (Iu mode only)	13
5.2.6 Packet Mode Dedicated Channels (Iu mode only).....	14
5.3 Control channels.....	15
5.3.1 General.....	15
5.3.2 Broadcast channels	15
5.3.2.1 Frequency Correction CHannel (FCCH).....	15
5.3.2.2 GPS Broadcast control CHannel (GBCH)	15
5.3.2.3 Broadcast Control CHannel (BCCH)	15
5.3.3 Common Control Channel (CCCH).....	15
5.3.4 Dedicated control channels	15
5.3.5 Cell Broadcast CHannel (CBCH)	15
5.3.6 Packet Common Control CHannels (PCCCH)	15
5.3.7 Packet dedicated control channels	16
6 The physical resource.....	16
6.1 General	16
6.2 Radio frequency channels.....	16
6.2.1 Spot beam allocation	16
6.2.2 Downlink and uplink	16
6.3 Timeslots and TDMA frames.....	16
6.3.1 General.....	16
6.3.2 Timeslot number	16
6.3.3 TDMA frame number	16
7 Bursts.....	16
7.1 General	16
7.2 Timing	17
7.2.1 Half-symbol period.....	17
7.2.2 Useful duration	17
7.2.3 Guard period	18
7.3 Multiple unique word patterns in bursts	18
7.4 Types of bursts	18
7.4.1 BACH burst	18
7.4.2 BCCH burst	18

7.4.3	CICH burst.....	18
7.4.4	DC2 burst.....	18
7.4.5	DC6 burst.....	18
7.4.6	DKAB bursts	18
7.4.6.1	KAB3 burst	18
7.4.7	FCCH burst.....	19
7.4.7.1	FCCH3 burst	19
7.4.8	NT3 burst.....	20
7.4.8.1	NT3 burst for encoded speech.....	20
7.4.8.2	NT3 burst for FACCH	20
7.4.9	NT6 burst.....	20
7.4.10	NT9 burst.....	20
7.4.11	RACH burst	20
7.4.11.1	RACH3 burst.....	20
7.4.12	SDCCH burst.....	20
7.4.13	Packet Normal Bursts (PNB).....	21
7.4.13.1	Burst header	25
7.4.13.1.1	Guard bits	25
7.4.13.1.2	Unique Word (UW).....	25
7.4.13.1.3	Public Information (PUI) field.....	26
7.4.13.1.4	Transition symbols	26
7.4.13.2	Encoded PRivate Information (PRI)	26
7.4.13.3	Formats of packet normal burst.....	27
7.4.13.3.1	Void.....	27
7.4.13.3.2	PNB(4,3).....	27
7.4.13.3.3	PNB(5,3).....	27
7.4.13.3.4	PNB(1,6).....	28
7.4.13.3.5	PNB(2,6).....	28
7.4.13.3.6	LDPC coded PNB2(5,12)/Downlink.....	29
7.4.13.3.7	LDPC coded PNB2(5,12)/Uplink.....	30
7.4.13.3.8	LDPC coded PNB2(5,3)/Downlink.....	30
7.4.13.3.9	LDPC coded PNB2(5,3)/Uplink.....	31
7.4.13.3.10	PNB3(5,12)/Uplink	32
7.4.13.3.11	PNB3(5,12)/Downlink.....	32
7.4.13.3.12	PNB3(5,3)/Uplink.....	33
7.4.13.3.13	PNB3(5,3)/Downlink.....	34
7.4.13.3.14	PNB3(10,3) Downlink.....	35
7.4.13.3.15	PNB3(1,3) Burst	36
7.4.13.3.16	PNB3(1,6) burst.....	37
7.4.13.3.17	PNB3(1,8) burst.....	38
7.4.13.3.18	PNB3(2,6).....	39
7.4.14	Packet Access Burst (PAB)	39
7.4.15	Packet Keep-Alive Burst (PKAB)	40
7.4.16	DC12 burst.....	42
8	Logical-physical channel mapping.....	43
8.1	General	43
8.1.1	Frequency-domain description.....	43
8.1.2	Time-domain description.....	43
8.1.2.1	Physical channels	43
8.1.2.2	Logical channels	43
8.2	Physical Channel (PC) types and names	43
8.3	Logical channel parameters.....	43
8.4	Permitted channel configurations	44
8.5	Logical channel frame sequencing concepts	44
8.5.1	Simple frame sequence	44
8.5.1.1	Simple frame sequence subchannels.....	44
8.5.2	Simple paired-frame sequence.....	44
8.5.2.1	Simple paired-frame sequence subchannels.....	44
8.5.3	Configured paired-frame sequence	44
8.5.3.1	CBCH configuration	44
8.5.4	Statistically multiplexed paired-frame sequence	44

8.5.4.1	Pool size	44
8.5.4.2	Statistically multiplexed paired-frame sequence subchannels	44
8.5.4.3	Example using SDCCH.....	45
8.5.5	System information cycle sequencing.....	45
8.5.5.1	Physical-Channel-Relative Timeslot Number (PCRTN)	45
8.5.5.2	System-Information-Relative Frame Number (SIRFN).....	45
8.5.5.3	Graphical representation of system information cycle timeslots.....	45
8.6	Mapping of logical channels to BCCH/CCCH.....	45
8.6.1	Fixed reserved-slot logical channels	45
8.6.1.1	FCCH	45
8.6.1.1a	FCCH3	45
8.6.1.2	CICH	45
8.6.1.3	BCCH.....	45
8.6.2	Optional reserved-slot logical channels	46
8.6.2.1	PCH.....	47
8.6.2.2	BACH (A/Gb mode only)	49
8.6.3	Unreserved-slot logical channels	49
8.7	Mapping of logical channels to normal CCCH	49
8.7a	Mapping of logical channels to SI extended/AGCH/CCCH (Iu mode only)	50
8.8	Mapping in time of packet logical channels onto physical channels.....	51
8.8.1	General.....	51
8.8.2	Mapping of the uplink channels.....	52
8.8.2.1	Mapping of uplink packet traffic channel (PDTCH/U) and PACCH/U.....	52
8.8.2.2	Mapping of the packet timing advance control channel (PTCCH/U) (A/Gb mode only)	52
8.8.2.3	Mapping of the uplink PCCCH, i.e. PRACH (A/Gb mode only)	52
8.8.2.3a	Mapping of the uplink PCCCH, i.e. PRACH3 (Iu mode only).....	53
8.8.3	Mapping of the downlink channels.....	53
8.8.3.1	Mapping of the (PDTCH/D) and PACCH/D	53
8.8.3.2	Mapping of the PTCCH/D (A/Gb mode only).....	53
8.8.3.3	Mapping of the PBCCH	54
8.8.3.4	Mapping of the PCCCH.....	54
8.8.4	Mapping of PBCCH data	54
8.8.5	Permitted combination of packet data channels.....	54
8.9	Multislot configurations	54
8.9.1	Multislot configurations for circuit switched connections	54
8.9.2	Multislot configurations for packet switched connections.....	54
9	Operation of channels.....	55
9.1	PC6d and PC12u pairing	55
9.1a	PC12d and PC12u pairing.....	55
9.2	Bidirectional channel timeslot assignments.....	55
9.3	GBCH.....	55
9.3a	GBCH3.....	55
9.4	DKABs.....	55
9.5	FCCH and CICH	56
9.6	TACCH/2	56
9.7	MES monitoring of paging and alerting groups	56
9.7.1	Determination of assigned CCCH	56
9.7.2	Determination of assigned paging group	56
9.7.3	Determination of alerting group.....	56
9.7.4	Determination of PCCCH_GROUP and PAGING_GROUP for MES in GMPRS attached mode	56
9.8	MES selection of PC12U	56
9.9	SDCCH vs. CBCH	57
9.10	MES monitors paired CCCH for AGCH.....	57
9.11	Additional air interface constraints.....	57
10	BCCH parameters	57
10.1	Types of BCCH parameters.....	57
10.2	Information used to obtain synchronization	57
10.3	Channel meta-information.....	57
10.4	Beam-configurable multichannel information.....	57
10.5	Information specific to one instance of a channel	57

Annex A (normative):	Multislot capability	58
A.1	MES classes for multislot capability	58
A.2	Constraints imposed by the service selected	59
A.3	Network requirements for supporting MES multislot classes	59
Annex B (informative):	Asymmetrical pairing of PDCH/D(2,m) with PDCH/U(1,m).....	60
Annex C (normative):	GMR-1 3G Terminal Types	61
Annex D (informative):	Bibliography	70
History		71

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI TS 101 376-5-2 V3.2.1 \(2011-02\)](#)

<https://standards.iteh.ai/catalog/standards/etsi/6523d0ea-a4ef-4686-b5c2-c74b1d4b58e5/etsi-ts-101-376-5-2-v3-2-1-2011-02>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Satellite Earth Stations and Systems (SES).

The contents of the present document are subject to continuing work within TC-SES and may change following formal TC-SES approval. Should TC-SES modify the contents of the present document it will then be republished by ETSI with an identifying change of release date and an increase in version number as follows:

Version 3.m.n

where:

- the third digit (n) is incremented when editorial only changes have been incorporated in the specification;
- the second digit (m) is incremented for all other types of changes, i.e. technical enhancements, corrections, updates, etc.

The present document is part 5, sub-part 2 of a multi-part deliverable covering the GEO-Mobile Radio Interface Specifications (Release 3); Third Generation Satellite Packet Radio Service, as identified below:

Part 1: "General specifications";

Part 2: "Service specifications";

Part 3: "Network specifications";

Part 4: "Radio interface protocol specifications";

Part 5: "Radio interface physical layer specifications":

Sub-part 1: "Physical Layer on the Radio Path: General Description";

Sub-part 2: "Multiplexing and Multiple Access; Stage 2 Service Description";

Sub-part 3: "Channel Coding";

Sub-part 4: "Modulation";

Sub-part 5: "Radio Transmission and Reception";

Sub-part 6: "Radio Subsystem Link Control";

Sub-part 7: "Radio Subsystem Synchronization";

Part 6: "Speech coding specifications";

Part 7: "Terminal adaptor specifications".