



**GEO-Mobile Radio Interface Specifications (Release 3);
Third Generation Satellite Packet Radio Service;
Part 5: Radio interface physical layer specifications;
Sub-part 2: Multiplexing and Multiple Access;
Stage 2 Service Description;**

ETSI GMR-1 3G 45.002

<https://standards.iteh.ai/catalog/standards/etsi/f435eddb-000b-4888-9e93-5d4e5fa3274a/etsi-ts-101-376-5-2-v3-3-1-2012-12>

Reference

RTS/SES-00328-5-2

Keywords

3G, GMPRS, GMR, GPRS, GSM, GSO,
interface, MES, mobile, MSS, MUX, radio,
satellite, S-PCN, TDMA

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2012.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	7
Foreword.....	7
Introduction	8
1 Scope	10
2 References	10
2.1 Normative references	10
2.2 Informative references.....	11
3 Definitions and abbreviations.....	11
3.1 Definitions.....	11
3.2 Abbreviations	11
4 General	11
5 Logical channels.....	11
5.1 General	11
5.2 Traffic channels.....	11
5.2.1 General.....	11
5.2.2 Speech traffic channels	12
5.2.3 Data traffic channels	12
5.2.4 Summary of traffic channel characteristics.....	12
5.2.5 Packet Data Traffic CHannels (PDTCH) (A/Gb mode only)	12
5.2.5a Packet Data Traffic CHannels (PDTCH3) (Iu mode only)	13
5.2.6 Packet Mode Dedicated Channels (Iu mode only).....	14
5.3 Control channels.....	15
5.3.1 General.....	15
5.3.2 Broadcast channels	15
5.3.2.1 Frequency Correction CHannel (FCCH).....	15
5.3.2.2 GPS Broadcast control CHannel (GBCH)	15
5.3.2.3 Broadcast Control CHannel (BCCH)	15
5.3.3 Common Control Channel (CCCH).....	15
5.3.4 Dedicated control channels.....	15
5.3.5 Cell Broadcast CHannel (CBCH)	15
5.3.6 Packet Common Control CHannels (PCCCH)	16
5.3.7 Packet dedicated control channels	16
6 The physical resource.....	16
6.1 General	16
6.2 Radio frequency channels.....	16
6.2.1 Spot beam allocation.....	16
6.2.2 Downlink and uplink	16
6.3 Timeslots and TDMA frames.....	16
6.3.1 General.....	16
6.3.2 Timeslot number.....	16
6.3.3 TDMA frame number	16
7 Bursts.....	17
7.1 General	17
7.2 Timing	17
7.2.1 Half-symbol period.....	17
7.2.2 Useful duration	17
7.2.3 Guard period	18
7.3 Multiple unique word patterns in bursts	18
7.4 Types of bursts	18
7.4.1 BACH burst	18
7.4.1.1 BACH3 burst.....	18

7.4.2	BCCH burst	19
7.4.3	CICH burst.....	19
7.4.4	DC2 burst.....	19
7.4.5	DC6 burst.....	19
7.4.6	DKAB bursts	19
7.4.6.1	KAB3 burst	19
7.4.7	FCCH burst.....	20
7.4.7.1	FCCH3 burst	20
7.4.8	NT3 burst.....	20
7.4.8.1	NT3 burst for encoded speech.....	21
7.4.8.2	NT3 burst for FACCH	21
7.4.9	NT6 burst.....	21
7.4.10	NT9 burst.....	21
7.4.11	RACH burst	21
7.4.11.1	RACH3 burst.....	21
7.4.12	SDCCH burst.....	21
7.4.13	Packet Normal Bursts (PNB).....	21
7.4.13.1	Burst header	25
7.4.13.1.1	Guard bits	25
7.4.13.1.2	Unique Word (UW).....	25
7.4.13.1.3	Public Information (PUI) field.....	26
7.4.13.1.4	Transition symbols	26
7.4.13.2	Encoded PRivate Information (PRI)	26
7.4.13.3	Formats of packet normal burst.....	27
7.4.13.3.1	Void.....	27
7.4.13.3.2	PNB(4,3).....	27
7.4.13.3.3	PNB(5,3).....	27
7.4.13.3.4	PNB(1,6).....	28
7.4.13.3.5	PNB(2,6).....	28
7.4.13.3.6	LDPC coded PNB2(5,12)/Downlink.....	29
7.4.13.3.7	LDPC coded PNB2(5,12)/Uplink.....	30
7.4.13.3.8	LDPC coded PNB2(5,3)/Downlink.....	30
7.4.13.3.9	LDPC coded PNB2(5,3)/Uplink.....	31
7.4.13.3.10	PNB3(5,12)/Uplink	32
7.4.13.3.11	PNB3(5,12)/Downlink.....	32
7.4.13.3.12	PNB3(5,3)/Uplink	33
7.4.13.3.13	PNB3(5,3)/Downlink.....	34
7.4.13.3.14	PNB3(10,3) Downlink.....	35
7.4.13.3.15	PNB3(1,3) Burst	36
7.4.13.3.16	PNB3(1,6) burst.....	37
7.4.13.3.17	PNB3(1,8) burst.....	38
7.4.13.3.18	PNB3(2,6).....	39
7.4.14	Packet Access Burst (PAB)	40
7.4.15	Packet Keep-Alive Burst (PKAB)	40
7.4.16	DC12 burst.....	42
8	Logical-physical channel mapping.....	43
8.1	General	43
8.1.1	Frequency-domain description.....	43
8.1.2	Time-domain description.....	43
8.1.2.1	Physical channels	43
8.1.2.2	Logical channels	43
8.2	Physical Channel (PC) types and names	43
8.3	Logical channel parameters.....	43
8.4	Permitted channel configurations	44
8.5	Logical channel frame sequencing concepts	44
8.5.1	Simple frame sequence	44
8.5.1.1	Simple frame sequence subchannels.....	44
8.5.2	Simple paired-frame sequence.....	44
8.5.2.1	Simple paired-frame sequence subchannels.....	44
8.5.3	Configured paired-frame sequence (A/Gb mode only).....	44
8.5.3.1	CBCH configuration	44

8.5.3a	CBCCH configuration (Iu mode only)	44
8.5.4	Statistically multiplexed paired-frame sequence (A/Gb mode only)	44
8.5.4.1	Pool size	44
8.5.4.2	Statistically multiplexed paired-frame sequence subchannels	45
8.5.4.3	Example using SDCCH	45
8.5.5	System information cycle sequencing	45
8.5.5.1	Physical-Channel-Relative Timeslot Number (PCRTN)	45
8.5.5.2	System-Information-Relative Frame Number (SIRFN)	45
8.5.5.3	Graphical representation of system information cycle timeslots	45
8.6	Mapping of logical channels to BCCH/CCCH	45
8.6.1	Fixed reserved-slot logical channels	45
8.6.1.1	FCCH	45
8.6.1.1a	FCCH3	45
8.6.1.2	CICH	45
8.6.1.3	BCCH	45
8.6.2	Optional reserved-slot logical channels	46
8.6.2.1	PCH	47
8.6.2.2	BACH	48
8.6.3	Unreserved-slot logical channels	48
8.6.4	Mapping of CBCCH (Iu mode)	48
8.7	Mapping of logical channels to normal CCCH	48
8.7a	Mapping of logical channels to SI extended/AGCH/CCCH (Iu mode only)	49
8.8	Mapping in time of packet logical channels onto physical channels	50
8.8.1	General	50
8.8.2	Mapping of the uplink channels	50
8.8.2.1	Mapping of uplink packet traffic channel (PDTCH/U) and PACCH/U	50
8.8.2.2	Mapping of the packet timing advance control channel (PTCCH/U) (A/Gb mode only)	51
8.8.2.3	Mapping of the uplink PCCCH, i.e. PRACH (A/Gb mode only)	51
8.8.2.3a	Mapping of the uplink PCCCH, i.e. PRACH3 (Iu mode only)	51
8.8.3	Mapping of the downlink channels	52
8.8.3.1	Mapping of the (PDTCH/D) and PACCH/D	52
8.8.3.2	Mapping of the PTCCH/D (A/Gb mode only)	52
8.8.3.3	Mapping of the PBCCH	52
8.8.3.4	Mapping of the PCCCH	52
8.8.4	Mapping of PBCCH data	52
8.8.5	Permitted combination of packet data channels	52
8.9	Multislot configurations	53
8.9.1	Multislot configurations for circuit switched connections	53
8.9.2	Multislot configurations for packet switched connections	53
9	Operation of channels	53
9.1	PC6d and PC12u pairing	53
9.1a	PC12d and PC12u pairing	53
9.2	Bidirectional channel timeslot assignments	54
9.3	GBCH	54
9.3a	GBCH3	54
9.4	DKABs	54
9.5	FCCH and CICH	54
9.6	TACCH/2	54
9.7	MES monitoring of paging and alerting groups	54
9.7.1	Determination of assigned CCCH	54
9.7.2	Determination of assigned paging group	54
9.7.3	Determination of alerting group	55
9.7.4	Determination of PCCCH_GROUP and PAGING_GROUP for MES in GMPRS attached mode	55
9.8	MES selection of PC12U	55
9.9	SDCCH vs. CBCH	55
9.10	MES monitors paired CCCH for AGCH	55
9.11	Additional air interface constraints	55
10	BCCH parameters	55
10.1	Types of BCCH parameters	55
10.2	Information used to obtain synchronization	56

10.3	Channel meta-information.....	56
10.4	Beam-configurable multichannel information.....	56
10.5	Information specific to one instance of a channel	56
Annex A (normative):	Multislot capability	57
A.1	MES classes for multislot capability	57
A.2	Constraints imposed by the service selected	58
A.3	Network requirements for supporting MES multislot classes	58
Annex B (informative):	Asymmetrical pairing of PDCH/D(2,m) with PDCH/U(1,m).....	59
Annex C (normative):	GMR-1 3G Terminal Types	60
Annex D (informative):	Bibliography.....	74
History		75

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI TS 101 376-5-2 V3.3.1 \(2012-12\)](#)

[https://standards.iteh.ai/catalog/standards/etsi/f435eddb-000b-4888-9e93-5d4e5fa3274a/etsi-ts-101-376-5-2-v3-3-1-2012-](https://standards.iteh.ai/catalog/standards/etsi/f435eddb-000b-4888-9e93-5d4e5fa3274a/etsi-ts-101-376-5-2-v3-3-1-2012-12)

12

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Satellite Earth Stations and Systems (SES).

The contents of the present document are subject to continuing work within TC-SES and may change following formal TC-SES approval. Should TC-SES modify the contents of the present document it will then be republished by ETSI with an identifying change of release date and an increase in version number as follows:

Version 3.m.n

where:

- the third digit (n) is incremented when editorial only changes have been incorporated in the specification;
- the second digit (m) is incremented for all other types of changes, i.e. technical enhancements, corrections, updates, etc.

The present document is part 5, sub-part 2 of a multi-part deliverable covering the GEO-Mobile Radio Interface Specifications (Release 3); Third Generation Satellite Packet Radio Service, as identified below:

Part 1: "General specifications";

Part 2: "Service specifications";

Part 3: "Network specifications";

Part 4: "Radio interface protocol specifications";

Part 5: "Radio interface physical layer specifications":

Sub-part 1: "Physical Layer on the Radio Path: General Description";

Sub-part 2: "Multiplexing and Multiple Access; Stage 2 Service Description";

Sub-part 3: "Channel Coding";

Sub-part 4: "Modulation";

Sub-part 5: "Radio Transmission and Reception";

Sub-part 6: "Radio Subsystem Link Control";

Sub-part 7: "Radio Subsystem Synchronization";

Part 6: "Speech coding specifications";

Part 7: "Terminal adaptor specifications".