

# ETSI TS 101 376-5-6 V3.2.1 (2011-02)

---

*Technical Specification*

**GEO-Mobile Radio Interface Specifications (Release 3);  
Third Generation Satellite Packet Radio Service;  
Part 5: Radio interface physical layer specifications;  
Sub-part 6: Radio Subsystem Link Control;  
GMR-1 3G 45.008**

---

iTeh Standards  
(<https://standards.iteh.ai>)  
Document Preview

[ETSI TS 101 376-5-6 V3.2.1 \(2011-02\)](https://standards.iteh.ai/catalog/standards/etsi/5170d8ec-93fc-40d6-97b6-973d3f42468c/etsi-ts-101-376-5-6-v3-2-1-2011-02)

<https://standards.iteh.ai/catalog/standards/etsi/5170d8ec-93fc-40d6-97b6-973d3f42468c/etsi-ts-101-376-5-6-v3-2-1-2011-02>



---

Reference

RTS/SES-00315-5-6

---

Keywords

3G, control, gateway, GMPRS, GMR, GPRS,  
GSM, GSO, interface, MES, mobile, MSC, MSS,  
radio, satellite, S-PCN

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)  
Document Preview

---

**Important notice**

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

[http://portal.etsi.org/chaicor/ETSI\\_support.asp](http://portal.etsi.org/chaicor/ETSI_support.asp)

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.  
All rights reserved.

DECT<sup>TM</sup>, PLUGTESTS<sup>TM</sup>, UMTS<sup>TM</sup>, TIPHON<sup>TM</sup>, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP<sup>TM</sup> is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE<sup>TM</sup> is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Contents

|                                                                                                                 |    |
|-----------------------------------------------------------------------------------------------------------------|----|
| Intellectual Property Rights .....                                                                              | 5  |
| Foreword.....                                                                                                   | 5  |
| Introduction .....                                                                                              | 6  |
| 1 Scope .....                                                                                                   | 8  |
| 2 References .....                                                                                              | 8  |
| 2.1 Normative references .....                                                                                  | 8  |
| 2.2 Informative references.....                                                                                 | 9  |
| 3 Definitions and abbreviations.....                                                                            | 9  |
| 3.1 Definitions.....                                                                                            | 9  |
| 3.2 Abbreviations .....                                                                                         | 11 |
| 4 General .....                                                                                                 | 11 |
| 5 RF power control.....                                                                                         | 11 |
| 6 Radio link failure.....                                                                                       | 11 |
| 7 Idle mode tasks.....                                                                                          | 12 |
| 8 Network prerequisites.....                                                                                    | 12 |
| 8.1 BCCH carriers with FCCH.....                                                                                | 12 |
| 8.2 BCCH carriers with FCCH3.....                                                                               | 12 |
| 9 Aspects of Discontinuous Transmission (DTX).....                                                              | 12 |
| 9.1 Rules of burst transmission (A/Gb mode).....                                                                | 12 |
| 9.2 Rules of burst transmission on a Dedicated CHannel (DCH) (Iu mode).....                                     | 13 |
| 10 Radio link measurements .....                                                                                | 13 |
| 11 Control parameters .....                                                                                     | 13 |
| 12 GMPRS mode tasks .....                                                                                       | 14 |
| 12.1 GMPRS and GMR-1 3G spot beam selection and reselection .....                                               | 14 |
| 12.1.1 BCCH type identification (A/Gb mode only) .....                                                          | 14 |
| 12.1.2 Spot beam selection .....                                                                                | 14 |
| 12.1.3 Spot beam reselection .....                                                                              | 14 |
| 12.2 Idle mode link loss (A/Gb mode only) .....                                                                 | 15 |
| 12.3 Link adaptation.....                                                                                       | 15 |
| 12.3.1 Objective and overall procedure .....                                                                    | 15 |
| 12.3.2 Power control and link adaptation parameters.....                                                        | 15 |
| 12.3.3 PAN, FQI, SQIR, and SQISDR transmission.....                                                             | 16 |
| 12.3.3.1 Terminal Type A, C and D.....                                                                          | 16 |
| 12.3.3.2 Terminal Type E and above .....                                                                        | 16 |
| 12.3.4 PAR transmission .....                                                                                   | 16 |
| 12.3.4.1 Terminal Type A, C, and D.....                                                                         | 16 |
| 12.3.4.2 Terminal Type E and above .....                                                                        | 16 |
| 12.3.5 MES output power .....                                                                                   | 16 |
| 12.3.5.1 Terminal Type A, C, D, E and above.....                                                                | 16 |
| 12.3.5.2 Open-loop power control at a terminal type C MES .....                                                 | 17 |
| 12.3.5.2.1 Signal quality estimation .....                                                                      | 17 |
| 12.3.5.2.2 Open-loop power control procedure .....                                                              | 17 |
| 12.3.6 GS output power.....                                                                                     | 18 |
| 12.3.7 Radio link measurements and accuracy requirements .....                                                  | 18 |
| 12.3.8 Signal Quality Indicator Report (SQIR) and Signal Quality Standard Deviation (SQISDR) transmissions..... | 19 |
| 12.3.8a Forward Quality Indicator (FQI) transmissions.....                                                      | 21 |
| 12.3.9 Code rate adaptation .....                                                                               | 21 |

|                               |                                                             |           |
|-------------------------------|-------------------------------------------------------------|-----------|
| 12.3.9.1                      | Terminal type A .....                                       | 22        |
| 12.3.9.2                      | Terminal type C .....                                       | 22        |
| 12.3.9.3                      | Terminal type D .....                                       | 22        |
| 12.3.9.4                      | Terminal type E and above.....                              | 23        |
| 12.4                          | UT Link Quality Report (UTLQR) handling.....                | 23        |
| 12.5                          | Timing for the power level adjustment.....                  | 23        |
| 13                            | Idle Mode Tasks with FCCH3.....                             | 23        |
| 13.1                          | Introduction .....                                          | 23        |
| 13.2                          | Measurements for stored list spot beam selection .....      | 24        |
| 13.3                          | All LMSS band carrier spot beam search .....                | 24        |
| 13.4                          | Criteria for Spot Beam Selection and Reselection .....      | 25        |
| 13.4.1                        | MES Capabilities and Operating Environment.....             | 25        |
| 13.4.2                        | Position-Based Spot Beam Selection.....                     | 26        |
| 13.4.3                        | Power-Based Spot Beam Selection.....                        | 27        |
| 13.4.3.1                      | Spot Beam BCCH Power Comparison.....                        | 27        |
| 13.4.3.2                      | BCCH Flux Density Criterion (C1) .....                      | 28        |
| 13.5                          | Minimum Signal Strength for Transmission Via the RACH3..... | 29        |
| 13.6                          | Spot beam reselection.....                                  | 29        |
| 13.7                          | BCCH read operation .....                                   | 29        |
| 13.8                          | Abnormal cases and emergency calls .....                    | 29        |
| <b>Annex A (informative):</b> | <b>Pseudocode for power control .....</b>                   | <b>31</b> |
| <b>Annex B (informative):</b> | <b>Per-burst SQI estimation .....</b>                       | <b>32</b> |
| <b>Annex C (informative):</b> | <b>Position determination at the MES .....</b>              | <b>33</b> |
| <b>Annex D (informative):</b> | <b>Bibliography.....</b>                                    | <b>34</b> |
| History .....                 |                                                             | 35        |

## Document Preview

[ETSI TS 101 376-5-6 V3.2.1 \(2011-02\)](https://standards.iteh.ai/catalog/standards/etsi/5170d8ec-93fc-40d6-97b6-973d3f42468c/etsi-ts-101-376-5-6-v3-2-1-2011-02)

<https://standards.iteh.ai/catalog/standards/etsi/5170d8ec-93fc-40d6-97b6-973d3f42468c/etsi-ts-101-376-5-6-v3-2-1-2011-02>

---

# Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Satellite Earth Stations and Systems (SES).

The contents of the present document are subject to continuing work within TC-SES and may change following formal TC-SES approval. Should TC-SES modify the contents of the present document it will then be republished by ETSI with an identifying change of release date and an increase in version number as follows:

Version 3.m.n

where:

- the third digit (n) is incremented when editorial only changes have been incorporated in the specification;
- the second digit (m) is incremented for all other types of changes, i.e. technical enhancements, corrections, updates, etc.

The present document is part 5, sub-part 6 of a multi-part deliverable covering the GEO-Mobile Radio Interface Specifications (Release 3); Third Generation Satellite Packet Radio Service, as identified below:

Part 1: "General specifications";

Part 2: "Service specifications";

Part 3: "Network specifications";

Part 4: "Radio interface protocol specifications";

**Part 5: "Radio interface physical layer specifications":**

Sub-part 1: "Physical Layer on the Radio Path: General Description";

Sub-part 2: "Multiplexing and Multiple Access; Stage 2 Service Description";

Sub-part 3: "Channel Coding";

Sub-part 4: "Modulation";

Sub-part 5: "Radio Transmission and Reception";

**Sub-part 6: "Radio Subsystem Link Control";**

Sub-part 7: "Radio Subsystem Synchronization";

Part 6: "Speech coding specifications";

Part 7: "Terminal adaptor specifications".