

ETSI TS 102 240 V10.1.0 (2011-12)



Smart Cards; UICC Application Programming Interface and Loader Requirements; Service description (Release 10)

[ETSI TS 102 240 V10.1.0 \(2011-12\)](https://standards.iteh.ai/catalog/standards/etsi/fd28a2bc-9bfb-4c35-8dea-73da15747419/etsi-ts-102-240-v10-1-0-2011-12)

<https://standards.iteh.ai/catalog/standards/etsi/fd28a2bc-9bfb-4c35-8dea-73da15747419/etsi-ts-102-240-v10-1-0-2011-12>

Reference

RTS/SCP-R0263va10

Keywords

API, smart card

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
1 Scope	6
2 References	6
2.1 Normative references	6
2.2 Informative references.....	7
3 Definitions and abbreviations.....	7
3.1 Definitions.....	7
3.2 Abbreviations	8
4 Description	8
4.1 Design of UICC based applications using the UICC API	9
4.2 UICC API architecture	10
4.3 UICC file data access	11
4.4 UICC BER-TLV file access	11
5 Card interoperability.....	11
5.1 Loader requirements.....	11
5.2 Application transport.....	12
6 Applet activation	12
6.1 Applet triggering	12
6.2 Applet selection.....	13
7 Applet life cycle management.....	13
7.1 Applet preparation.....	13
7.2 Loading	14
7.2.1 Arbitration.....	14
7.2.2 Transport.....	14
7.2.3 Verification	14
7.2.4 Linking.....	14
7.3 Installation/registration/reactivation	14
7.4 Configuration	14
7.5 Execution.....	15
7.6 Deactivation	15
7.7 Removal	15
8 Security management	15
8.1 Management of applets	15
8.2 Applet certification.....	15
9 API compatibility	15
9.1 Level of compatibility	15
9.2 Compatibility at the interface	15
9.3 Compatibility at the programming interface	16
9.4 Accessibility of the programming interface	16
10 API extensibility.....	16
10.1 Evolution of UICC/terminal interface (TS 102 221).....	16
10.2 Evolution of CAT application toolkit (TS 102 223).....	16
10.3 Interworking with other systems	16
10.4 Evolution of UICC/terminal contactless interface (TS 102 622 and TS 102 613)	16
10.5 HCI low-level support	17
10.5.1 Use case	17
10.5.2 Requirements	17
10.6 Void.....	18
10.7 Void.....	18

10.8 Secure Channel between UICC and terminal18

11 Data and function sharing and access control18

11.1 Sharing resources between applets18

11.2 Access to data18

12 Technology considerations19

12.1 UICC hardware requirements19

12.2 Technology limitations19

12.2.1 Memory recovery19

12.3 Evolution19

12.3.1 Remote Procedure Call (RPC)19

13 Enhanced Runtime Environment19

13.1 Interworking between multiple hardware and logical UICC/terminal interfaces19

13.2 Support for TCP and UDP19

13.3 Support for HTTP20

13.4 Support for Card Application Toolkit (CAT)20

13.5 Secure communication20

13.6 Events20

13.7 Access to the enhanced UICC API framework20

13.8 Inter-application communication20

13.9 Backward compatibility21

Annex A (informative): Change history22

History23

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI TS 102 240 V10.1.0 \(2011-12\)](#)

<https://standards.iteh.ai/catalog/standards/etsi/fd28a2bc-9bfb-4c35-8dea-73da15747419/etsi-ts-102-240-v10-1-0-2011-12>