

ETSI TS 102 240 V11.1.0 (2011-12)



Smart Cards; UICC Application Programming Interface and Loader Requirements; Service description (Release 11)

[ETSI TS 102 240 V11.1.0 \(2011-12\)](https://standards.iteh.ai/catalog/standards/etsi/b88d3c72-0568-43c5-a0d2-cedfd9bb5d18/etsi-ts-102-240-v11-1-0-2011-12)

<https://standards.iteh.ai/catalog/standards/etsi/b88d3c72-0568-43c5-a0d2-cedfd9bb5d18/etsi-ts-102-240-v11-1-0-2011-12>

Reference

RTS/SCP-R0263vb10

Keywords

API, smart card

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.
All rights reserved.

DECTTM, **PLUGTESTSTM**, **UMTSTM** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and **LTETM** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
1 Scope	6
2 References	6
2.1 Normative references	6
2.2 Informative references.....	7
3 Definitions and abbreviations.....	7
3.1 Definitions.....	7
3.2 Abbreviations	8
4 Description	9
4.1 Design of UICC based applications using the UICC API	10
4.2 UICC API architecture	11
4.3 UICC file data access	12
4.4 UICC BER-TLV file access	12
5 Card interoperability.....	12
5.1 Loader requirements.....	12
5.2 Application transport.....	13
6 Applet activation	13
6.1 Applet triggering	13
6.2 Applet selection.....	14
7 Applet life cycle management.....	14
7.1 Applet preparation.....	14
7.2 Loading	15
7.2.1 Arbitration.....	15
7.2.2 Transport.....	15
7.2.3 Verification	15
7.2.4 Linking.....	15
7.3 Installation/registration/reactivation	15
7.4 Configuration	15
7.5 Execution.....	16
7.6 Deactivation	16
7.7 Removal	16
8 Security management	16
8.1 Management of applets	16
8.2 Applet certification.....	16
9 API compatibility	16
9.1 Level of compatibility	16
9.2 Compatibility at the interface	16
9.3 Compatibility at the programming interface	17
9.4 Accessibility of the programming interface	17
10 API extensibility.....	17
10.1 Evolution of UICC/terminal interface (TS 102 221).....	17
10.2 Evolution of CAT application toolkit (TS 102 223).....	17
10.3 Interworking with other systems	17
10.4 Evolution of UICC/terminal contactless interface (TS 102 622 and TS 102 613)	17
10.5 HCI low-level support	18
10.5.1 Use case	18
10.5.2 Requirements.....	18
10.6 Application API for Secure messaging over HTTPS	19
10.6.1 Use Cases (informative).....	19

10.6.2	Requirements (normative)	19
10.7	Machine to machine (M2M) UICC applications	19
10.8	Secure Channel between UICC and terminal	19
11	Data and function sharing and access control	20
11.1	Sharing resources between applets	20
11.2	Access to data	20
12	Technology considerations	20
12.1	UICC hardware requirements	20
12.2	Technology limitations	21
12.2.1	Memory recovery	21
12.3	Evolution	21
12.3.1	Remote Procedure Call (RPC)	21
13	Enhanced Runtime Environment	21
13.1	Interworking between multiple hardware and logical UICC/terminal interfaces	21
13.2	Support for TCP and UDP	21
13.3	Support for HTTP	22
13.4	Support for Card Application Toolkit (CAT)	22
13.5	Secure communication	22
13.6	Events	22
13.7	Access to the enhanced UICC API framework	22
13.8	Inter-application communication	22
13.9	Backward compatibility	22
Annex A (informative):	Change history	23
History		24

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI TS 102 240 V11.1.0 \(2011-12\)](https://standards.iteh.ai/catalog/standards/etsi/b88d3c72-0568-43c5-a0d2-cedfd9bb5d18/etsi-ts-102-240-v11-1-0-2011-12)

<https://standards.iteh.ai/catalog/standards/etsi/b88d3c72-0568-43c5-a0d2-cedfd9bb5d18/etsi-ts-102-240-v11-1-0-2011-12>