

ETSI TS 102 412 V10.1.0 (2010-10)

Technical Specification

Smart Cards; Smart Card Platform Requirements Stage 1 (Release 10)

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ETSI TS 102 412 V10.1.0 \(2010-10\)](https://standards.iteh.ai/catalog/standards/etsi/b0d7497f-a60f-4e90-82e5-4a804c855926/etsi-ts-102-412-v10-1-0-2010-10)

<https://standards.iteh.ai/catalog/standards/etsi/b0d7497f-a60f-4e90-82e5-4a804c855926/etsi-ts-102-412-v10-1-0-2010-10>



Reference

RTS/SCP-R00002va10

Keywords

smart card

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.
All rights reserved.

DECTTM, **PLUGTESTS**TM, **UMTS**TM, **TIPHON**TM, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTETM is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	8
Foreword.....	8
Introduction	8
1 Scope	9
2 References	9
2.1 Normative references	9
2.2 Informative references.....	10
3 Definitions and abbreviations.....	10
3.1 Definitions	10
3.2 Abbreviations	12
4 Requirements.....	14
4.1 Run time environment timing constraints	15
4.1.1 Abstract (informative).....	15
4.1.2 Background (informative).....	15
4.1.2.1 Use case - Network authentication.....	15
4.1.3 Requirements	15
4.1.4 Interaction with existing features (informative).....	15
4.2 Launch Application feature	15
4.2.1 Abstract (informative).....	15
4.2.2 Background (informative).....	15
4.2.3 Requirements	16
4.2.4 Interaction with existing features (informative).....	17
4.3 Mapped file support on the UICC	17
4.3.1 Abstract (informative).....	17
4.3.2 Background (informative).....	17
4.3.3 Requirements	17
4.3.4 Interaction with existing features (informative).....	17
4.4 Extension of logical channels.....	18
4.4.1 Abstract (informative).....	18
4.4.2 Background (informative).....	18
4.4.2.1 Typical problem situation	18
4.4.2.2 Possible problem solution	18
4.4.2.3 Use cases	18
4.4.2.3.1 Use case - JSR 177 applications	18
4.4.2.3.2 Use case - PC connection	18
4.4.3 Requirements	18
4.4.3.1 General requirements	18
4.4.3.2 Backward compatibility requirements.....	18
4.4.4 Interaction with existing features (informative).....	19
4.5 Secure channel to secure local terminal interfaces	19
4.5.1 Abstract (informative).....	19
4.5.2 Background (informative).....	19
4.5.2.1 Use case - User interface	20
4.5.2.2 Use case - UICC as a control point for device management	20
4.5.2.3 Use case - DRM and distributed applications	22
4.5.2.4 Use case - Toolkit commands protection	23
4.5.3 Requirements	24
4.5.3.1 End point requirements	24
4.5.3.2 Integrity requirements	24
4.5.3.3 Confidentiality requirements.....	24
4.5.3.4 Authentication requirements	24
4.5.3.5 Audit/Compliance requirements	24
4.5.3.6 Policy requirements.....	25

4.5.3.7	Transport Protocol requirements	25
4.5.4	Interaction with existing features (informative).....	25
4.5.4.1	Logical Channels.....	25
4.6	Authenticate command longer than 255 bytes.....	25
4.6.1	Abstract (informative).....	25
4.6.2	Background (informative).....	25
4.6.2.1	Use case - EAP packet exchange	25
4.6.3	Requirements	25
4.6.3.1	General requirements	25
4.6.3.2	Backward compatibility requirements.....	26
4.6.4	Interaction with existing features (informative).....	26
4.7	CAT mechanisms to indicate the bearer connection status	26
4.7.1	Abstract (informative).....	26
4.7.2	Background (informative).....	26
4.7.2.1	Use case - Availability of network bearers	26
4.7.2.2	Use case - Network connection temporarily lost.....	26
4.7.2.3	Use case - Availability of local bearers.....	26
4.7.3	Requirements	26
4.7.3.1	Requirement 1 - Network bearer connection status	26
4.7.3.2	Requirement 2 - Local bearer connection status	27
4.7.4	Interaction with existing features (informative).....	27
4.8	New UICC-Terminal interface	27
4.8.1	Abstract (informative).....	27
4.8.2	Background (informative).....	27
4.8.2.1	Use case - multimedia file management.....	27
4.8.2.2	Use case - MMI on UICC	27
4.8.2.3	Use case - real-time multimedia data encryption/decryption	28
4.8.2.4	Use case - storage of terminal applications on the UICC.....	28
4.8.2.5	Use case - direct and indirect UICC connection to a PC.....	28
4.8.2.6	Use case - web server on Smart Card.....	28
4.8.2.7	Use case - antivirus on UICC.....	28
4.8.2.8	Use case - big phonebook management from the UICC	28
4.8.2.9	Use case - reduce personalization time	29
4.8.2.10	Use case - generic TCP/IP connectivity	29
4.8.3	Requirements	29
4.8.3.1	General requirements	29
4.8.3.2	Backward compatibility requirements.....	30
4.8.4	Interaction with existing features (informative).....	30
4.9	UICC based application acting as a server	30
4.9.1	Abstract (informative).....	30
4.9.2	Background (informative).....	30
4.9.3	Requirements	30
4.9.4	Interaction with existing features (informative).....	31
4.10	API for applications registered to a Smart Card Web Server	31
4.10.1	Abstract (informative).....	31
4.10.2	Background (informative).....	31
4.10.2.1	Registration of an application to the SCWS.....	31
4.10.2.2	Data exchange between SCWS and application.....	31
4.10.2.3	Issuing Proactive Commands	31
4.10.3	Requirements	32
4.10.4	Interaction with existing features (informative).....	32
4.11	Specific UICC environmental conditions.....	32
4.11.1	Abstract (informative).....	32
4.11.2	Background (informative).....	32
4.11.2.1	Use case - Automotive service	32
4.11.2.2	Use case - Remote monitoring camera.....	32
4.11.2.3	Use case - Remote stock monitoring for vending machines	33
4.11.2.4	Use case - Online electronic advertising board	33
4.11.3	Considerations (informative)	33
4.11.4	Requirements	33
4.11.4.1	Requirement 1: Temperature range	33
4.11.4.2	Requirement 2: Humidity.....	33

4.11.5	Interaction with existing features (informative).....	33
4.12	Introduction of high density memory technology in UICC.....	33
4.12.1	Abstract (informative).....	33
4.12.2	Background (informative).....	34
4.12.2.1	Use case - Enhanced UICC features.....	34
4.12.3	Requirements.....	34
4.12.4	Interaction with existing features (informative).....	34
4.13	Power supply indication mechanism.....	34
4.13.1	Abstract (informative).....	34
4.13.2	Background (informative).....	35
4.13.2.1	Use case - generic situation.....	35
4.13.2.2	Use case - USIM application with toolkit applications.....	35
4.13.3	Requirements.....	35
4.13.3.1	General Requirements.....	35
4.13.3.2	Backward compatibility requirements.....	35
4.13.4	Interaction with existing features (informative).....	36
4.14	Internet Connectivity up to UICC applications.....	36
4.14.1	Abstract (informative).....	36
4.14.2	Use Cases (informative).....	36
4.14.2.1	Use Case - Card OTA management.....	36
4.14.2.2	Use Case - User local access from the terminal to a card server.....	36
4.14.2.3	Use Case - Remote access to an identity server in the card.....	37
4.14.2.4	Use Case - User access from a locally connected device to a card service.....	37
4.14.3	Requirements.....	37
4.14.4	Interaction with existing features (informative).....	37
4.15	Contactless UICC services.....	38
4.15.1	Abstract (informative).....	38
4.15.2	Background (informative).....	38
4.15.2.1	Use case - Access.....	38
4.15.2.1.1	System aspects of use case.....	38
4.15.2.1.2	UICC role in use case.....	38
4.15.2.2	Use case - tickets.....	39
4.15.2.2.1	System aspects of throughput ticketing scenario.....	40
4.15.2.2.2	System aspects of high priced ticketing scenario.....	40
4.15.2.2.3	UICC role in use case.....	40
4.15.2.3	Use case - digital rights.....	41
4.15.2.3.1	System aspects of contactless digital rights.....	41
4.15.2.3.2	UICC role in use case.....	42
4.15.2.4	Use case - payment application.....	42
4.15.2.5	Use case - loyalty application.....	43
4.15.2.6	Use case - health care application.....	43
4.15.2.7	Use case - retail.....	43
4.15.2.7.1	System aspects of the use case.....	43
4.15.2.7.2	UICC role in the use case.....	43
4.15.3	Requirements.....	44
4.15.3.1	Physical interface requirements.....	44
4.15.3.2	Multi-protocol concurrent operation requirements.....	44
4.15.3.3	Contactless communication modes requirements.....	44
4.15.3.4	Compatibility with existing contactless systems requirements.....	44
4.15.3.5	Parameters to be transported by the CLFIP requirements.....	44
4.15.3.6	Application integration requirements.....	45
4.15.3.7	Terminal and user interaction requirements.....	45
4.15.3.8	Interoperability requirements.....	45
4.15.3.9	RFID requirements.....	45
4.15.4	Interaction with existing features (informative).....	45
4.16	Administration of the Smart Card Web Server.....	45
4.16.1	Abstract (informative).....	45
4.16.2	Background (informative).....	46
4.16.3	Requirements.....	46
4.16.4	Interaction with existing features (informative).....	46
4.17	Confidential Application Services.....	46
4.17.1	Abstract (informative).....	46

4.17.2	Background (informative).....	46
4.17.2.1	Use case 1: Mobile TV services.....	46
4.17.2.2	Use case 2: Banking Services.....	47
4.17.2.3	Use case 3: Contactless Applications.....	49
4.17.2.4	Use case 4: Mobile Virtual Network Operator services.....	49
4.17.3	Requirements (normative).....	51
4.17.3.1	Confidential application environment.....	51
4.17.3.2	Administration by Card issuer.....	51
4.17.3.2.1	Third party area environment administration.....	51
4.17.3.2.2	Third party area creation.....	52
4.17.3.2.3	Third party area policy definition.....	52
4.17.3.3	Administration by Third party.....	52
4.17.3.4	Service Operator specific requirements.....	53
4.17.4	Interaction with existing features (informative).....	53
4.18	UICC for Machine-to-Machine (M2M) applications.....	53
4.18.1	Abstract (informative).....	53
4.18.2	Use Cases (informative).....	54
4.18.2.1	Use case - Track and Trace.....	54
4.18.2.1.1	Use case - Emergency Call.....	54
4.18.2.1.2	Use case - Fleet Management.....	54
4.18.2.1.3	Use case - Theft Tracking.....	55
4.18.2.2	Use case - Monitoring.....	56
4.18.2.2.1	Use case - Metering/Prepaid delivery of utilities (water, gas, electricity).....	56
4.18.2.2.2	Use case - Person / Animal protection.....	57
4.18.2.2.3	Use case - Object protection.....	57
4.18.2.3	Use case - Transaction.....	58
4.18.2.3.1	Use case - PoS Terminals (Point of Sale Terminals).....	58
4.18.2.4	Use case - Control.....	58
4.18.2.4.1	Use case - Controlling vending machines.....	58
4.18.2.4.2	Use case - Controlling production machines.....	59
4.18.3	Requirements.....	59
4.18.3.1	General M2M UICC Requirements.....	59
4.18.3.1.1	Specific requirements related to definition of classes.....	60
4.18.3.1.2	Example for a possible class system (informative).....	60
4.18.3.2	MFF Requirements.....	60
4.18.4	Interaction with existing features (informative).....	61
4.19	Location based services for broadcast technology.....	61
4.19.1	Abstract (informative).....	61
4.19.2	Use Cases (informative).....	61
4.19.3	Requirement for retrieving location information for broadcast technology.....	61
4.19.4	Interaction with existing features (informative).....	61
4.20	Terminals with reduced functionality.....	61
4.20.1	Abstract (informative).....	61
4.20.2	Use case (informative).....	62
4.20.2.1	Use case - Data card.....	62
4.20.3	Requirements.....	62
4.20.4	Interaction with existing features (informative).....	62
4.21	Digital Rights Management.....	62
4.21.1	Abstract (informative).....	62
4.21.2	Use cases (informative).....	62
4.21.2.1	Use case - Transfer of protected contents and rights by using a UICC.....	62
4.21.2.2	Use case - Provisioning of rights in the UICC.....	63
4.21.2.3	Use case - Direct rendering of DRM-protected content by using the UICC.....	63
4.21.2.4	Use case - Pre-loading of rights by using the UICC.....	63
4.21.3	Requirements.....	63
4.21.4	Interaction with existing features (informative).....	63
4.22	Multicast dataflow in UICC.....	64
4.22.1	Abstract (informative).....	64
4.22.2	Use cases (informative).....	64
4.22.2.1	Use case - Broadcast data services.....	64
4.22.2.2	Use case - Mobile TV related services.....	64
4.22.3	Requirement for multicast dataflow (subscription and dataflow reception).....	64

4.22.4	Interaction with existing features (informative).....	64
4.23	New type of data storage and access	65
4.23.1	Abstract (informative).....	65
4.23.2	Background (informative).....	65
4.23.2.1	Use case - Taking a picture from the terminal, storing it on the UICC and retrieving it.....	65
4.23.2.2	Use case - Storing and protecting data through operator portal	65
4.23.2.3	Use case - Storing a service description	65
4.23.2.4	Use case - Managing multimedia content via UICC to a remote server.....	65
4.23.2.5	Use case - Partitioning UICC memory	66
4.23.2.6	Use case - UICC content depending on user authentication	66
4.23.2.7	Use case - Migration to a USB UICC without ICCD class	66
4.23.3	Requirements	66
4.23.3.1	Data storage and structure requirements	66
4.23.3.2	Data protection requirements	67
4.23.3.3	Local and remote access requirements.....	67
4.23.4	Interaction with existing features (informative).....	67
4.24	CAT access over a modem interface	67
4.24.1	Abstract (informative).....	67
4.24.2	Background (informative).....	68
4.24.2.1	Use case - Extending CAT to the connected entity capabilities	68
4.24.2.2	Use case - Using CAT for data acquisition and control in an M2M device	68
4.24.2.3	Use case - Addition of CAT support by adding a CAT extender device	69
4.24.3	Requirements	69
4.24.3.1	General requirements	69
4.24.3.2	Connected device registration requirements	69
4.24.3.3	Legacy support requirements	70
4.24.3.4	Extended support requirements	71
4.24.3.5	CAT over modem-client interface requirements.....	71
4.24.3.6	Connected entity termination requirements	72
4.24.3.7	Security requirements.....	72
4.24.4	Interaction with existing features (informative).....	72
4.25	UICC-Terminal applications and services over USB	72
4.25.1	Abstract (informative).....	72
4.25.2	Background (informative).....	73
4.25.2.1	Use case - Migration of existing services over IP	73
4.25.2.2	Use case - End-user interaction.....	73
4.25.2.3	Use case - Integration of UICC services into terminal user interface	73
4.25.2.4	Use case - Access status of communication services	73
4.25.2.5	Use case - Access to specific terminal hardware.....	74
4.25.2.6	Use case - Interaction between terminal and UICC applications	74
4.25.3	Requirements	74
4.25.3.1	General framework requirements.....	74
4.25.3.2	Framework service discovery and management requirements.....	74
4.25.3.3	Interaction between UICC and terminal applications requirements.....	75
4.25.3.4	Framework security requirements	75
4.25.3.5	User Interface requirements	75
4.25.3.6	Device interaction requirements.....	75
4.25.3.7	Network related requirements	76
4.25.3.8	Specific Services requirements	76
4.25.3.9	Backwards compatibility requirements	76
4.25.4	Interaction with existing features (informative).....	76
Annex A (informative):	Requirement numbering scheme.....	77
Annex B (informative):	Change history	78
History		80