

ETSI TS 102 412 V11.1.0 (2011-12)



Smart Cards; Smart Card Platform Requirements Stage 1 (Release 11)

(<https://standards.iteh.ai>)
Document Preview

[ETSI TS 102 412 V11.1.0 \(2011-12\)](https://standards.iteh.ai/catalog/standards/etsi/3055c9a2-0fd4-4497-9c3d-36b31e6398c3/etsi-ts-102-412-v11-1-0-2011-12)

<https://standards.iteh.ai/catalog/standards/etsi/3055c9a2-0fd4-4497-9c3d-36b31e6398c3/etsi-ts-102-412-v11-1-0-2011-12>

Reference

RTS/SCP-R00002vb10

Keywords

smart card

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2011.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	9
Foreword.....	9
Introduction	9
1 Scope	10
2 References	10
2.1 Normative references	10
2.2 Informative references.....	11
3 Definitions and abbreviations.....	12
3.1 Definitions	12
3.2 Abbreviations	14
4 Requirements.....	15
4.1 Run time environment timing constraints	16
4.1.1 Abstract (informative).....	16
4.1.2 Background (informative).....	17
4.1.2.1 Use case - Network authentication.....	17
4.1.3 Requirements	17
4.1.4 Interaction with existing features (informative).....	17
4.2 Launch Application feature	17
4.2.1 Abstract (informative).....	17
4.2.2 Background (informative).....	17
4.2.3 Requirements	18
4.2.4 Interaction with existing features (informative).....	18
4.3 Mapped file support on the UICC	19
4.3.1 Abstract (informative).....	19
4.3.2 Background (informative).....	19
4.3.3 Requirements	19
4.3.4 Interaction with existing features (informative).....	19
4.4 Extension of logical channels.....	19
4.4.1 Abstract (informative).....	19
4.4.2 Background (informative).....	19
4.4.2.1 Typical problem situation	19
4.4.2.2 Possible problem solution	20
4.4.2.3 Use cases	20
4.4.2.3.1 Use case - JSR 177 applications	20
4.4.2.3.2 Use case - PC connection	20
4.4.3 Requirements	20
4.4.3.1 General requirements	20
4.4.3.2 Backward compatibility requirements.....	20
4.4.4 Interaction with existing features (informative).....	20
4.5 Secure channel to secure local terminal interfaces	20
4.5.1 Abstract (informative).....	20
4.5.2 Background (informative).....	21
4.5.2.1 Use case - User interface	21
4.5.2.2 Use case - UICC as a control point for device management	22
4.5.2.3 Use case - DRM and distributed applications	23
4.5.2.4 Use case - Toolkit commands protection	25
4.5.3 Requirements	25
4.5.3.1 End point requirements	25
4.5.3.2 Integrity requirements	25
4.5.3.3 Confidentiality requirements.....	25
4.5.3.4 Authentication requirements	26
4.5.3.5 Audit/Compliance requirements	26
4.5.3.6 Policy requirements.....	26

4.5.3.7	Transport Protocol requirements	26
4.5.4	Interaction with existing features (informative).....	26
4.5.4.1	Logical Channels.....	26
4.6	Authenticate command longer than 255 bytes.....	26
4.6.1	Abstract (informative).....	26
4.6.2	Background (informative).....	27
4.6.2.1	Use case - EAP packet exchange	27
4.6.3	Requirements	27
4.6.3.1	General requirements	27
4.6.3.2	Backward compatibility requirements.....	27
4.6.4	Interaction with existing features (informative).....	27
4.7	CAT mechanisms to indicate the bearer connection status	27
4.7.1	Abstract (informative).....	27
4.7.2	Background (informative).....	27
4.7.2.1	Use case - Availability of network bearers	27
4.7.2.2	Use case - Network connection temporarily lost.....	28
4.7.2.3	Use case - Availability of local bearers.....	28
4.7.3	Requirements	28
4.7.3.1	Requirement 1 - Network bearer connection status	28
4.7.3.2	Requirement 2 - Local bearer connection status	28
4.7.4	Interaction with existing features (informative).....	28
4.8	New UICC-Terminal interface	28
4.8.1	Abstract (informative).....	28
4.8.2	Background (informative).....	29
4.8.2.1	Use case - multimedia file management.....	29
4.8.2.2	Use case - MMI on UICC	29
4.8.2.3	Use case - real-time multimedia data encryption/decryption	29
4.8.2.4	Use case - storage of terminal applications on the UICC.....	29
4.8.2.5	Use case - direct and indirect UICC connection to a PC.....	29
4.8.2.6	Use case - web server on Smart Card.....	30
4.8.2.7	Use case - antivirus on UICC.....	30
4.8.2.8	Use case - big phonebook management from the UICC	30
4.8.2.9	Use case - reduce personalization time	30
4.8.2.10	Use case - generic TCP/IP connectivity	30
4.8.3	Requirements	31
4.8.3.1	General requirements	31
4.8.3.2	Backward compatibility requirements.....	31
4.8.4	Interaction with existing features (informative).....	32
4.9	UICC based application acting as a server	32
4.9.1	Abstract (informative).....	32
4.9.2	Background (informative).....	32
4.9.3	Requirements	32
4.9.4	Interaction with existing features (informative).....	32
4.10	API for applications registered to a Smart Card Web Server	32
4.10.1	Abstract (informative).....	32
4.10.2	Background (informative).....	33
4.10.2.1	Registration of an application to the SCWS.....	33
4.10.2.2	Data exchange between SCWS and application.....	33
4.10.2.3	Issuing Proactive Commands	33
4.10.3	Requirements	33
4.10.4	Interaction with existing features (informative).....	33
4.11	Specific UICC environmental conditions.....	34
4.11.1	Abstract (informative).....	34
4.11.2	Background (informative).....	34
4.11.2.1	Use case - Automotive service	34
4.11.2.2	Use case - Remote monitoring camera.....	34
4.11.2.3	Use case - Remote stock monitoring for vending machines	34
4.11.2.4	Use case - Online electronic advertising board	34
4.11.3	Considerations (informative)	34
4.11.4	Requirements	35
4.11.4.1	Requirement 1: Temperature range	35
4.11.4.2	Requirement 2: Humidity.....	35

4.11.5	Interaction with existing features (informative).....	35
4.12	Introduction of high density memory technology in UICC.....	35
4.12.1	Abstract (informative).....	35
4.12.2	Background (informative).....	35
4.12.2.1	Use case - Enhanced UICC features.....	35
4.12.3	Requirements.....	36
4.12.4	Interaction with existing features (informative).....	36
4.13	Power supply indication mechanism.....	36
4.13.1	Abstract (informative).....	36
4.13.2	Background (informative).....	36
4.13.2.1	Use case - generic situation.....	36
4.13.2.2	Use case - USIM application with toolkit applications.....	37
4.13.3	Requirements.....	37
4.13.3.1	General Requirements.....	37
4.13.3.2	Backward compatibility requirements.....	37
4.13.4	Interaction with existing features (informative).....	37
4.14	Internet Connectivity up to UICC applications.....	38
4.14.1	Abstract (informative).....	38
4.14.2	Use Cases (informative).....	38
4.14.2.1	Use Case - Card OTA management.....	38
4.14.2.2	Use Case - User local access from the terminal to a card server.....	38
4.14.2.3	Use Case - Remote access to an identity server in the card.....	39
4.14.2.4	Use Case - User access from a locally connected device to a card service.....	39
4.14.3	Requirements.....	39
4.14.4	Interaction with existing features (informative).....	39
4.15	Contactless UICC services.....	40
4.15.1	Abstract (informative).....	40
4.15.2	Background (informative).....	40
4.15.2.1	Use case - Access.....	40
4.15.2.1.1	System aspects of use case.....	40
4.15.2.1.2	UICC role in use case.....	40
4.15.2.2	Use case - tickets.....	41
4.15.2.2.1	System aspects of throughput ticketing scenario.....	42
4.15.2.2.2	System aspects of high priced ticketing scenario.....	42
4.15.2.2.3	UICC role in use case.....	42
4.15.2.3	Use case - digital rights.....	44
4.15.2.3.1	System aspects of contactless digital rights.....	44
4.15.2.3.2	UICC role in use case.....	44
4.15.2.4	Use case - payment application.....	44
4.15.2.5	Use case - loyalty application.....	45
4.15.2.6	Use case - health care application.....	46
4.15.2.7	Use case - retail.....	46
4.15.2.7.1	System aspects of the use case.....	46
4.15.2.7.2	UICC role in the use case.....	46
4.15.2.8	Consideration about multiple applications in peer to peer mode.....	46
4.15.2.8.1	System aspects of multiple applications in peer to peer mode.....	46
4.15.2.8.2	Service discovery in peer to peer mode.....	47
4.15.2.8.3	Application connection in peer to peer mode.....	47
4.15.2.8.4	Customer care in peer to peer mode.....	47
4.15.2.9	Considerations about the P2P technology.....	47
4.15.3	Requirements.....	48
4.15.3.1	Physical interface requirements.....	48
4.15.3.2	Multi-protocol concurrent operation requirements.....	48
4.15.3.3	Contactless communication modes requirements.....	48
4.15.3.4	Compatibility with existing contactless systems requirements.....	48
4.15.3.5	Parameters to be transported by the CLFIP requirements.....	48
4.15.3.6	Application integration requirements.....	49
4.15.3.7	Terminal and user interaction requirements.....	49
4.15.3.8	Interoperability requirements.....	49
4.15.3.9	RFID requirements.....	49
4.15.3.10	P2P mode requirements.....	50
4.15.3.10.1	General P2P requirements.....	50

4.15.3.10.2	P2P application management requirements.....	51
4.15.4	Interaction with existing features (informative).....	52
4.16	Administration of the Smart Card Web Server.....	52
4.16.1	Abstract (informative).....	52
4.16.2	Background (informative).....	52
4.16.3	Requirements	52
4.16.4	Interaction with existing features (informative).....	52
4.17	Confidential Application Services.....	52
4.17.1	Abstract (informative).....	52
4.17.2	Background (informative).....	53
4.17.2.1	Use case 1: Mobile TV services	53
4.17.2.2	Use case 2: Banking Services.....	54
4.17.2.3	Use case 3: Contactless Applications	55
4.17.2.4	Use case 4: Mobile Virtual Network Operator services	56
4.17.3	Requirements (normative)	57
4.17.3.1	Confidential application environment	57
4.17.3.2	Administration by Card issuer.....	57
4.17.3.2.1	Third party area environment administration	57
4.17.3.2.2	Third party area creation.....	58
4.17.3.2.3	Third party area policy definition	58
4.17.3.3	Administration by Third party.....	58
4.17.3.4	Service Operator specific requirements	59
4.17.4	Interaction with existing features (informative).....	59
4.18	UICC for Machine-to-Machine (M2M) applications	59
4.18.1	Abstract (informative).....	59
4.18.2	Use Cases (informative).....	60
4.18.2.1	Use case - Track and Trace	60
4.18.2.1.1	Use case - Emergency Call	60
4.18.2.1.2	Use case - Fleet Management	60
4.18.2.1.3	Use case - Theft Tracking.....	61
4.18.2.2	Use case - Monitoring.....	62
4.18.2.2.1	Use case - Metering/Prepaid delivery of utilities (water, gas, electricity)	62
4.18.2.2.2	Use case - Person / Animal protection.....	62
4.18.2.2.3	Use case - Object protection	63
4.18.2.3	Use case - Transaction	64
4.18.2.3.1	Use case - PoS Terminals (Point of Sale Terminals).....	64
4.18.2.4	Use case - Control	64
4.18.2.4.1	Use case - Controlling vending machines.....	64
4.18.2.4.2	Use case - Controlling production machines	65
4.18.3	Requirements	65
4.18.3.1	General M2M UICC Requirements	65
4.18.3.1.1	Specific requirements related to definition of classes.....	65
4.18.3.1.2	Example for a possible class system (informative).....	66
4.18.3.2	MFF Requirements	66
4.18.4	Interaction with existing features (informative).....	66
4.19	Location based services for broadcast technology	66
4.19.1	Abstract (informative).....	66
4.19.2	Use Cases (informative).....	67
4.19.3	Requirement for retrieving location information for broadcast technology.....	67
4.19.4	Interaction with existing features (informative).....	67
4.20	Terminals with reduced functionality.....	67
4.20.1	Abstract (informative).....	67
4.20.2	Use case (informative)	67
4.20.2.1	Use case - Data card.....	67
4.20.3	Requirements	67
4.20.4	Interaction with existing features (informative).....	68
4.21	Digital Rights Management.....	68
4.21.1	Abstract (informative).....	68
4.21.2	Use cases (informative)	68
4.21.2.1	Use case - Transfer of protected contents and rights by using a UICC	68
4.21.2.2	Use case - Provisioning of rights in the UICC	68
4.21.2.3	Use case - Direct rendering of DRM-protected content by using the UICC	68

4.21.2.4	Use case - Pre-loading of rights by using the UICC	69
4.21.3	Requirements	69
4.21.4	Interaction with existing features (informative).....	69
4.22	Multicast dataflow in UICC	69
4.22.1	Abstract (informative).....	69
4.22.2	Use cases (informative)	69
4.22.2.1	Use case - Broadcast data services.....	69
4.22.2.2	Use case - Mobile TV related services	70
4.22.3	Requirement for multicast dataflow (subscription and dataflow reception)	70
4.22.4	Interaction with existing features (informative).....	70
4.23	New type of data storage and access	70
4.23.1	Abstract (informative).....	70
4.23.2	Background (informative).....	70
4.23.2.1	Use case - Taking a picture from the terminal, storing it on the UICC and retrieving it.....	70
4.23.2.2	Use case - Storing and protecting data through operator portal	71
4.23.2.3	Use case - Storing a service description	71
4.23.2.4	Use case - Managing multimedia content via UICC to a remote server.....	71
4.23.2.5	Use case - Partitioning UICC memory	71
4.23.2.6	Use case - UICC content depending on user authentication	71
4.23.2.7	Use case - Migration to a USB UICC without ICCD class	71
4.23.3	Requirements	72
4.23.3.1	Data storage and structure requirements	72
4.23.3.2	Data protection requirements	72
4.23.3.3	Local and remote access requirements	72
4.23.4	Interaction with existing features (informative).....	73
4.24	CAT access over a modem interface	73
4.24.1	Abstract (informative).....	73
4.24.2	Background (informative).....	73
4.24.2.1	Use case - Extending CAT to the connected entity capabilities	73
4.24.2.2	Use case - Using CAT for data acquisition and control in an M2M device	74
4.24.2.3	Use case - Addition of CAT support by adding a CAT extender device	74
4.24.3	Requirements	74
4.24.3.1	General requirements	74
4.24.3.2	Connected device registration requirements	75
4.24.3.3	Legacy support requirements	75
4.24.3.4	Extended support requirements.....	77
4.24.3.5	CAT over modem-client interface requirements.....	77
4.24.3.6	Connected entity termination requirements	77
4.24.3.7	Security requirements.....	78
4.24.4	Interaction with existing features (informative).....	78
4.25	UICC-Terminal applications and services over USB	78
4.25.1	Abstract (informative).....	78
4.25.2	Background (informative).....	78
4.25.2.1	Use case - Migration of existing services over IP	78
4.25.2.2	Use case - End-user interaction.....	79
4.25.2.3	Use case - Integration of UICC services into terminal user interface	79
4.25.2.4	Use case - Access status of communication services	79
4.25.2.5	Use case - Access to specific terminal hardware.....	79
4.25.2.6	Use case - Interaction between terminal and UICC applications	80
4.25.3	Requirements	80
4.25.3.1	General framework requirements.....	80
4.25.3.2	Framework service discovery and management requirements	80
4.25.3.3	Interaction between UICC and terminal applications requirements	81
4.25.3.4	Framework security requirements	81
4.25.3.5	User Interface requirements	81
4.25.3.6	Device interaction requirements.....	81
4.25.3.7	Network related requirements	82
4.25.3.8	Specific Services requirements	82
4.25.3.9	Backwards compatibility requirements.....	82
4.25.4	Interaction with existing features (informative).....	82
4.26	Integration of a UICC in a Mobile Broadband Notebook	82
4.26.1	Abstract (informative).....	82