

ETSI TS 102 657 V2.5.1 (2025-05)



**Lawful Interception (LI);
Retained data handling;
Handover interface for the request and
delivery of retained data**

ETSI TS 102 657 V2.5.1 (2025-05)

<https://standards.iteh.ai/catalog/standards/etsi/9cd15269-650c-4d97-b096-8165c9d161f0/etsi-ts-102-657-v2-5-1-2025-05>



ReferenceRTS/LI-00277

Keywordshandover, retention

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Contents

Intellectual Property Rights	9
Foreword.....	9
Modal verbs terminology.....	9
1 Scope	10
2 References	10
2.1 Normative references	10
2.2 Informative references.....	13
3 Definition of terms, symbols and abbreviations.....	13
3.1 Terms.....	13
3.2 Symbols.....	14
3.3 Abbreviations	14
4 Overview of handover interface	17
4.1 Reference model.....	17
4.2 Structure of document and applicable communication domains	18
4.3 Categories of retained data	19
4.4 Handover Interface port 1 (HI-A) and Handover Interface port 2 (HI-B).....	20
4.5 Model used for the RDHI	20
5 Handover interface message flows.....	20
5.1 Overview	20
5.1.1 Summary of this clause.....	20
5.1.2 Message flow modes.....	21
5.1.3 Delivery cases.....	21
5.1.4 "Active" requests and "closed" requests	21
5.1.5 Errors and failure situations.....	21
5.1.5.1 Error and failure types.....	21
5.1.5.2 Request process failure feedback	22
5.1.5.3 Other errors	22
5.1.5.4 Missing messages.....	22
5.1.6 Cancelling a request.....	23
5.1.7 Delivery of results.....	23
5.1.8 State diagram	24
5.1.9 Supplementary Messages.....	25
5.2 Message flows for general situation	25
5.2.1 Delivery of a response	25
5.2.2 Cancellation of request	26
5.2.3 Multi-part delivery	27
5.3 Message flows for Authorized-Organization-initiated scenario.....	28
5.3.1 Delivery of results or a failure response	28
5.3.2 Cancellation of request	29
5.3.3 Multi-part delivery	29
5.4 Message types for HI-A and HI-B.....	31
5.5 HI-A and HI-B addressing.....	32
6 Definition of the elements for retained data messages	32
6.1 Header information.....	32
6.1.1 Use of header information	32
6.1.2 RequestID field specification.....	32
6.1.3 CSP Identifiers.....	33
6.1.3.1 Use of CSP Identifiers (CSPID).....	33
6.1.3.2 Third Party CSP Identifier (thirdPartyCSPID).....	33
6.1.4 Timestamp (timeStamp)	33
6.1.5 RequestType (requestType).....	33
6.1.6 RequestFlag (requestFlag)	33
6.2 Retained Data response	33

6.2.1	General.....	33
6.2.2	Additional information in response messages.....	34
6.2.2.1	Record number (recordNumber)	34
6.2.2.2	Response status (ResponseStatus).....	34
6.2.3	Volatile information.....	34
6.2.4	Unavailable parameters.....	34
6.3	Retained Data requests	35
6.3.1	Information contained within a request	35
6.3.2	Format of a request	35
6.3.3	Additional information in requests	36
6.3.3.1	Priority of a request.....	36
6.3.3.2	Maximum hits	36
6.3.3.3	Maximum records per batch.....	36
6.3.3.4	Number of records limit	37
6.4	Error messages	37
7	Data exchange techniques	37
7.1	General	37
7.2	HTTP data exchange	37
7.2.1	Basic configuration.....	37
7.2.2	Single client/server	38
7.2.3	Mutual client/server	38
7.2.4	Details common to both single and mutual cases	38
7.3	Direct TCP data exchange.....	38
7.3.0	General.....	38
7.3.1	Application layer	39
7.3.2	Transport layer.....	39
7.3.2.1	Introduction.....	39
7.3.2.2	TCP settings	39
7.3.3	Network layer	39
7.3.4	Delivery networks.....	39
8	Security Measures	40
8.1	General	40
8.2	Connection Level Security	40
8.3	Application Level Security	40
8.4	Technical Security Measures.....	41
8.4.1	General.....	41
8.4.2	Connection Level.....	41
8.4.3	Application Level	41
8.4.3.1	Hashes	41
8.4.3.2	Digital Signatures.....	41
8.4.3.3	HI-B Non-Repudiation.....	41
8.4.3.4	Digital Signatures and Message Structure.....	42
Annex A (normative):	Data fields	43
A.1	Summary	43
A.1.1	Introduction to data fields.....	43
A.1.2	Choice of data modelling language	43
A.1.3	Overview	43
A.1.4	Backwards Compatibility	44
A.2	Parameter definition for common fields.....	44
A.2.1	RetainedDataHeader.....	44
A.2.1.1	Parameters.....	44
A.2.1.2	RequestID parameters.....	44
A.2.2	RetainedDataPayload	44
A.2.2.1	RequestMessage parameters	44
A.2.2.2	RequestAcknowledgement parameters	45
A.2.2.3	ResponseMessage parameters.....	45
A.2.2.4	GetStatusMessage parameters	45
A.2.2.5	StatusMessage parameters	46

A.2.2.6	ErrorMessage parameters	46
A.2.3	GenericSubscriberInfo	46
A.2.3.1	Parameters	46
A.2.3.2	OrganizationInfo parameters	46
A.2.3.3	IndividualInfo parameters	47
A.2.3.4	ContractInformation parameters	48
A.2.4	PaymentDetails	48
A.3	ASN.1 definitions	48
A.3.1	General	48
A.3.1.1	ASN.1 syntax tree	48
A.3.1.2	General remarks on ASN.1	49
A.3.2	ASN.1 Definitions for message headers	49
A.3.2.1	Message wrappers	49
A.3.2.2	Message headers	49
A.3.3	ASN.1 definitions for common fields	49
A.3.4	Void	49

Annex B (normative): Service-specific details for telephony services50

B.1	Scope	50
B.2	Telephony fields	50
B.2.1	General	50
B.2.2	Telephony Subscriber	50
B.2.2.0	General	50
B.2.2.1	subscriber ID	50
B.2.2.2	genericSubscriberInfo	51
B.2.2.3	telephonySubscriberInfo	51
B.2.2.4	subscribedTelephonyServices	51
B.2.2.4.1	Description	51
B.2.3	Telephony Billing Details	52
B.2.3.0	General	52
B.2.3.1	BillingRecords	52
B.2.4	TelephonyServiceUsage	53
B.2.4.1	Parameters	53
B.2.4.2	PartyInformation	53
B.2.4.3	SMSInformation	54
B.2.4.4	MmsInformation	54
B.2.5	TelephonyDevice	55
B.2.5.1	General	55
B.2.6	TelephonyNetworkElement	55
B.2.6.1	General	55
B.2.6.2	Location parameters	55
B.2.6.2.1	General	55
B.2.6.2.2	GSM Location Information	57
B.2.6.2.3	UMTS Location Information	57
B.2.6.2.4	Extended Location	57
B.2.6.3	TransmitterDetails parameters	58
B.2.6.3.1	General	58
B.3	ASN.1 definitions for telephony	58
B.4	Void	58

Annex C (normative): Service-specific details for asynchronous message services59

C.1	Scope	59
C.2	Descriptions	59
C.2.1	General	59
C.2.2	MsgSubscriber	60
C.2.2.0	General	60
C.2.2.1	MsgSubscriberID	60
C.2.2.2	MsgStore	60

C.2.2.3	MsgStoreID.....	60
C.2.2.4	MsgAddress	60
C.2.2.5	MsgProviderID	61
C.2.2.6	MsgForwardingAddresses	61
C.2.2.7	MsgStoreSubscriberRelatedIDs	61
C.2.3	MsgServiceUsage	61
C.2.3.0	General.....	61
C.2.3.1	MsgTransmission.....	61
C.2.3.2	MsgStoreOperation.....	62
C.2.4	MsgBillingDetails parameters	62
C.2.4.0	General.....	62
C.2.4.1	MsgBillingRecords	63
C.3	ASN.1 definitions for asynchronous message services	63
C.4	Void.....	63

Annex D (normative): Service-specific details for synchronous multi-media services64

D.1	Scope	64
D.2	Multimedia fields	64
D.2.1	General	64
D.2.2	Multimedia Subscriber	64
D.2.2.0	General.....	64
D.2.2.1	subscriberID.....	65
D.2.2.2	genericSubscriberInfo	65
D.2.2.3	multimediaSubscriberInfo	65
D.2.2.4	subscribedMultimediaServices	65
D.2.2.4.1	Description	65
D.2.2.5	multimediaServiceRegistrationInfo	66
D.2.3	MultimediaBillingDetails	66
D.2.3.1	MultimediaBillingDetails	66
D.2.3.2	MultimediaBillingAddress.....	67
D.2.3.3	MultimediaBillingRecords.....	67
D.2.4	Multimedia ServiceUsage	67
D.2.4.1	Parameters.....	67
D.2.4.2	PartyInformation.....	68
D.2.4.3	IMSInformation	69
D.2.4.4	MediaComponents	69
D.2.5	MultimediaDevice	70
D.2.5.1	General.....	70
D.3	ASN.1 definitions for Multimedia.....	70
D.4	Void.....	70

Annex E (normative): Service-specific details for network access services71

E.1	Scope	71
E.2	Descriptions.....	71
E.2.1	General	71
E.2.2	NASubscriber	71
E.2.3	NAServiceSubscription	72
E.2.4	NAServiceUsage	73
E.2.5	NADevice	78
E.2.6	NANwElement	79
E.2.7	NABillingDetails.....	79
E.3	ASN.1 definitions for network access services	79
E.4	Void.....	79

Annex F (informative): Basic set of search routines for Retained Data.....80

F.1	Example set of search routines	80
F.1.1	Overview	80
F.1.2	Summary of search case	80
F.1.3	Subscriber records	80
F.2	Telephony data	81
F.2.1	Telephony subscriber	81
F.2.2	Telephony billing details	81
F.2.3	Telephony service usage	81
F.2.4	Telephony network element	82
F.3	Messaging data	82
F.3.1	Message subscriber	82
F.3.2	Message service usage	82
F.4	Network Access data	83
F.4.1	NA subscriber	83
F.4.2	NA service usage	83
Annex G (informative):	Examples of search routines	84
G.1	Introduction	84
G.2	Example for telephony subscriber query in clause F.2.1	84
G.3	Example for telephony service usage query in clause F.2.3	85
Annex H (informative):	Further information on data categories	86
H.1	General	86
H.2	Further information on subscriber data	86
H.2.1	Subscriber data requests	86
H.2.2	Generic subscriber data records	86
H.2.3	Service Specific Subscriber Reply Data	87
H.3	Further information on usage data	87
H.3.1	Usage requests	87
H.3.2	Usage data categories	88
H.3.3	Usage: Traffic Data (Reply)	88
H.3.4	Usage: Traffic Data related information (Reply)	88
H.3.5	Usage: communication independent user activities (Reply)	88
H.3.6	Usage: network Activity Data (Reply)	88
H.4	Further information on network element data	89
H.4.1	Network element requests	89
H.4.2	Network Configuration Data Reply Data	89
Annex I (informative):	Manual techniques	90
Annex J (informative):	Single versus multi-part deliveries	91
J.1	General	91
J.2	Criteria for multi-part delivery	91
J.3	Subscriptions into the future	92
Annex K (normative):	Service-specific details for Edge Computing applications	93
K.1	Overview	93
K.2	Edge Computing fields	93
K.2.1	General	93
K.2.2	Edge Computing Subscriber	93
K.2.2.1	General	93
K.2.2.2	subscriberID	93
K.2.2.3	genericSubscriberInfo	94