

ETSI TS 102 658 V2.3.1 (2013-02)



Electromagnetic compatibility and Radio spectrum Matters (ERM); Digital Private Mobile Radio (dPMR) using FDMA with a channel spacing of 6,25 kHz

[ETSI TS 102 658 V2.3.1 \(2013-02\)](https://standards.iteh.ai/catalog/standards/etsi/d4aaa782-187b-4f13-9a87-1e6b12209d28/etsi-ts-102-658-v2-3-1-2013-02)

<https://standards.iteh.ai/catalog/standards/etsi/d4aaa782-187b-4f13-9a87-1e6b12209d28/etsi-ts-102-658-v2-3-1-2013-02>

ReferenceRTS/ERM-TGDMR-308

Keywordsair interface, digital, FDMA, PMR, protocol, radio

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2013.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	13
Foreword.....	13
1 Scope	14
2 References	14
2.1 Normative references	14
2.2 Informative references.....	14
3 Definitions, symbols and abbreviations	15
3.1 Definitions.....	15
3.2 Symbols.....	17
3.3 Abbreviations	17
4 Overview	19
4.1 Protocol architecture.....	19
4.1.1 Air Interface Physical Layer (layer 1).....	20
4.1.2 Air Interface Data Link Layer (layer 2)	20
4.1.3 Air Interface Call Control Layer (layer 3)	21
4.1.4 Architectural Configurations	21
4.1.4.1 Peer-to-Peer Direct Network (Mode 1).....	21
4.1.4.2 Centralized Repeater Network (Mode 2)	22
4.1.4.3 Managed Centralized Repeater Network (Mode 3).....	22
4.1.4.3.1 Beacon Channel	22
4.1.4.3.2 Traffic Channel.....	22
4.1.4.4 Services available.....	23
4.1.5 Channel Access Mechanisms.....	23
4.1.5.1 User Services.....	23
4.1.5.1.1 Voice calls	24
4.1.5.1.2 Status delivery	24
4.1.5.1.3 Status polling.....	24
4.1.5.1.4 Short Data Delivery.....	24
4.1.5.1.5 Short Data Polling	24
4.1.5.1.6 Type 1 data	24
4.1.5.1.7 Type 2 data	24
4.1.5.1.8 Type 3 (packet) data	24
4.1.5.2 Random Access (Mode 1, Mode 2).....	24
4.1.5.3 Regulated Random Access (Mode 3).....	25
4.1.5.4 Polling.....	25
4.1.5.5 Beacon Signal	25
4.2 FDMA Structure.....	25
4.2.1 Overview of the transmission structure	25
4.2.2 Transmission format	25
4.2.2.1 Traffic Channel Message Frame	26
4.2.2.2 Traffic Channel Payload Frame	26
4.2.2.2.1 Traffic Channel Superframe	26
4.2.2.3 Traffic Channel Packet Data Header Frame.....	27
4.2.2.4 Traffic Channel End Frame.....	27
4.2.2.5 Beacon SYScast Frame.....	27
4.2.2.6 Appended Data Frame.....	27
4.2.3 Transmission sequences.....	28
4.2.3.1 Traffic Channel Voice or data payload item transmission	28
4.2.3.2 Traffic Channel Call set up, service request, etc	28
4.2.3.3 Traffic Channel Acknowledgement:	28
4.2.3.4 Traffic Channel Status request acknowledgements:.....	28
4.2.3.5 Traffic Channel Disconnection:	29
4.2.3.6 Traffic Channel Preservation Message.....	29
4.2.3.7 Mode 3 Beacon Channel	29

4.2.3.8	Mode 1 Call Exchange	29
4.2.3.8.1	Mode 1 Voice Call.....	29
4.2.3.8.2	Mode 1 Data Call.....	31
4.2.3.9	Mode 2 Call Exchange	32
4.2.3.10	Co-channel BS networks	32
4.2.3.11	Mode 3 Operation	33
4.3	Addressing.....	35
4.4	Unified Data Transport Mechanism	35
4.5	Complementary Data.....	35
4.5.1	Support for Voice and Data call services.....	36
4.5.2	Transport of complementary data for MS control.....	36
5	Frame coding.....	36
5.1	Payload Frame [T].....	38
5.2	Message_Frame [BT].....	38
5.2.1	Communications_Start Header [T].....	39
5.2.1.1	Concatenated Superframe to a Communications_Start Header[T]	39
5.2.2	Connection_Request Header [T].....	41
5.2.2.1	Called Party Check [T].....	41
5.2.2.2	Repeat Last Ack(RLA) [T]	42
5.2.2.3	Short Data Delivery Header message [T].....	42
5.2.2.4	Call Diversion [T]	43
5.2.3	Disconnect_Request Header [T].....	43
5.2.4	T_ACK B_ACK Message [T]	43
5.2.4.1	Message Information for acknowledgements.....	44
5.2.5	Maintenance_Message [T].....	44
5.2.5.1	Idle Message [T]	45
5.2.5.2	Preservation message	45
5.2.5.3	Guard_Message [T].....	46
5.2.6	System_Request Header [T]	46
5.2.7	ACK header response to a System Request [T].....	47
5.2.8	System Delivery Header [T]	47
5.2.9	Status Polling Response Message [T].....	47
5.2.10	Status Polling Request Message [T]	48
5.2.11	BS_Command header(U) and response(D) [T].....	48
5.2.12	BS_Access header(U) and response(D) [T].....	48
5.2.13	Broadcast Messages [B] [T].....	49
5.2.13.1	Broadcast Aloha Message [B].....	49
5.2.13.2	Broadcast Announcements [B].....	50
5.2.13.2.1	Broadcast Announcement - Call Timers [B]	51
5.2.13.2.2	Broadcast Announcement - Vote Now [B].....	51
5.2.13.2.3	Broadcast Announcement - Mass Registration [B]	52
5.2.13.2.4	Broadcast Announcement - Real Time [B].....	52
5.2.13.3	Move Channel Broadcast [BT]	53
5.2.13.4	Goto Channel Broadcast [BT].....	53
5.2.13.5	Ambience Listening [T]	53
5.2.14	AHOY/Random Access Request Message [B].....	54
5.2.14.1	B_AHOY Message Downlink [B]	55
5.2.14.2	Random Access Request Uplink [B].....	57
5.2.15	UDT Header messages [B]	58
5.3	End_Frame	59
5.4	Packet Data Header [T]	60
5.5	Field Descriptions.....	60
5.5.1	Active ACTIVE [B].....	61
5.5.2	Appended_Data [BT].....	61
5.5.3	ARQ [T].....	61
5.5.4	Backoff [B]	62
5.5.5	Call Timers [BT].....	62
5.5.6	Communication format [BT]	63
5.5.7	Communication Mode [BT].....	63
5.5.8	COMP [B].....	64
5.5.9	Continuation_Flag [T]	64

5.5.10	Day of Week(DAYSOFF_WEEK) [B].....	64
5.5.11	Digits [BT].....	65
5.5.12	Emergency Priority [BT]	65
5.5.13	End_Type [T].....	65
5.5.14	Frame numbering [T].....	66
5.5.15	Frequency Definitions FR, FT, SEP, BAND [BT]	66
5.5.16	Guard_Kind [T]	67
5.5.17	Long [B]	67
5.5.18	Mask [B].....	67
5.5.19	Message Information [BT].....	67
5.5.19.1	Message Information for Powersave [T].....	68
5.5.19.2	Message Information for Types 1 and 2 data [T]	68
5.5.19.3	Message Information for Type 3 (packet) data [T]	69
5.5.19.4	Message Information for system transactions [T]	69
5.5.19.5	Message Information for B_ACK T_ACK acknowledgements [BT]	70
5.5.19.6	Message Information for Broadcast headers [BT]	70
5.5.19.7	Message Information for BS Command headers [T]	71
5.5.19.8	Message Information for additional services [B]	71
5.5.20	Message_Type [BT]	72
5.5.21	Month B_MONTH	72
5.5.22	NRand_Wait [B].....	72
5.5.23	Preservation_Message PM [T].....	73
5.5.24	POL_FMT [B]	73
5.5.25	Reason [BT].....	73
5.5.26	Reg [B]	76
5.5.27	Reserved [BT].....	76
5.5.28	Service Function [B].....	76
5.5.29	SLD format [T]	77
5.5.29.1	SLOW Data in the voice superframe	77
5.5.29.2	SLOW Data field use with Type 1 or 2 data	77
5.5.30	Status	78
5.5.30.1	Status for Mode 1 and Mode 2 systems [T]	78
5.5.30.2	Status for Mode 3 systems[B]	78
5.5.31	SYMB [BT]	78
5.5.32	SYScast [B]	78
5.5.32.1	SYScast1 [B].....	78
5.5.32.2	SYScast2 or SYScast3 [B].....	79
5.5.32.2.1	SYScast2 or SYScast3 Call Timer MS to MS [B].....	79
5.5.32.2.2	Call Timer for line connected calls and packet data [B].....	79
5.5.32.2.3	SYScast2 or SYScast3 Real Time [B].....	79
5.5.32.2.4	SYScast2 or SYScast3 Common Frame Counter [B].....	80
5.5.32.2.5	SYScast2, SYScast3 Calling Party Address [B].....	80
5.5.33	System Identity Code [B]	81
5.5.34	Tx_Wait [T].....	81
5.5.35	UAD [BT].....	81
5.5.36	UDT_Format [BT].....	82
5.5.37	Version [BT].....	82
5.5.38	Vote Now Advice Parameters [B]	82
5.5.39	Withdrawn W [B]	82
5.6	Appended_Data Messages [BT].....	83
5.6.1	Appended_Data MS ID Format	83
5.6.2	Appended_Data Binary Format	83
5.6.3	Appended_Data BCD Format.....	84
5.6.4	Appended_Data (ISO 7 bit character set Format).....	84
5.6.5	Appended_Data (ISO 8 bit character set format).....	84
5.6.6	Appended_Data NMEA (EN 61162-1) format	85
5.6.7	Appended_Data IPV4 format	86
5.6.8	Appended_Data IPV6 format	86
5.6.9	Appended_Data Filler	86
6	Synchronisation.....	87
6.1	Frame synchronization	87

6.1.1	FS1.....	87
6.1.2	FS2.....	87
6.1.3	FS3.....	87
6.1.4	FS4.....	87
6.1.5	Channel Code.....	87
6.1.5.1	Channel Code for Mode 1 and Mode 2 Systems.....	89
6.1.5.2	Channel Code for Mode 3 Systems.....	89
6.1.5.2.1	Channel Code Determined by Frequency.....	89
6.1.5.2.2	Channel Code Determined by Frequency and System Identity Code.....	89
6.1.6	Preamble.....	91
7	Interleaving and FEC coding.....	91
7.1	CRC addition.....	91
7.2	Hamming code.....	91
7.3	Scrambling.....	92
7.4	Interleaving.....	92
7.5	FEC coding of CCH (superframe).....	93
7.6	FEC coding of MI (message info') and HI (header info').....	93
7.7	FEC coding of END information.....	94
7.8	FEC coding of Appended Data.....	94
8	Bearer Services, tele-services and supplementary services.....	94
8.1	Call types.....	95
8.1.1	Individual call.....	95
8.1.2	Group call.....	95
8.2	Addressing.....	96
8.3	Channel Codes.....	96
8.4	Messages.....	96
8.4.1	Downlink Traffic Channel messages.....	96
8.4.2	Uplink Traffic Channel messages.....	97
8.4.3	Downlink Beacon messages.....	97
8.4.4	Uplink Beacon messages.....	98
9	Packet data.....	98
9.1	Format.....	98
9.2	Receiving party.....	99
9.3	Packet frame coding.....	100
9.4	Data frame size.....	100
9.5	Valid data length.....	101
9.6	Data checksum.....	101
9.7	Standard Packet Exchange Format.....	102
10	Call procedures.....	103
10.1	Call procedures for Mode 1.....	104
10.1.1	Common procedures for Mode 1 Voice and Data calls.....	104
10.1.1.1	Mode 1 Call set up.....	104
10.1.2	Mode 1 Voice calls.....	106
10.1.2.1	Mode 1 Voice Call in progress.....	106
10.1.2.2	Mode 1 Voice Call with Slow Data.....	107
10.1.2.3	Mode 1 Voice Call with Attached Data.....	107
10.1.2.4	Mode 1 Voice Call Termination.....	107
10.1.3	Mode 1 Data Calls.....	108
10.1.3.1	Mode 1 T1 and T2 Data calls.....	108
10.1.3.2	Mode 1 T3 (Packet) Data Calls.....	109
10.1.3.3	Mode 1 Individual Status polling.....	112
10.1.3.4	Mode 1 Short Data Delivery.....	113
10.1.4	Mode 1 Traffic Channel Powersave.....	115
10.1.4.1	Transmitted format.....	115
10.1.4.2	Receive format.....	116
10.2	Call procedures for Mode 2.....	116
10.2.1	Mode 2 MS to MS Call set up.....	117
10.2.2	Mode 2 MS to MS Voice Calls.....	118
10.2.3	Mode 2 Data Calls.....	119

10.2.3.1	Mode 2 T1 and T2 Data Calls	119
10.2.3.2	Mode 2 T3 (Packet) Data Calls	120
10.2.3.3	MS to MS Status request and responses	120
10.2.3.4	MS to MS Short Data	121
10.2.4	Mode 2 MS Mode 2 Call Diversion	123
10.2.4.1	Setting the diversion	124
10.2.4.2	Cancelling the diversion	124
10.2.5	Mode 2 Connection to line connected destinations	124
10.2.5.1	Voice Call Connection_Request message	127
10.2.5.2	Call Matrix for calls to line connected destinations	127
10.2.6	Mode 2 calls from line connected sources	128
10.2.6.1	Call Matrix for calls from line connected destinations	128
10.2.7	Mode 2 Co-channel repeater networks	128
10.2.7.1	MS originated repeater polling	128
10.2.7.1.1	Description of the messages	130
10.2.7.2	BS originated repeater polling	130
10.2.7.2.1	Description of the messages	131
10.2.7.3	Access and Response timing	132
10.3	Call Procedures for Mode 3	132
10.3.1	Mode 3 UDT Mechanism	133
10.3.1.1	Format of the Appended_Data	135
10.3.1.2	UDT Structure	136
10.3.1.2.1	UDT Content for Services Carried on the Downlink channel	136
10.3.1.2.2	UDT Mechanism for the Uplink channel	137
10.3.1.3	Single Part and Multi-part call set-up	137
10.3.1.4	MS behaviour to B_AHOY messages	137
10.3.2	Mode 3 call examples	138
10.3.2.1	An individual voice call example	138
10.3.2.2	A Mode 3 talkgroup call example	139
10.3.2.3	Mode 3 Short Data call example	140
10.3.2.4	Mode 3 Call to PABX/PSTN example	140
10.3.2.5	Mode 3 Call from the PABX/PSTN example	141
10.3.2.6	Mode 3 transport of complementary data example	142
10.3.2.7	Mode 3 transport of complementary data and an extended address example	142
10.3.2.8	Mode 3 Refusal of Service	143
10.3.3	Mode 3 Detailed Call procedures	144
10.3.3.1	Mode 3 Procedures common to Voice calls and Data Calls	144
10.3.3.1.1	Availability of requesting MS	144
10.3.3.1.2	Call Cancellation	144
10.3.3.1.3	Acknowledgements sent to calling MS	144
10.3.3.1.4	Maintenance of call progress waiting timers	145
10.3.3.1.5	Traffic Channel Assignment	145
10.3.4	Mode 3 Voice Call Procedures	146
10.3.4.1	Voice Call Procedures for the BS	146
10.3.4.1.1	BS Response to single-part voice call set-up	147
10.3.4.1.2	BS Response to multi-part voice call set-up	147
10.3.4.1.3	Acknowledgements sent by the BS to the calling MS (voice)	147
10.3.4.1.4	Voice Radio Check	148
10.3.4.1.5	Availability Check for Voice Calls connected through Gateways	148
10.3.4.2	Voice Call Procedures for MS	148
10.3.4.2.1	Initiating a single-part voice call service	149
10.3.4.2.2	Response to the single-part individual voice service request	149
10.3.4.2.3	Initiating a multi-part voice call service	150
10.3.4.2.4	Response to the multi-part voice service request	150
10.3.4.2.5	Acknowledgements received by the calling MS (voice)	150
10.3.4.2.6	Availability Check to the called MS (voice)	151
10.3.4.2.7	Traffic Channel Allocation	151
10.3.4.3	Procedures for the Voice Traffic Channel	151
10.3.4.3.1	BS Procedures for the Voice Traffic Channel	152
10.3.4.3.2	MS Procedures for the Voice Traffic Channel	153
10.3.5	Mode 3 Data Call Procedures	154
10.3.5.1	Data Call Procedures for the BS	155